

Separating Vitamin D_2 and D_3 their 25-OH Metabolites and C-3 Epimers





Ken Tseng¹, Toshi Ono¹, Tsunehisa Hirose²
¹Nacalai USA, Inc., San Diego, United States, ²Nacalai Tesque, Inc., Kyoto, Japan


Introduction


The accuracy of current vitamin D measurements by immunoassays and LCMS have been questioned due to the overlapping LC peaks with identical m/z values epimers. To solve this problem, we have developed a new HPLC method to achieve baseline separation of vitamin D_2/D_3 , their 25-OH metabolites and C3-epimers in one single run. A novel coreshell type reversed-phase HPLC column with Cholesterol as the functional group (Cosmocore Cholester) is used in this study. The Cosmocore Cholester column has similar hydrophobicity as regular C18 columns, so it is used in the same exact way. The baseline separation is so complete that it can be used for quantification by UV detector alone at low concentrations. Gradient condition can be employed to further separate vitamin D_2 and vitamin D_3 and their four metabolites/epimers, all in one LCMS (or UV) run.

Vitamin D Structures









Conclusion

- Vitamin D₂ and D₃ isocratic separation under 3 minutes using 100% MeOH
- 25(OH) Vitamin D₂ and D₃ metabolites and C-3 epimers can be baseline separated under isocratic condition at low concentration
- All six vitamin D and associated metabolites were separated in a single HPLC oradient run