nacalai tesque
The quality for certainty.


NACALAI TESQUE

GENERAL CATALOG 2012










e Nacalai Online Catalog

Product Search

Has over **7,500** products
Has various search methods

- Product Name
- CAS No.
- Product Number
- Structural Formula
- Molecular Formula
- Numerical Value Range (Molecular weight, Melting point and etc.)
- Application etc.




Product information

Has the latest information
Saves time for inquiry

- The latest inventory (in Stock)
- MSDS (MSDS)
- Characteristic
- Product picture (Product Info.)
- Instruction
- Brochure
- Chromatogram Index (HPLC)
- Specification*
- Certificate of Analysis*
- Product label*
- etc


*Registration is required



Search Now !

Visit our website at www.nacalai.com

e-Nacalai Global Search



e-Nacalai is free service (No registration)

Contents

Profile **3**

General Information **4**

Ordering Information **5**

Alphabetical List of Products **10**

A 10
B 33
C 50
D 74
E 92
F 101
G 105
H 114
I 124
J 132
K 133
L 134
M 141
N 158
O 166
P 169
Q 195
R 196
S 199
T 221
U 242
V 243
W 246
X 248
Y 250
Z 251

Plant Extract Compounds **256**

Sialic Acid Related Products **266**

Reagents for Specific Application **270**

Biochemicals 270
Organic Chemistry 273
Analytical Science 275
Environmental Sciences 283
Desiccants 285

Profile

Nacalai Tesque dates back to 1846 when the company's founder Mansuke Nakarai opened Nakarai Mansuke Shoten, Ltd., an apothecary selling traditional Japanese and Chinese medicines. In 1958, this company's reagent department became an independent company, Nakarai Chemicals, Ltd.

The company has since dedicated itself to expanding its corporate base and has strived to be an enterprise that our customers always rely on, while taking pride in its contribution to scientific and industrial development.


Making the most of this 30-year history and as a step toward the future, Nakarai Chemicals changed its corporate name to Nacalai Tesque, Inc. in 1988. At Nacalai Tesque, we have fostered a corporate commitment to the pursuit of reliable quality and the creation of products of real value, while serving as a vital link between humanity and science.

Centering around research chemicals, the fields of our activities include fine chemicals and related laboratory equipment and supplies.

The pace of scientific and technological progress in every industrial field is rapidly accelerating, and all business partners and affiliates are required to provide even more diversified and advanced expertise.

It is our corporate policy to strive for our lofty ideals for excellence while respecting our long history and tradition. We consider it our mission to maintain close contact with our customers by offering reliable quality in all our products, information and services, and by making full use of the knowledge and experience of our staff.

At Nacalai Tesque, we pledge to maintain our ability to pursue reliability so that society can continue to rely on us.



Takatoshi Nakarai
President of NACALAI TESQUE, INC.

Grade Definitions

To simplify grade selection for customers the grade definitions are provided as follows.

SP	Specially Prepared Reagent (The highest grade of Nacalai reagents)
UF	Ultra Fine Grade
BC	Biochemicals Grade
GR	Guaranteed Reagent
EP	Extra Pure Reagent
CP	Reagent

Guarantee Reagents for Use

Acylation (with or without detection) Reagent for GC
Bifunctional Cross-linking Reagent
Biotechnology Grade
Dehydrohalogenation Reagent
Esterification (with or without detection) Reagent for GC
for Affinity Chromatography
for Alkaliphoshatase Stainging
for Amino Acid Auto Analyzer
for Amino Acid Sequence Analysis
for Amino Sugar Compounds
for Analysis of Poisonous Metal
for Analysis of Sulfur in Petroleum Product
for Atomic Absorption Spectrometry
for Biochemical Research
for Capillary Electrophoresis
for Cell Count
for Centrifugal Density-grandient
for CH2N2 Generating
for Chemoluminometrical Assay
for Clinical Chemistry Research
for Columns Chromatograph
for Dioxins Test
for Electro Microscopy
for Electronics
for Electrophoresis
for Elemental Analysis
for Extraction
for Fine Analysis
for Fluorometric Analysis
for Galenicals Test
for Grignard Reaction
for H2O2 Analysis
for High Temperature Culture
for Histochemical Research
for Hormone Analysis
for HPLC
for Hydrocarbon Halide Analysis
for Immunochemical Research
for Immunochemistry
for Ion-pair Chromato
for IR
for JIS Biochemical
for Leukocite Separation
for Liquid Scintillation
for Low Temperature Gel
for Mass Spectrometry
for Metal Colorimetric Determination
for Microorganism Culture
for Molecular Biology
for Nitrate Analysis
for NMR
for Nonaqueous Titration
for Nucleic Acid Electorphoresis
for Nucleic Acid Extraction
for Nucleic Acid Synthsis
for Oxydant Analysis
for Ozon Analysis
for Partition Coefficient Analysis
for Peptide Sysnth
for PFGE
for Polarograph
for Protein Expression Analysis
for Protein Research
for Protein Structural Analysis
for Research of Insoluble Protein
for Research of Sugar Chain
for Residual Pesticide Analysis
for Serum Triglyceraide Analysis
for SH Groups Analysis
for Research of Sialic Acid
for Spectrum
for Tissue
for Tissue Culture
for Tissue Embedding
for TLC
for Trihalomethane Analysis
for Water Analysis
Glycosidase Substrate
Good Buffer
Labeling Reagent for HPLC
Metal Indicator
MOLPAC
Sift Reagent for NMR
Silylation (with or without detection) Reagent for GC

UN Number

UN numbers are four-digit numbers assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods to identify hazardous. For more information, please contact us at info.intl@nacalai.com

Stabilizer Abbreviations

BHT 2,6-Di-t-butyl-p-cresol
HQ ..... Hydroquinone
MEHQ..... 4-Methoxy Phenol(Hydroquinone Monomethyl Ehter)
TBC ..... p-t-Butylcatechol

Catalog Item Example

① **Acrylamide(monomer)** ② **[79-06-1]**
CH2:CHCONH2=71.08 — ③④
for Molecular Biology ⑤ | Purity: 99%(GC) ⑥ | Nuclease and Protease tested | SP ⑦ | RT ⑧ | 06114-24 ⑨ | 100G ⑩

① Product name
② CAS No.
③ Molecular Formula
④ Molecular Weight
⑤ Grade for specific use
⑥ Purity, Form and etc.
⑦ Grade
⑧ Storage
⑨ Product number
⑩ Package size

Online catalog, "e-Nacalai *search version*"

Online catalog, "e-Nacalai *search version*" which includes over 7,500 products with the latest inventory and product information is available on our website. For more information, please visit our website at www.nacalai.com

Prices

For prices, please contact us or your local distributor.

Orders and Inquires

For inquiries and orders of products, products not listed in this catalog or bulk quantities, please contact us at:

NACALAI TESQUE, INC.
International Business Development
Nijo karasuma, Nakagyo-ku, Kyoto 604-0855 JAPAN
TEL +81 (0)75-251-1730
FAX +81 (0)75-251-1763
Website www.nacalai.com
E-mail info.intl@nacalai.com

Shipping Terms

All risks of loss or damage in transit shall be borne by the buyer, regardless of shipping terms. The shipment of hazardous materials is governed by the International Air Transport Association (IATA) and Ministry of Transport, Maritime Technology and Safety Bureau.

Return Shipment

No returns can be accepted without prior written authorization from Nacalai Tesque. Inspect goods immediately on receipt of your order and inform us any shortages, damages, or problems within 10 days of receipt.
There are products that we cannot authorize returns: most of frozen and refrigerated products, expired products, products of custom orders, and any items missing labels, parts, or instruction manuals.

Limited Warranty

Nacalai Tesque warrants that its products shall conform to the specifications of such products as provided by Nacalai Tesque. **NACALAI TESQUE MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH REQUEST TO THE PRODUCTS, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PARTICULAR PURPOSE.** Our warranty obligation is limited to replacement of the defective product or the refund of the purchase price. We shall not be liable for any incidental, consequential, or contingent damages resulting form use of the products. We don not warrant that the use or sale of the product will not infringe the claim of any patents.

Product Specifications

Product specifications in our catalog are in effect at the time of publication. All specifications are subject to change without prior notice. Up-to-date information is available upon request.

MSDS

A Material Safety Data Sheet (MSDS) provides name, manufacturers, hazard information, precautions for use and safe handling information of a particular substance.
To request a MSDS, please contact us at info.intl@nacalai.com

Product Use

All products are for research use only. They are NOT intended to be used as food additives, drugs, cosmetics, agricultural chemicals, household chemicals or any other inappropriate applications.

Safety

All products should be handled only by qualified and properly trained professionals familiar with laboratory procedures and potential chemical hazards. The burden of safe use of products rests entirely with the buyer. The buyer assumes the responsibility for the safe disposal of all products in accordance with applicable laws.

Hazard Pictograms

Hazard Pictograms are labeled on products for your safety based on GHS and the Guidebook of Japan Reagent Chemicals Association. We will step by step re-classify and re-label all products based on GHS. For more information of Hazard Pictograms, please visit our online catalog, “e-Nacalai *search version*”.



Hazard Pictograms

Pictograms	Class	Description
	Exploding Bomb	Unstable explosives Explosives of Divisions 1.1, 1.2, 1.3, 1.4 Self reactive substances and mixtures, Types A,B Organic peroxides, Types A, B
	Flame	Flammable gases, category 1 Flammable aerosols, categories 1,2 Flammable liquids, categories 1,2,3 Flammable solids, categories 1,2 Self-reactive substances and mixtures, Types B,C,D,E,F Pyrophoric liquids, category 1 Pyrophoric solids, category 1 Self-heating substances and mixtures, categories 1,2 Substances and mixtures, which in contact with water, emit flammable gases, categories 1,2,3 Organic peroxides, Types B,C,D,E,F
	Flame Over Circle	Oxidizing gases, category 1 Oxidizing liquids, categories 1,2,3
	Gas Cylinder	Gases under pressure: - Compressed gases - Liquefied gases - Refrigerated liquefied - Dissolved gases
	Corrosion	Corrosive to metals, category 1 Skin corrosion, categories 1A,1B,1C Serious eye damage, category 1
	Skull and Crossbones	Acute toxicity (oral, dermal, inhalation), categories 1,2,3
	Exclamation Mark	Acute toxicity (oral, dermal, inhalation), category 4 Skin irritation, category 2 Eye irritation, category 2 Skin sensitisation, category 1 Specific Target Organ Toxicity – Single exposure, category 3
	Health Hazard	Respiratory sensitization, category 1 Germ cell mutagenicity, categories 1A,1B,2 Carcinogenicity, categories 1A,1B,2 Reproductive toxicity, categories 1A,1B,2 Specific Target Organ Toxicity – Single exposure, categories 1,2 Specific Target Organ Toxicity – Repeated exposure, categories 1,2 Aspiration Hazard, category 1
	Environment	Hazardous to the aquatic environment - Acute hazard, category1 - Chronic hazard, categories 1,2

Hazard Pictograms Based on the Guidebook of Japan Reagent

Pictograms	Class	Description
	Explosive	Explode by impact, friction or heat.
	Extremely Flammable Liquid	Liquid with a flash point less than -20°C and a boiling point below 40°C. Or liquid with an auto ignition point below 100°C.
	Flammable Liquid	Liquid with a flash point less than 70°C.
	Flammable	Readily combustible solids. Flammable gases.
	Spontaneously Combustible	Substances liable to spontaneous combustion in air.
	Water Reactive	Substance which, in contact with water, spontaneous combustion or emit flammable gases.
	Oxidizing	Substances cause to combustion or explosion in contact with combustible substances.
	Self Reactive	Substances strongly exothermic decomposition by heat or impact.
	Very Toxic	Substances cause death or injury if swallowed, inhaled or contacted by the skin. (LD50:30mg/kg or less rat, oral)
	Toxic	Substances cause injury if swallowed, inhaled or contacted by the skin. (LD50:30-300mg/kg rat, oral)
	Hazardous	Substances may cause injury if swallowed, inhaled or contacted by the skin. (LD50:200-2,000mg/kg rat, oral)
	Corrosive	Substances cause damage when contact with skin or equipment.
	Irritant	Substances may cause irritation of the eyes, skin or respiratory organs.

A

[A]

Abietic Acid [514-10-3]				
C20H30O2=302.45				
Purity: 80%(T)	CP	RT	00101-64	5G
			00101-22	25G
Acacia [Gum Arabic] [9000-01-5]				
	CP	RT	00103-02	25G
			00103-15	500G
Acenaphthene [83-32-9]				
C12H10=154.21				
Purity: 99%(GC)	GR	RT	00132-22	25G
ACES [N-(2-Acetamido)-2-aminoethanesulfonic Acid] [7365-82-4]				
H2NCOCH2NHCH2CH2SO3H=182.20				
Good Buffer Purity: 99%(T)	SP	RT	00110-02	25G
Acetaldehyde [75-07-0]				
CH3CHO=44.05				
Purity: 90%(T)	EP	A	00112-95	500ML
Acetamide [60-35-5]				
CH3CONH2=59.07				
Purity: 98%(GC)	GR	A	00117-32	25G
			00117-45	500G
p-Acetamidophenol [103-90-2]				
CH3CONHC6H4OH=151.16				
Purity: 98%(N)	GR	RT	00204-82	25G
Acetanilide [103-84-4]				
C6H5NHCOCH3=135.16				
Purity: 98%(N)	GR	RT	00230-45	500G
p-Acetanisidide [51-66-1]				
CH3OC6H4NHCOCH3=165.19				
	GR	RT	00209-32	25G
0.2mol/l-Acetate Buffer Solution				
		RT	37235-55	500ML
0.1mol/l-Acetate Buffer Solution				
		RT	37236-45	500ML
Acetic Acid [64-19-7]				
CH3COOH=60.05				
Purity: 99%(T)	EP	RT	00211-95	500ML
Purity: 99.7%(T)	GR	RT	00212-56	100ML
			00212-85	500ML
for Fine Analysis Purity: 99.7%(T)	UF	RT	00224-35	500ML
for Molecular Biology Purity: 99.7%(T)	SP	RT	08885-45	500ML
for HPLC Purity: 99.7%(T)	SP	RT	08963-02	25ML
for Column Chromatography Purity: 99.7%(T)	SP	RT	00220-75	500ML
for Spectrum Purity: 99.7%(T)	SP	RT	00222-55	500ML
for Nonaqueous Titration Purity: 99.7%(T)	SP	RT	00223-45	500ML
for Amino Acid Auto Analyzer Purity: 99.7%(T)	SP	RT	00218-25	500ML
for Amino Acid Sequence Analysis Purity: 99.7%(T)	SP	RT	00219-15	500ML
1mol/l-Acetic Acid [64-19-7]				
		RT	37306-25	500ML
for Protein Structural Analysis	SP	R	05567-34	100ML
0.1mol/l-Acetic Acid [64-19-7]				
		RT	37307-15	500ML
Acetobromo-α-D-glucuronic Acid Methyl Ester [21085-72-3]				
C13H17BrO9=397.17				
	GR	F	00305-91	1G

A

Acetocarmine Solution, acc. to Kultschitzky				
	EP	RT	00304-72	25ML
			00304-85	500ML
Acetol [Hydroxyacetone] [116-09-6]				
C3H6O2=74.08				
Purity: 90%(GC)	CP	RT	00346-32	25ML
2'-Acetonaphthone [93-08-3]				
C12H10O=170.21				
	GR	RT	07145-52	25G
Acetone [67-64-1]				
(CH3)2CO=58.08				
Purity: 99%(GC)	EP	RT	00309-35	500ML
Purity: 99.5%(GC)	GR	RT	00310-66	100ML
			00310-95	500ML
for Molecular Biology Nuclease and Protease tested	SP	RT	06268-95	500ML
for Fluorometric Analysis Purity: 99.7%(GC)	SP	RT	00341-95	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	00325-31	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	00317-25	500ML
for Residual Pesticide Analysis Purity: 99.8%(GC) Tested for 5,000X	SP	RT	04329-71	1L
for Dioxins Test Purity: 99.5%(GC)	SP	RT	02098-61	1L
for Electronics Purity: 99.7%(GC)	SP	RT	00315-45	500ML
Acetonitrile [75-05-8]				
CH3CN=41.05				
Purity: 99%(GC)	EP	RT	00404-75	500ML
Purity: 99.5%(GC)	GR	RT	00405-52	25ML
			00405-07	100ML
			00405-65	500ML
for Fluorometric Analysis Purity: 99.8%(GC)	SP	RT	00441-85	500ML
for Nucleic Acid synthsis Purity: 99.8%(GC)	SP	RT	00439-64	100ML
			00439-35	500ML
for HPLC Purity: 99.8%(GC)	SP	RT	00430-25	500ML
			00430-41	1L
for Spectrum Purity: 99.8%(GC)	SP	RT	00433-95	500ML
for Residual Pesticide Analysis Purity: 99.8%(GC) Tested for 5,000X	SP	RT	04331-21	1L
Acetonitrile (H2O<50ppm) [75-05-8]				
CH3CN=41.05				
Purity: 99.8%(GC) Special Cap	GR	RT	04087-54	100ML
			04087-41	1L
Acetonylacetone [2,5-Hexanedione] [110-13-4]				
CH3COCH2CH2COCH3=114.14				
Purity: 98%(GC)	GR	RT	00410-72	25ML
Acetophenone [98-86-2]				
C6H5COCH3=120.15				
Purity: 98.5%(GC)	GR	RT	00412-52	25ML
			00412-65	500ML
Acetovanillone [4-Hydroxy-3-methoxyacetophenone] [498-02-2]				
C9H10O3=166.17				
Purity: 98%(GC)	EP	RT	00436-52	25G
Acetylacetone [2,4-Pentanedione] [123-54-6]				
CH3COCH2COCH3=100.12				
Purity: 99%(GC)	GR	RT	00420-42	25ML
			00420-55	500ML
2-Acetylaminofluorene [N-2-Fluorenylacetamide] [53-96-3]				
CH3CONHC13H9=223.27				
Purity: 98%(N)	GR	RT	00429-94	5G
Acetyl Bromide [506-96-7]				
CH3COBr=122.95				
	EP	RT	00503-62	25G

A

Acetyl Chloride [75-36-5]				
CH3COCl=78.50				
Purity: 95%(T)	CP	RT	00524-92	25ML
			00524-05	500ML
Acetylcholine Chloride [60-31-1]				
[CH3COOCH2CH2N(CH3)3]Cl=181.66				
Purity: 98%(T)	GR	R	00509-31	1G
			00509-02	25G
Acetyl Coenzyme A Sodium Salt [102029-73-2]				
	EP	F	00546-96	10MG
			00546-54	100MG
Acetyl Coenzyme A Trilithium Salt [75520-41-1]				
C23H35Li3N7O17P3S=827.37				
		F	00545-22	25MG
N-Acetyl-L-cysteine [616-91-1]				
HSCH2CH(NHCOCH3)COOH=163.20				
Purity: 98%(T)	GR	R	00512-84	5G
			00512-42	25G
			00512-55	500G
6''-O-Acetyldaidzin [71385-83-6]				
C23H22O10=458.41				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04580-61	1MG
Acetylenecarboxylic Acid [Propargylic Acid] [471-25-0]				
HC | CCOOH=70.05				
Purity: 95%(T)	EP	A	00514-64	10G
Acetylenedicarboxylic Acid [142-45-0]				
HOOCC | CCOOH=114.06				
Purity: 95%(T)	EP	R	00515-54	10G
Acetylenedicarboxylic Acid Dimethyl Ester [762-42-5]				
CH3OOCC | CCOOCH3=142.11				
Purity: 97%(GC)	GR	RT	00516-02	25ML
N-Acetyl-D-galactosamine [14215-68-0]				
C8H15NO6=221.21				
for Amino Sugar Compounds Purity: 98%(HPLC)	SP	R	00519-14	100MG
			00519-85	500MG
6''-O-Acetylgenistin [73566-30-0]				
C23H22O11=474.41				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04613-31	1MG
N-Acetyl-D-glucosamine [7512-17-6]				
C8H15NO6=221.21				
for Amino Sugar Compounds	SP	R	00520-16	5G
			00520-32	25G
			00520-74	100G
N-Acetylglycine [543-24-8]				
CH3CONHCH2COOH=117.10				
	GR	A	00521-22	25G
6''-O-Acetylglycitin [134859-96-4]				
C24H24O11=488.44				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04607-21	1MG
N-Acetyl-D-mannosamine Monohydrate [7772-94-3]				
C8H15NO6·H2O=239.23				
for Research of Sugar Chain	SP	R	05425-71	1G
			05425-84	10G
(Acetylmethylene)triphenylphosphorane [1439-36-7]				
C21H19OP=318.35				
	EP	RT	06983-44	10G

A

N-Acetylmuramyl-L-alanyl-D-isoglutamine [53678-77-6]				
C19H32N4O11=492.48				
Purity: 95%(HPLC)	GR	F	00649-01	1MG
N-Acetylneuraminic Acid [NANA, Sialic Acid] [131-48-6]				
C11H19NO9=309.27				
for Research of Sialic Acid by Enzyme synthesis	SP	R	08371-36	10G
			08371-94	100G
N-Acetylneuraminic Acid from E.coli [131-48-6]				
C11H19NO9=309.27				
for Research of Sialic Acid Decompose Colomic Acid derived from E. coli	SP	R	00622-44	100MG
			00622-31	1G
N-Acetylneuraminic Acid, dimer(α,2→8) [DP2]				
for Research of Sugar Chain Purity: 95%(HPLC)	SP	F	00640-04	10MG
			00640-46	100MG
N-Acetylneuraminic Acid, trimer(α,2→8) [DP3]				
for Research of Sugar Chain Purity: 95%(HPLC)	SP	F	00641-94	5MG
			00641-52	25MG
N-Acetylneuraminic Acid, tetramer(α,2→8) [DP4]				
for Research of Sugar Chain Purity: 95%(HPLC)	SP	F	00642-84	5MG
			00642-42	25MG
N-Acetylneuraminic Acid, pentamer(α,2→8) [DP5]				
for Research of Sugar Chain Purity: 95%(HPLC)	SP	F	00643-74	5MG
			00643-32	25MG
N-Acetylneuraminic Acid, hexamer(α,2→8) [DP6]				
for Research of Sugar Chain Purity: 95%(HPLC)	SP	F	00644-64	5MG
			00644-22	25MG
N-Acetylneuraminic Acid, oligomer(α,2→8) kit				
for Research of Sugar Chain Purity: 95%(HPLC) Component: DP2-DP6 1mg each, NANA 10mg	SP	F	00645-70	1KIT
N-Acetylneuraminic Acid Aldolase [9027-60-5]				
for Research of Sialic Acid	SP	F	00628-84	10UNITS
N-Acetylneuraminyl-α-(2→6)-lactose				
C23H39NO19=633.55				
for Research of Sialic Acid	SP	R	00637-51	1MG
2-Acetylpyridine [1122-62-9]				
CH3COC5H4N=121.14				
Purity: 99%(GC)	EP	RT	00701-46	10G
3-Acetylpyridine [350-03-8]				
CH3COC5H4N=121.14				
	EP	RT	00702-94	10G
4-Acetylpyridine [1122-54-9]				
CH3COC5H4N=121.14				
	EP	RT	00703-84	100ML
Acetylsalicylic Acid [50-78-2]				
CH3COOC6H4COOH=180.16				
Purity: 99%(T)	GR	RT	00731-72	25G
Acetylshikonin [24502-78-1]				
C18H18O6=330.33				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04057-44	10MG
Acetylthiocholine Iodide [1866-15-5]				
[CH3COSCH2CH2N(CH3)3]I=289.18				
	GR	R	00706-41	1G
2-Acetylthiophene [88-15-3]				
C4H3SCOCH3=126.18				
Purity: 98%(GC)	GR	RT	00708-92	25ML
N-Acetyl-DL-tryptophan [87-32-1]				
C13H14N2O3=246.26				
Purity: 98%(T)	GR	A	00711-74	5G

A

Acid Phosphatase from Wheat Germ [9001-77-8]				
Acitivity: 0.2-1.0u/mg solid	BC	F	00742-45	500MG
cis-Aconitic Acid [585-84-2]				
HOOCCH:C(COOH)CH2COOH=174.11				
Purity: 98%(T)	GR	R	00719-81	1G
trans-Aconitic Acid [4023-65-8]				
HOOCCH:C(COOH)CH2COOH=174.11				
Purity: 98%(T)	EP	RT	00729-22	25G
Acridine Orange [65-61-2]				
C17H20N3Cl=301.81				
for Fluorometric Analysis Purity: 95%(T)	SP	R	00732-91	1G
N-(9-Acridinyl)maleimide [NAM] [49759-20-8]				
C17H10N2O2=274.27				
for Fluorometric Analysis	SP	R	00842-64	50MG
Acriflavine [Trypaflavine] [8048-52-0]				
	GR	RT	35523-51	1G
			35523-64	10G
Acrylamide(monomer) [79-06-1]				
CH2:CHCONH2=71.08				
	EP	RT	00807-05	500G
for Molecular Biology Purity: 99%(GC) Nuclease and Protease tested	SP	RT	06114-24	100G
			06114-95	500G
			06114-11	1KG
for Electrophoresis Purity: 99%(GC)	SP	RT	00809-14	100G
			00809-85	500G
30(w/v)%-Acrylamide/Bis Mixed Solution(19:1) , Nuclease tested				
for Electrophoresis Filtrated by 0.45um, Preservative-free Nuclease tested				
	SP	R	07175-75	500ML
40(w/v)%-Acrylamide/Bis Mixed Solution(19:1) , Nuclease tested				
for Electrophoresis Filtrated by 0.45um, Preservative-free Nuclease tested				
	SP	R	06140-45	500ML
30(w/v)%-Acrylamide/Bis Mixed Solution(29:1)				
for Electrophoresis Filtrated by 0.45um, Preservative-free				
	SP	R	06141-35	500ML
40(w/v)%-Acrylamide/Bis Mixed Solution(29:1)				
for Electrophoresis Filtrated by 0.45um, Preservative-free				
	SP	R	06119-45	500ML
30(w/v)%-Acrylamide/Bis Mixed Solution(37.5:1)				
for Electrophoresis Filtrated by 0.45um, Preservative-free				
	SP	R	06144-05	500ML
40(w/v)%-Acrylamide/Bis Mixed Solution(37.5:1)				
for Electrophoresis Filtrated by 0.45um, Preservative-free				
	SP	R	06121-95	500ML
Acrylamide Gel Crack-proof Solution				
for Electrophoresis				
	SP	RT	00860-11	1L
Acrylic Acid(monomer) [79-10-7]				
CH2:CHCOOH=72.06				
Purity: 98%(GC)	EP	RT	00810-32	25ML
			00810-45	500ML
Acrylonitrile(monomer) [107-13-1]				
CH2:CHCN=53.06				
Purity: 97%(GC)	EP	RT	00812-25	500ML
Actinomycin D from Streptomyces chrysomallus [50-76-0]				
Purity: 95%(HPLC)	EP	R	00851-44	10MG
			00851-02	25MG
Actinomycin D Solution(1mg/ml)				
for Tissue Culture Includes 50v/v% Ethanol and 50v/v% Ethylene Glycol, Sterilized by filtration	SP	F	00393-41	1ML

A

ADA [N-(2-Acetamido)iminodiacetic Acid] [26239-55-4]				
C6H10N2O5=190.15				
Good Buffer Purity: 99%(T)	SP	RT	00816-72	25G
1-Adamantanamine [768-94-5]				
C10H15NH2=151.25				
	EP	RT	00817-04	5G
Adamantane [281-23-2]				
C10H16=136.23				
	EP	RT	06989-42	25G
1-Adamantanol [768-95-6]				
C10H15OH=152.23				
Purity: 99%(GC)	GR	RT	00822-24	5G
Adenine [73-24-5]				
	EP	RT	06398-11	1G
			06398-66	5G
			06398-82	25G
			06398-24	100G
Adenine Sulfate [321-30-2]				
(C5H5N5)2·H2SO4·2H2O=404.36				
	GR	RT	01990-94	5G
			01990-52	25G
Adenosine [58-61-7]				
C10H13N5O4=267.24				
	GR	R	01994-54	5G
Adenosine-3',5'-cyclic Monophosphate Sodium Salt [37839-81-9]				
C10H11N5O6PNa=351.19				
	GR	F	02289-61	1G
Adenosine-5'-diphosphate Sodium Salt from Bacterial Source [20398-34-9]				
C10H14N5NaO10P2·nH2O=449.18(Anh)				
	CP	F	01652-24	100MG
Adenosine-5'-monophosphate Sodium Salt from Yeast [149022-20-8]				
Purity: 98%(HPLC)	GR	F	01748-71	1G
Adenosine-5'-triphosphate Disodium Salt Hydrate from Yeast [51963-61-2]				
C10H14N5Na2O13P3·xH2O				
Purity: 98%(HPLC) Vanadium content: under 1ppm	GR	F	01072-11	1G
			01072-24	5G
			01072-82	25G
for Molecular Biology Purity: 98%(HPLC) Vanadium content: under 1ppm Nuclease and Protease tested	SP	F	08886-51	1G
			08886-64	5G
Adenosine-5'-triphosphate Magnesium Salt [74804-12-9]				
Purity: 90%(HPLC)	CP	F	00386-54	100MG
			00386-41	1G
5'-Adenylylimidodiphosphate Lithium Salt [72957-42-7]				
C10H13Li4N6O12P3=529.93				
	EP	R	01070-44	10MG
Adipic Acid [124-04-9]				
HOOC(CH2)4COOH=146.14				
Purity: 99%(T)	EP	RT	01008-45	500G
Purity: 99.5%(T)	GR	RT	01009-22	25G
			01009-35	500G
Adipic Acid Monomethyl Ester [627-91-8]				
C7H12O4=160.17				
Purity: 98%(GC)	GR	RT	01011-72	25G
Adipodihydrazide [1071-93-8]				
H2NHNCO(CH2)4CONHNH2=174.20				
Purity: 95%(T)	EP	RT	01048-12	25G

A

Adipoyl Chloride [111-50-2]				
ClCO(CH2)4COCl=183.03				
Purity: 97%(GC)	EP	RT	01068-52	25G
L-Adrenaline [51-43-4]				
C9H13NO3=183.20				
Purity: 98%(T)		R	01004-14	5G
L-Adrenaline Hydrogen Tartrate [51-42-3]				
C13H19NO9=333.29				
Purity: 98%(T)	GR	R	01019-21	1G
Agar, powder [9002-18-0]				
	EP	RT	01028-85	500G
			01028-14	10KG
Agar, powder(gelling temperature 30~31°C) [9002-18-0]				
for Low Temperature Gel	SP	RT	01059-85	500G
Agar, powder(melting temperature ~80°C) [9002-18-0]				
for High Temperature Culture	SP	RT	01057-05	500G
Agar Purified, powder [9002-18-0]				
	GR	RT	01056-15	500G
for Microorganism Culture	SP	RT	01162-15	500G
Agar-EPI [9002-18-0]				
for Electrophoresis	SP	RT	01101-34	100G
Agarose for ≧ 1kbp fragment [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01145-32	25G
			01145-74	100G
			01145-45	500G
for Nucleic Acid Electorphoresis (High gel strength)	SP	RT	01163-92	25G
			01163-76	100G
			01163-05	500G
Agarose for ≧ 1kbp fragment(Fine Powder) [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	02468-24	10G
			02468-66	100G
			02468-95	500G
Agarose-RE for ≧ 1kbp fragment, for Restriction and Ligation [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01149-92	25G
			01149-76	100G
			01149-05	500G
Agarose for 150~1,500bp fragment [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01153-22	25G
			01153-64	100G
Agarose for 50~800bp fragment [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01147-12	25G
			01147-96	100G
Agarose GP-36 [9012-36-6]				
for Electrophoresis	SP	RT	01139-22	25G
			01139-64	100G
Agarose GP-42 [9012-36-6]				
for Electrophoresis	SP	RT	01140-24	100G
Agarose-LE [9012-36-6]				
for Electrophoresis	SP	RT	01132-92	25G
			01132-34	100G
Agarose-LE, Classic Type [9012-36-6]				
for Electrophoresis	SP	RT	01157-82	25G
			01157-66	100G
			01157-95	500G
Agarose-ME [9012-36-6]				
for Electrophoresis	SP	RT	01133-82	25G
			01133-24	100G

A

Agarose-ME, Classic Type [9012-36-6]				
for Electrophoresis	SP	RT	01158-72	25G
			01158-56	100G
			01158-85	500G
Agarose-HE [9012-36-6]				
for Electrophoresis	SP	RT	01134-14	100G
Agarose-HGS [9012-36-6]				
for Electrophoresis	SP	RT	01143-52	25G
			01143-94	100G
Agarose-HGT [9012-36-6]				
for Electrophoresis	SP	RT	01137-84	100G
Agarose-LGT [9012-36-6]				
for Electrophoresis	SP	RT	01136-52	25G
			01136-94	100G
Agarose-LM(melting temperature ≦ 65degrees) [9012-36-6]				
for Electrophoresis	SP	RT	01161-12	25G
			01161-54	100G
Agarose-LM Plaque for ≧ 1kbp fragment [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01650-02	25G
			01650-86	100G
Agarose-LM Sieve for ≦ 1kbp fragment [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	RT	01651-92	25G
			01651-76	100G
Agarose-Super LM(melting temperature ≦ 60degrees) [9012-36-6]				
for Electrophoresis	SP	RT	01146-22	25G
			01146-64	100G
Agarose-Ultra LM and Super LGT [9012-36-6]				
for Electrophoresis	SP	RT	01152-32	25G
			01152-74	100G
Agarose Plate TAE(1%), LE Classic Type, 1x16wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	01984-84	12SHEETS
Agarose Plate TAE(1%), LE Classic Type with Ethidium Bromide(0.2μg/ml), 2x22wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	02100-14	12SHEETS
Agarose Plate TAE(2%), LE Classic Type, 1x16wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	01989-34	12SHEETS
Agarose Plate TAE(2%), LE Classic Type with Ethidium Bromide(0.2μg/ml), 2x22wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	02101-04	12SHEETS
Agarose Plate TBE(1%), LE Classic Type with Ethidium Bromide(0.3μg/ml), 4x52wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	02166-74	5SHEETS
Agarose Plate TBE(1%), LE Classic Type with Ethidium Bromide(0.3μg/ml), 8x26wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	02464-64	5SHEETS
Agarose Plate TBE(2%), LE Classic Type with Ethidium Bromide(0.2μg/ml), 2x22wells [9012-36-6]				
for Nucleic Acid Electorphoresis	SP	R	02109-24	12SHEETS
D-α-Alanine [338-69-2]				
CH3CH(NH2)COOH=89.09				
	GR	RT	01113-84	5G
			01113-42	25G
DL-α-Alanine [302-72-7]				
CH3CH(NH2)COOH=89.09				
Purity: 98%(T)	GR	RT	01114-32	25G
			01114-45	500G
L-α-Alanine [56-41-7]				
CH3CH(NH2)COOH=89.09				
Purity: 99%(T)	GR	RT	01115-51	1G
			01115-22	25G
			01115-35	500G

A

β-Alanine [107-95-9]				
NH2CH2CH2COOH=89.09				
Purity: 98%(T)	GR	RT	01116-12	25G
			01116-25	500G
L-Alanine Methyl Ester Hydrochloride [2491-20-5]				
C4H9NO2·HCl=139.58				
Purity: 98%-102%(T)	GR	R	01119-11	1G
L-Alanyl-L-glutamine [39537-23-0]				
C8H15N3O4=217.22				
for Tissue Culture	SP	R	01102-82	25G
200mmol/l L-Alanyl-L-glutamine Solution(100x)				
for Tissue Culture	SP	F	04260-64	100ML
Albumin, Bovine [9048-46-8]				
Purity: 98%(EA) Ordinary grade, pH5.2	BC	R	01859-34	10G
			01859-76	50G
			01859-47	100G
Purity: 98%(EA) Ordinary grade, pH7.0	BC	R	01860-94	10G
			01860-36	50G
			01860-07	100G
			01860-65	500G
Albumin, Bovine, F-V [9048-46-8]				
Purity: 96%(EA) pH5.2	BC	R	01863-51	1G
			01863-06	10G
			01863-77	50G
			01863-48	100G
			01863-35	500G
			01863-64	1KG
Albumin, Bovine [9048-46-8]				
Purity: 98%(EA) One-time crystallized	BC	R	01206-61	1G
			01206-74	5G
			01206-32	25G
Purity: 98%(EA) Low endotoxin, pH5.2	BC	R	01861-84	10G
			01861-26	50G
			01861-97	100G
Purity: 98%(EA) Protease tested pH5.2	BC	R	01862-74	10G
			01862-16	50G
			01862-87	100G
Albumin, Bovine, EIA/RIA Grade [9048-46-8]				
Purity: 98%(EA) Globulin-free	GR	R	01281-97	10G
			01281-84	50G
			01281-26	100G
Albumin, Bovine [9048-46-8]				
Purity: 98% (Fatty Acid Contents: 0.01% or less) pH7	BC	R	08587-26	10G
			08587-42	25G
			08587-84	50G
Albumin, Bovine, Solution(2mg/ml) for Protein Assay [9048-46-8]				
for Biochemical Research Phosphate buffered saline containing 0.02% Sodium Azide	SP	F	00653-31	10X1ML
Albumin, Bovine, Acetylated, Nuclease and Protease tested [9048-46-8]				
for Molecular Biology	SP	R	01278-44	100MG
Albumin, Egg [Ovalbumin] [9006-59-1]				
	CP	R	01205-42	25G
			01205-84	250G
Albumin, Human, F-V [70024-90-7]				
Purity: 95%(EA)	EP	R	01282-61	1G
			01282-16	10G
			01282-87	100G

A

Alcian Blue Stain Solution(pH 2.5)				
		RT	37154-44	100ML
			37154-15	500ML
Alginic Acid [9005-32-7]				
	CP	RT	01227-62	25G
			01284-54	10MG
Alizarin [72-48-0]				
C14H6O2(OH)2=240.21				
	GR	RT	01228-94	5G
			01228-52	25G
Alizarin Complexone [3952-78-1]				
C19H15NO8=385.32				
	GR	RT	01301-14	100MG
			01301-01	1G
Alizarin Red S [130-22-3]				
C14H7NaO7S=342.26				
	GR	RT	01303-52	25G
Alizarin Yellow R [2243-76-7]				
C13H8N3NaO5=309.21				
	GR	RT	01307-12	25G
Alkali Blue 6B [30586-13-1]				
C37H30N3O3S=596.72				
	EP	RT	06320-72	25G
Alkannin [517-88-4]				
C16H16O5=288.30				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05164-04	10MG
Allantoin [97-59-6]				
C4H6N4O3=158.12				
Purity: 98%(N)	GR	RT	01313-22	25G
Allopurinol [315-30-0]				
C5H4N4O=136.11				
Purity: 98%(T)	GR	RT	01328-71	1G
Allyl Bromide [3-Bromo-1-propene] [106-95-6]				
C3H5Br=120.98				
Purity: 98%(GC)	GR	RT	01401-62	25G
			01401-75	500G
Allyl Chloride [3-Chloro-1-propene] [107-05-1]				
CH2:CHCH2Cl=76.52				
Purity: 98%(GC)	EP	RT	01403-42	25ML
			01403-55	500ML
Allyl Glycidyl Ether [1-Allyloxy-2,3-epoxypropane] [106-92-3]				
CH2:CHCH2OC3H5O=114.14				
Purity: 98%(GC)	GR	A	01435-32	25G
			01435-45	500G
Allyl Isothiocyanate [57-06-7]				
CH2:CHCH2NCS=99.15				
Purity: 98%(GC)	GR	A	01415-92	25G
o-Allylphenol [1745-81-9]				
CH2:CHCH2C6H4OH=134.18				
	EP	RT	01418-62	25G
Aluminium, chip [7429-90-5]				
Al=26.9815386				
Purity: 99.99%	GR	RT	01701-74	100G
			01701-45	500G
Aluminium, powder [7429-90-5]				
Al=26.9815386				
Purity: 90%(T)	CP	RT	01622-85	500G
Purity: 99.9%(Subtracting method)	EP	RT	01628-12	25G

A

Aluminium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37506-34	100ML
Aluminium Acetate, Basic [142-03-0]				
approx. Al2O(CH3COO)4·4H2O				
	CP	RT	01702-35	500G
Aluminium Acetate, soluble [142-03-0]				
		RT	01735-15	500G
Aluminium Ammonium Sulfate 12-Water [Ammonium Alum] [7784-26-1]				
AlNH4(SO4)2·12H2O=453.33				
Purity: 99%(T)	EP	RT	01705-05	500G
Purity: 99.5%(T)	GR	RT	01706-95	500G
Aluminium Bromide, Anhydrous [7727-15-3]				
AlBr3=266.69				
	EP	RT	01733-22	25G
Aluminium Chloride Hexahydrate [7784-13-6]				
AlCl3·6H2O=241.43				
Purity: 97%(T)	EP	RT	01709-65	500G
Purity: 98%(T)	GR	RT	01710-25	500G
Aluminium Chloride(III), Anhydrous [7446-70-0]				
AlCl3=133.34				
Purity: 98%(T)	EP	A	01711-15	500G
Aluminium Dihydrogenphosphate [13530-50-2]				
Al(H2PO4)3=317.94				
Purity: 95%(T)	CP	RT	01725-45	500G
Aluminium Hydroxide [21645-51-2]				
Al(OH)3=78.00				
Purity: 97%(T)	CP	RT	01716-65	500G
Aluminium Iodide, Anhydrous [7784-23-8]				
AlI3=407.69				
	EP	A	01719-22	25G
Aluminium Nitrate Enneahydrate [7784-27-2]				
Al(NO3)3·9H2O=375.13				
	EP	RT	01720-95	500G
Purity: 98%(T)	GR	RT	01721-85	500G
Aluminium Oxide [1344-28-1]				
Al2O3=101.96				
Purity: 95%(T) Powder Median particle size: approx.40um	CP	RT	01722-75	500G
Purity: 95%(T) Powder Median particle size: approx.12um	CP	RT	01724-55	500G
Granular Particle size: approx.4-6mm Active for Catalyzer	CP	RT	01425-75	500G
Granular Particle size: approx.2-4mm Active for Drying	CP	RT	01428-45	500G
Alumina Activated 200 [1344-28-1]				
Al2O3=101.96				
for Column Chromatography Prticle size: approx.200mesh	SP	RT	01512-25	500G
Alumina Activated 300 [1344-28-1]				
Al2O3=101.96				
for Column Chromatography Prticle size: approx.300mesh	SP	RT	01513-15	500G
Aluminium Potassium Sulfate 12-Water [7784-24-9]				
AlK(SO4)2·12H2O=474.39				
Purity: 99%(T)	EP	RT	01727-25	500G
Purity: 99.5%(T)	GR	RT	01728-15	500G
Aluminium Silicate [12141-46-7]				
approx. Al2O3·6SiO2·xH2O				
	EP	RT	01732-45	500G
Aluminium Sodium Sulfate 12-Water [Sodium Alum] [7784-28-3]				
AlNa(SO4)2·12H2O=458.28				
	EP	RT	01730-65	500G

A

Aluminium Stearate, Mono [7047-84-9]				
CH3(CH2)16COOAl(OH)2=344.47				
		RT	01833-25	500G
Aluminium Stearate, Tri [637-12-7]				
[CH3(CH2)16COO]3Al=877.39				
		RT	01835-05	500G
Aluminium Sulfate [17927-65-0]				
Al2(SO4)3·13~14H2O	EP	RT	01804-05	500G
Aluminium Sulfate [17927-65-0]				
Al2(SO4)3·14~18H2O	GR	RT	01805-95	500G
Aluminium Sulfate, Dehydrate [17927-65-0]				
approx. Al2(SO4)3·8H2O				
	CP	RT	01806-85	500G
Aluminium Tri-s-butoxide [2269-22-9]				
Al(OC4H9)3=246.32				
Purity: 95%(T)	CP	RT	01840-12	25G
Aluminium Triisopropoxide [555-31-7]				
Al[OCH(CH3)2]3=204.24				
Purity: 98%-103%(T) Powder	EP	RT	01842-92	25G
			01842-05	500G
Aluminon [569-58-4]				
C22H23N3O9=473.43				
	GR	RT	01812-82	25G
α-Amanitin from Amanita phalloides [23109-05-9]				
C39H54N10O14S=918.97				
	EP	R	01845-91	1MG
Amaranth [Bordeaux S] [915-67-3]				
C20H11N2Na3O10S3=604.47				
	GR	RT	01816-42	25G
L-(+)-Amethopterin [59-05-2]				
C20H22N8O5·nH2O=454.44(Anh)				
Purity: 98%(HPLC)	GR	R	01818-64	100MG
Amido Black 10B [1064-48-8]				
C22H14N6O9S2Na2=616.49				
	EP	RT	01927-92	25G
for Electrophoresis	SP	RT	02001-14	5G
Amidol [2,4-Diaminophenol Dihydrochloride] [137-09-7]				
(NH2)2C6H3OH·2HCl=197.06				
Purity: 98%(T)	GR	RT	01820-14	5G
			01820-72	25G
Amidosulfuric Acid [Sulfamic Acid] [5329-14-6]				
H2NSO2OH=97.09				
Purity: 99%(T)	EP	RT	32422-45	500G
Purity: 99.5%(T)	GR	RT	32423-22	25G
			32423-35	500G
2-Aminoanthraquinone [117-79-3]				
C14H9NO2=223.23				
		RT	01941-92	25G
4-Aminoantipyrine [83-07-8]				
C11H13N3O=203.24				
Purity: 99%(T)	GR	RT	01907-52	25G
o-Aminobenzamide [88-68-6]				
H2NC6H4CONH2=136.15				
	EP	RT	01914-52	25G
p-Aminobenzamidine Dihydrochloride [2498-50-2]				
H2NC6H4C(:NH)NH2·2HCl=208.09				
Purity: 98%-102%(T)	GR	R	01937-91	1G

A

2-Aminobenzenethiol [137-07-5]
C6H7NS=125.19

	EP	RT	07085-42	25ML

m-Aminobenzoic Acid [99-05-8]
H2NC6H4COOH=137.14

	EP	RT	01916-32	25G

p-Aminobenzoic Acid [150-13-0]
NH2C6H4COOH=137.14

Purity: 99%(T)	GR	RT	01930-32	25G

4-Aminobenzotrifluoride [455-14-1]
C7H6F3N=161.12

	EP	RT	07082-72	25ML

o-Aminobenzyl Alcohol [5344-90-1]
NH2C6H4CH2OH=123.15

	EP	RT	01925-54	5G

DL-2-Amino-n-butyric Acid [2835-81-6]
C4H9NO2=103.12

Purity: 98%(T)	GR	RT	02003-52	25G

4-Amino-n-butyric Acid [GABA] [56-12-2]
NH2(CH2)3COOH=103.12

Purity: 98%(T)	GR	RT	02006-64	5G
			02006-22	25G

4-Amino-n-butyric Acid Methyl Ester Hydrochloride
NH2(CH2)3COOCH3·HCl=153.61

Purity: 98%(T)	GR	R	02062-82	25G

2-Amino-4-chlorophenol [95-85-2]
ClC6H3(NH2)OH=143.57

	CP	RT	02070-72	25G

p-Aminodiphenylamine Hydrochloride [2198-59-6]
C12H12N2·HCl=220.70

		RT	02063-72	25G

2-Aminoethanol [Monoethanolamine] [141-43-5]
NH2CH2CH2OH=61.08

Purity: 97%(GC)	EP	RT	23404-65	500ML
Purity: 99%(GC)	GR	RT	23405-42	25ML
			23405-55	500ML
for Liquid Scintillation Purity: 99%(GC)	SP	RT	23406-32	25ML
			23406-45	500ML

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane [1760-24-3]
C8H22N2O3Si=222.36

	EP	RT	06915-92	25G

4-(2-Aminoethyl)benzenesulfonyl Fluoride Hydrochloride [30827-99-7]
C8H10FNO2S·HCl=239.69

Purity: 98%(HPLC)	GR	R	02068-64	100MG
			02068-51	1G

3-Amino-9-ethylcarbazole [132-32-1]
C14H14N2=210.27

	CP	RT	02131-14	10G

2-Aminoethylisothiouronium Bromide Hydrobromide [56-10-0]
H2N(CH2)2SC(:NH)NH2·2HBr=281.01

Purity: 98%(T)	GR	RT	02103-42	25G

6-Aminohexanoic Acid [6-Amino-n-caproic Acid] [60-32-2]
H2N(CH2)5COOH=131.17

Purity: 98%(T)	GR	RT	02009-92	25G
			02009-05	500G

A

5-Aminolevulinic Acid Hydrochloride [5451-09-2]
H2NCH2CO(CH2)2COOH·HCl=167.59

Purity: 98%(T)	GR	R	02120-54	100MG
			02120-41	1G

L-2-Amino-3-methyl-1-butanol [2026-48-4]
(CH3)2CHCH(NH2)CH2OH=103.16

	EP	RT	02146-21	1G

7-Amino-4-methylcoumarin [26093-31-2]
C10H9NO2=175.18

	GR	R	07070-51	1G

trans-4-(Aminomethyl)cyclohexanecarboxylic Acid [1197-18-8]
C8H15NO2=157.21

Purity: 98%(T)	GR	RT	02134-84	5G
			02134-42	25G

2-Amino-2-methyl-1,3-propanediol [115-69-5]
H2NC(CH2OH)2CH3=105.14

Purity: 98%(T)	GR	RT	02126-52	25G

2-Amino-2-methyl-1-propanol [124-68-5]
CH3C(NH2)(CH3)CH2OH=89.14

Purity: 97%(GC)	GR	RT	02201-52	25ML
			02201-65	500ML

1-Amino-2-naphthol-4-sulfonic Acid [116-63-2]
H2NC10H5(OH)SO3H=239.25

Purity: 97%(T)	GR	RT	02212-12	25G

2-Aminopentane [63493-28-7]
CH3(CH2)2(NH2)CHCH3=87.16

	EP	RT	02733-92	25G

o-Aminophenol [95-55-6]
H2NC6H4OH=109.13

Purity: 97%(T)	EP	RT	02216-72	25G

m-Aminophenol [591-27-5]
NH2C6H4OH=109.13

	EP	RT	02218-52	25G

p-Aminophenol [123-30-8]
H2NC6H4OH=109.13

	EP	R	08797-92	25G

p-Aminophenol Hydrochloride [51-78-5]
C6H7NO·HCl=145.59

Purity: 98%-102%(T)	GR	RT	02223-72	25G

3-Aminophenylboronic Acid Hemisulfate [66472-86-4]
H2NC6H4B(OH)2·1/2H2SO4=185.98

	EP	RT	02355-94	5G

1-Amino-2-propanol [Isopropanolamine] [78-96-6]
H2NCH2CH(OH)CH3=75.11

	CP	RT	01796-12	25G

N-(3-Aminopropyl)morpholine [123-00-2]
C4H8ON(CH2)3NH2=144.21

Purity: 99%(GC)	EP	RT	02308-72	25G

3-Aminopropyltriethoxysilane [3-Triethoxysilylpropylamine] [919-30-2]
H2N(CH2)3Si(OC2H5)3=221.37

Purity: 98%(GC)	GR	RT	02309-62	25G
			02309-04	100G
			02309-46	250G

2-Aminopyridine [504-29-0]
C5H6N2=94.11

Purity: 98%(GC)	EP	A	02314-82	25G
			02314-95	500G
for Fluorometric Analysis Purity: 99%(GC)	SP	A	02345-24	5G

A

4-Aminopyridine [504-24-5]				
C5H6N2=94.11				
Purity: 98%(T)	EP	RT	02331-94	5G
			02331-52	25G
3-Amino-1H-1,2,4-triazole [61-82-5]				
C2H4N4=84.08				
Purity: 98%(T)	GR	RT	02329-02	25G
Ammonia Solution(28%) [1336-21-6]				
NH3=17.03				
	EP	A	02511-05	500ML
	GR	A	02512-95	500ML
1mol/l-Ammonia Solution [1336-21-6]				
		R	37432-65	500ML
Ammonium Acetate [631-61-8]				
CH3COONH4=77.08				
Purity: 95%(T)	EP	A	02405-05	500G
Purity: 97%(T)	GR	A	02406-95	500G
for Molecular Biology Purity: 97%(T) Nuclease and Protease tested	SP	A	02433-22	25G
			02433-35	500G
10mol/l -Ammonium Acetate Solution				
for Molecular Biology Water solution, Nuclease and Protease tested	SP	RT	02432-74	100ML
Ammonium Adipate [3385-41-9]				
C6H16N2O4=180.20				
Purity: 98%(T)	EP	RT	02408-75	500G
Ammonium Amidosulfate [Ammonium Sulfamate] [7773-06-0]				
NH4OSO2NH2=114.12				
Purity: 95%(T)	CP	RT	02630-45	500G
Purity: 98.5%(T)	GR	RT	02617-22	25G
			02617-35	500G
Ammonium Benzoate [1863-63-4]				
C6H5COONH4=139.15				
	EP	RT	02409-52	25G
Ammonium Borofluoride [13826-83-0]				
NH4BF4=104.84				
	CP	RT	02507-75	500G
Ammonium Carbonate [506-87-6]				
Purity: 20%(T) [as ammonia]	EP	A	02421-85	500G
Purity: 30%(T) [as ammonia]	GR	A	02422-62	25G
			02422-75	500G
for Molecular Biology Purity: 30%(T) [as ammonia] Nuclease and Protease tested	SP	A	08888-02	25G
			08888-15	500G
Ammonium Cerium(III) Nitrate Tetrahydrate [13083-04-0]				
Ce(NH4)2(NO3)5·4H2O=558.28				
	GR	RT	07716-72	25G
			07716-85	500G
di-Ammonium Cerium(IV) Nitrate [16774-21-3]				
Ce(NH4)2(NO3)6=548.22				
Purity: 95%(T)	GR	RT	07715-11	1G
			07715-82	25G
			07715-95	500G
tetra-Ammonium Cerium(IV) Sulfate Dihydrate [10378-47-9]				
Ce(NH4)4(SO4)4·2H2O=632.55				
Purity: 99%(T)	GR	RT	07717-91	1G
			07717-62	25G
			07717-75	500G

A

Ammonium Chloride [12125-02-9]				
NH4Cl=53.49				
Purity: 98.5%(T)	EP	RT	02423-65	500G
Purity: 99.5%(T)	GR	RT	02424-55	500G
tri-Ammonium Citrate [3458-72-8]				
(NH4)3C6H5O7=243.22				
Purity: 95%(T)	EP	RT	02502-25	500G
Ammonium Dichromate [7789-09-5]				
(NH4)2Cr2O7=252.06				
Purity: 98.5%(T)	EP	RT	02503-15	500G
Ammonium Dihydrogenphosphate [7722-76-1]				
(NH4)H2PO4=115.03				
Purity: 96%(T)	EP	RT	02603-05	500G
Purity: 99%(T)	GR	RT	02604-95	500G
Ammonium Fluoride [12125-01-8]				
NH4F=37.04				
Purity: 96%(T)	EP	RT	02505-95	500G
Purity: 98%(T)	GR	RT	02506-72	25G
			02506-85	500G
Ammonium Formate [540-69-2]				
HCOONH4=63.06				
Purity: 95%(T)	GR	A	02509-55	500G
for Biochemical Research	SP	A	02510-15	500G
Ammonium Hydrogen Carbonate [1066-33-7]				
NH4HCO3=79.06				
Purity: 95%(T)	EP	A	02430-65	500G
Purity: 96%(T)	GR	A	02410-54	100G
			02410-25	500G
for Molecular Biology Purity: 96%(T) Nuclease and Protease tested	SP	A	08887-54	100G
			08887-25	500G
di-Ammonium Hydrogen Citrate [3012-65-5]				
(NH4)2HC6H5O7=226.18				
	EP	RT	02428-15	500G
			02428-44	20KG
Purity: 99%(T)	GR	RT	02501-22	25G
			02501-35	500G
for Atomic Absorption Spectrometry	SP	RT	02530-55	500G
di-Ammonium Hydrogenphosphate [7783-28-0]				
(NH4)2HPO4=132.06				
Purity: 98%(T)	EP	RT	02606-75	500G
Purity: 99%(T)	GR	RT	02607-65	500G
Ammonium Hydrogen Sulfate [7803-63-6]				
NH4HSO4=115.11				
Purity: 95%(T)	CP	RT	02414-85	500G
Ammonium Iodide [12027-06-4]				
NH4I=144.94				
Purity: 98%(T)	EP	A	02518-35	500G
Ammonium Iron(III) Citrate, brown [1185-57-5]				
	EP	RT	19425-12	25G
Ammonium Iron(III) Citrate, green [1185-57-5]				
	EP	RT	19426-02	25G
Ammonium Iron(III) Oxalate Trihydrate [13268-42-3]				
(NH4)3Fe(C2O4)3·3H2O=428.06				
Purity: 95%(T)	CP	RT	19427-05	500G
Ammonium Iron(II) Sulfate Hexahydrate [7783-85-9]				
FeSO4·(NH4)2SO4·6H2O=392.14				
	EP	RT	19430-45	500G
Purity: 99%(T)	GR	RT	19431-35	500G

A

0.1mol/l-Ammonium Iron(II) Sulfate Solution

		RT	37312-35	500ML

Ammonium Iron(III) Sulfate 12-Water [7783-83-7]

FeNH4(SO4)2·12H2O=482.19

Purity: 98%(T)	EP	RT	19428-95	500G
Purity: 99%(T)	GR	RT	19429-85	500G

Ammonium Nickel(II) Sulfate Hexahydrate [15699-18-0]

(NH4)2Ni(SO4)2·6H2O=394.99

Purity: 99%(T)	GR	A	24217-82	25G
			24217-95	500G

Ammonium Nitrate [6484-52-2]

NH4NO3=80.04

Purity: 98%(T)	EP	A	02523-55	500G
Purity: 99%(T)	GR	A	02524-45	500G

Ammonium Oxalate Monohydrate [6009-70-7]

(COONH4)2·H2O=142.11

Purity: 99%(T)	EP	RT	02526-25	500G
Purity: 99.5%(T)	GR	RT	02527-02	25G
			02527-15	500G

Ammonium Peroxodisulfate [7727-54-0]

(NH4)2S2O8=228.20

Purity: 95%(T)	EP	RT	02601-25	500G
Purity: 98%(T)	GR	RT	02602-02	25G
			02602-15	500G
for Molecular Biology Nuclease and Protease tested	SP	RT	06284-04	10G
for Electrophoresis Purity: 99%(T)	SP	R	02627-21	1G
			02627-34	10G

10(w/v)%-Ammonium Peroxodisulfate Solution [7727-54-0]

for Electrophoresis	SP	F	02634-34	10ML

Ammonium Perrhenate [13598-65-7]

NH4ReO4=268.24

	EP	RT	02529-11	1G

Ammonium Phosphomolybdate Trihydrate [12026-66-3]

(NH4)3PO4·12MoO3·3H2O=1930.63

Purity: 97%(N)	EP	RT	02609-32	25G
			02609-45	500G

Ammonium Phosphotungstate

(NH4)3PO4·12WO3·3H2O=2985.19

	EP	RT	02610-92	25G

Ammonium Sodium Hydrogenphosphate Tetrahydrate [13011-54-6]

Na(NH4)HPO4·4H2O=209.07

Purity: 98%(T)	GR	RT	31202-55	500G

Ammonium Sulfate [7783-20-2]

(NH4)2SO4=132.14

Purity: 99%(T)	EP	RT	02618-25	500G
			02618-54	20KG
Purity: 99.5%(T)	GR	RT	02619-15	500G
			02619-44	5KG
			02619-86	20KG
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	02633-15	500G
for Biochemical Research Purity: 99.5%(T) for Fraction of Protein or Enzyme	SP	RT	02620-75	500G
			02620-04	10KG

3.5mol/l-Ammonium Sulfate Solution

for Protein Structural Analysis	SP	R	05582-24	100ML

Ammonium Sulfide Solution, colorless [12135-76-1]

(NH4)2Sx

	EP	RT	02621-65	500G

A

Ammonium Sulfide Solution, yellow [12135-77-2]

(NH4)2Sx

	EP	RT	02622-55	500G

Ammonium Sulfite [10196-04-0]

(NH4)2SO3·H2O=134.16

Purity: 80%(T)	EP	RT	02629-85	500G

Ammonium (+)-Tartrate [3164-29-2]

[CH(OH)COONH4]2=184.15

Purity: 99%(T)	GR	RT	02625-12	25G
			02625-25	500G

Ammonium Thiocyanate [1762-95-4]

NH4SCN=76.12

	EP	RT	02626-15	500G
Purity: 98.0%(T)	GR	RT	02701-02	25G
			02701-15	500G

0.1mol/l-Ammonium Thiocyanate Solution [1762-95-4]

		RT	37433-55	500ML

Ammonium Vanadate(V) [7803-55-6]

NH4VO3=116.98

Purity: 99%(T)	GR	RT	02705-62	25G
			02705-75	500G

Amphotericin B [1397-89-3]

C47H73NO17=924.08

		R	02743-04	250MG
			02743-91	1G

Ampicillin, Anhydrous [69-53-4]

C16H19N3O4S=349.40

Purity: 98%(T)	GR	R	02738-84	5G
			02738-42	25G

Ampicillin Sodium Salt [69-52-3]

C16H18N3NaO4S=371.39

Purity: 98%(T)	GR	R	02739-74	5G
			02739-32	25G

D-(-)-Amygdalin [29883-15-6]

C20H27NO11·nH2O=457.43(Anh)

Purity: 98%(HPLC)	GR	RT	02707-71	1G

α-Amylase [9000-85-5]

Activity: 500u/mg solid or more Lyophilization Four-time crystallized	BC	F	02745-84	100MG

β-Amylase [9000-91-3]

Activity: 750-1,200u/mg protein Suspension in 2.3M Ammonium Sulfate from Sweet Potato	BC	R	02747-64	10000UNITS

Amylopectin from Potato [9037-22-3]

	EP	RT	02902-14	5G

Amylose A from Corn Starch [9005-82-7]

	GR	RT	02903-91	1G
			02903-04	5G

Amylose B from Corn Starch [9005-82-7]

	GR	RT	02904-81	1G

Anethole [p-Methoxypropenylbenzene] [104-46-1]

CH3CH:CHC6H4OCH3=148.20

Purity: 98%(GC)	GR	RT	02912-42	25G

Aniline [62-53-3]

C6H5NH2=93.13

	EP	RT	02915-25	500ML
Purity: 99%(T)	GR	RT	02916-15	500ML

Aniline Black

	GR	RT	02920-32	25G

A

Aniline Blue(water soluble) [28631-66-5]				
C32H25N3Na2O9S3=737.73				
	EP	RT	06880-42	25G
8-Anilino-1-naphthalenesulfonic Acid Magnesium Salt [ANS-Mg] [18108-68-4]				
(C6H5NHC10H6SO3)2Mg·xH2O				
for Fluorometric Analysis Purity: 99%(T)	SP	R	03003-64	5G
o-Anisaldehyde [o-Methoxybenzaldehyde] [135-02-4]				
CH3OC6H4CHO=136.15				
	EP	RT	03005-02	25G
m-Anisaldehyde [591-31-1]				
CH3OC6H4CHO=136.15				
Purity: 98%(GC)	GR	RT	03006-76	5G
p-Anisaldehyde [123-11-5]				
CH3OC6H4CHO=136.15				
Purity: 99%(GC)	GR	RT	03007-82	25G
			03007-95	500G
Ammonium Vanadate(V) [7803-55-6]				
NH4VO3=116.98				
Purity: 98%(GC)	EP	RT	03018-42	25ML
m-Anisidine [536-90-3]				
CH3OC6H4NH2=123.15				
Purity: 95%(GC)	EP	RT	03032-42	25G
p-Anisidine [104-94-9]				
CH3OC6H4NH2=123.15				
Purity: 95%(GC)	EP	RT	03020-92	25G
Anisole [100-66-3]				
C6H5OCH3=108.14				
Purity: 98%(GC)	EP	RT	03024-65	500G
Purity: 99%(GC)	GR	RT	03025-42	25G
			03025-55	500G
Anisomycin from Streptomyces griseolus [22862-76-6]				
C14H19NO4=265.30				
	EP	R	03046-14	5MG
p-Anisoyl Chloride [100-07-2]				
CH3OC6H4COCl=170.59				
	EP	R	03033-32	25G
Anthracene [120-12-7]				
C14H10=178.23				
Purity: 96%(GC)	EP	RT	03029-02	25G
Purity: 99%(GC)	GR	RT	03030-04	5G
			03030-62	25G
for Liquid Scintillation Purity: 99%(GC)	SP	RT	03103-54	5G
Anthracene-9-carboxylic Acid [723-62-6]				
C14H9COOH=222.24				
		RT	09372-54	10G
9-Anthracenemethanol [1468-95-7]				
C15H12O=208.26				
	EP	RT	03136-34	10G
Anthralin [1,8-Dihydroxyanthrone] [480-22-8]				
C14H10O3=226.23				
Purity: 95%(HPLC)	EP	RT	03106-24	10G
Anthranilic Acid [118-92-3]				
H2NC6H4COOH=137.14				
Purity: 95%(T)	CP	RT	03108-75	500G
Purity: 99%(T)	GR	RT	03109-52	25G
Anthraquinone [84-65-1]				
C14H8O2=208.21				
	CP	RT	03112-92	25G

A

Anthraquinone-2-sulfonic Acid Sodium Salt [131-08-8]				
C14H7O2(SO3Na)=310.26				
	GR	RT	03116-94	10G
Anthrone [90-44-8]				
C14H10O=194.23				
	GR	RT	03120-24	5G
			03120-82	25G
Antibiotic-Antimycotic Mixed Stock Solution(100x)				
for Tissue Culture Sterilized by filtration	SP	F	02892-54	100ML
Antibiotic-Antimycotic Mixed Stock Solution(100x)(Stabilized)				
for Tissue Culture Sterilized by filtration	SP	F	09366-44	100ML
Anti-c-Myc(Mouse IgG1-κ), Monoclonal(MC045), AS				
	BC	R	04362-76	50UG
			04362-34	200UG
Anti-c-Myc(Mouse IgG1-κ), Monoclonal(MC045), AS, Agarose Conjugate				
	BC	R	04145-55	500UG
Anti-c-Myc(Mouse IgG1-κ), Monoclonal(MC045), AS, POD Conjugated				
	BC	R	04554-24	50UG
Anti-GFP(Mouse IgG1-κ), Monoclonal(GF200), AS				
	BC	R	04363-66	50UG
			04363-24	200UG
Anti-GFP(Mouse IgG1-κ), Monoclonal(GF200), AS, POD Conjugated				
	BC	R	05178-34	50UG
Anti-GFP(Rat IgG2a), Monoclonal(GF090R), CC				
	BC	R	04404-26	50UG
			04404-84	200UG
Anti-GST(Mouse IgG2a-κ), Monoclonal(GS019), AS				
	BC	R	04435-84	50UG
			04435-26	200UG
Anti-GST(Mouse IgG2a-κ), Monoclonal(GS019), AS, POD Conjugated				
	BC	R	04559-74	50UG
Anti-HA(Mouse IgG1-κ), Monoclonal(HA124), AS				
	BC	R	06340-96	50UG
			06340-54	200UG
Anti-6xHis(Mouse IgG1-κ), Monoclonal(HI192), AS				
	BC	R	04428-26	50UG
			04428-84	200UG
Anti-6xHis(Mouse IgG1-κ), Monoclonal(HI192), AS, POD Conjugated				
	BC	R	04546-34	50UG
Anti-Lipoarabinomannan(LAM) from Mycobacterium tuberculosis Aoyama-B(Mouse IgM-κ), Monoclonal(LA066), AS				
Liquid Clear and colorless	BC	R	05494-84	100UG
Anti-V5(Mouse IgG1-κ), Monoclonal(V5005), AS				
	BC	R	04434-94	50UG
			04434-36	200UG
Anti-V5(MouseIgG1-κ), Monoclonal(V5005), AS, POD Conjugated				
	BC	R	04578-24	50UG
Anti-Verotoxin-1 from E. coli O157(Mouse IgG1-κ), Monoclonal(VT004), AS				
Liquid Contain 0.02(w/v)% Sodium Azide Clear and colorless	BC	R	20272-14	100UG
Anti-Verotoxin-2 from E. coli O157(Mouse IgG1-κ), Monoclonal(VT356), AS				
Liquid Contain 0.02%(w/v) Sodium Azide Clear and colorless	BC	R	20273-04	100UG
Anti-Mouse IgG[H+L](Goat), ALP Conjugate				
Liquid Contain 0.01(w/v)% Sodium Azide, Concentration: 1.0mg/ml, “DO NOT FREEZE”	BC	R	01800-61	1MG
Anti-Mouse IgG[H+L](Goat), HRP Conjugate				
Lyophilization Contain 0.01(w/v)% Gentamicin Sulfate	BC	R	01803-44	2MG
Anti-Rabbit IgG[H+L](Goat), ALP Conjugate				
Liquid Contain 0.01(w/v)% Sodium Azide, Concentration: 0.5mg/ml	BC	R	01809-71	1MG
Anti-Rabbit IgG[H+L](Goat), Fluorescein Conjugate				
Lyophilization Contain 0.01(w/v)% Sodium Azide	BC	R	01822-94	2MG

Anti-Rabbit IgG[H+L](Goat), HRP Conjugate				
Lyophilization Contain 0.01(w/v)% Gentamicin Sulfate	BC	R	01827-44	2MG
Anti-Rat IgG[H+L](Goat), Biotin Conjugate				
Lyophilization Contain 0.01(w/v)% Sodium Ethylmercurithiosalicalate	BC	R	01847-84	2MG
Anti-Rat IgG[H+L](Goat), HRP Conjugate				
Lyophilization Contain 0.01(w/v)% Gentamicin Sulfate	BC	R	01849-64	2MG
Antimony, granular [7440-36-0]				
Sb=121.760				
Purity: 99%	EP	RT	03229-95	500G
Antimony, powder [7440-36-0]				
Sb=121.760				
Purity: 99%(Subtracting method) Particle size: approx.200mesh	CP	RT	03202-12	25G
			03202-25	500G
Antimony Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37526-74	100ML
Antimony(III) Bromide [7789-61-9]				
SbBr3=361.47				
	CP	RT	08563-84	25G
Antimony(III) Chloride [10025-91-9]				
SbCl3=228.12				
Purity: 98%(T)	GR	A	03215-81	1G
			03215-52	25G
			03215-65	500G
Antimony(III) Chloride Oxide [7791-08-4]				
SbOCl=173.21				
	CP	RT	03205-82	25G
Antimony(III) Oxide [1309-64-4]				
Sb2O3=291.52				
Purity: 99.5%	GR	RT	03223-71	1G
			03223-42	25G
Antimony(III) Sulfide [1345-04-6]				
Sb2S3=339.72				
	CP	RT	03226-25	500G
Antipain Hydrochloride Dihydrate from Microbial Source [37691-11-5]				
C27H44N10O6·HCl·2H2O=677.19				
Solids (crystal)	BC	F	03239-52	25MG
Antipyrine [60-80-0]				
C11H12N2O=188.23				
	GR	RT	03233-12	25G
Aprotinin from Bovine Lung [9087-70-1]				
	GR	R	03346-84	10MG
Apyrase from Potato [9000-95-7]				
Activity: 3-30u/mg solid Lyophilized powder	BC	F	03361-74	200UNITS
D-(-)-Arabinose [10323-20-3]				
C5H10O5=150.13				
	GR	RT	03330-74	5G
			03330-32	25G
L-(+)-Arabinose [5328-37-0]				
C5H10O5=150.13				
	GR	RT	03306-04	5G
			03306-62	25G
Arachidic Acid [Eicosanoic Acid] [506-30-9]				
CH3(CH2)18COOH=312.53				
Purity: 99%(GC)	GR	R	03311-11	1G
Arachidonic Acid [5,8,11,14-Eicosatetraenoic Acid] [506-32-1]				
C20H32O2=304.47				
Purity: 99%(GC)	GR	R	03327-34	50MG
			03327-76	100MG

Arbutin [497-76-7]				
HOC6H4OC6H11O5=272.25				
	EP	RT	03314-94	5G
			03314-52	25G
D-Arginine [157-06-2]				
C6H14N4O2=174.20				
Purity: 98%(T)	GR	RT	03331-51	1G
L-Arginine [74-79-3]				
C6H14N4O2=174.20				
	GR	RT	03321-94	5G
			03321-52	25G
			03321-65	500G
L-(+)-Arginine Monohydrochloride [1119-34-2]				
C6H14N4O2·HCl=210.66				
Purity: 99%(T)	GR	RT	03323-32	25G
			03323-45	500G
			03323-74	10KG
Arlacel® C [8007-43-0]				
	EP	RT	03325-12	25G
Arsenic Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37519-74	100ML
Arsenic Standard Solution				
for Atomic Absorption Spectrometry 100ppm	SP	RT	37537-34	100ML
di-Arsenic Trioxide [1327-53-3]				
As2O3=197.84				
	CP	RT	03412-75	500G
L(+)-Ascorbic Acid [50-81-7]				
C6H8O6=176.12				
Purity: 99.6%(T)	GR	RT	03420-52	25G
			03420-65	500G
for Water Analysis Purity: 99.5%(T)	SP	RT	03428-72	25G
L-Ascorbic Acid Sodium Salt [134-03-2]				
C6H7O6Na=198.11				
Purity: 98%(T)	GR	RT	03422-32	25G
			03422-45	500G
L-Asparagine Monohydrate [5794-13-8]				
C4H8N2O3·H2O=150.13				
Purity: 99%(T)	GR	RT	03427-82	25G
			03427-95	500G
D-Aspartic Acid [1783-96-6]				
HOOCCH2CH(NH2)COOH=133.10				
Purity: 98%(T)	GR	RT	03501-34	5G
			03501-92	25G
DL-Aspartic Acid [617-45-8]				
HOOCCH2CH(NH2)COOH=133.10				
Purity: 98%(T)	GR	RT	03502-82	25G
L-Aspartic Acid [56-84-8]				
HOOCCH2CH(NH2)COOH=133.10				
Purity: 99%(T)	GR	RT	03503-72	25G
			03503-85	500G
L-Aspartic Acid Monopotassium Salt [1115-63-5]				
HOOCCH2CH(NH2)COOK=171.19				
Purity: 98%(T)	GR	RT	03561-12	25G
L-Aspartic Acid Sodium Salt [3792-50-5]				
C4H6O4NNa·H2O=173.10				
Purity: 98%(T)	GR	RT	03504-62	25G
			03504-75	500G

A

Atropine Sulfate [5908-99-6]				
(C17H23NO3)2·H2SO4·H2O=694.83				
Purity: 98%(T)	GR	RT	03533-11	1G
			03533-24	5G
Auramine [2465-27-2]				
C17H22ClN3·H2O=321.84				
	EP	RT	03507-74	10G
	GR	RT	03508-64	10G
Avidin from Egg White [1405-69-2]				
Purity: 97%(EA)	EP	R	03553-06	10MG
			03553-64	100MG
5-Azacytidine [320-67-2]				
C8H12N4O5=244.20				
Purity: 98%(HPLC)	EP	R	03537-26	10MG
			03537-84	100MG
4-Aza-DL-leucine Dihydrochloride [102029-69-6]				
C5H12N2O2·2HCl·nH2O=205.08(Anh)				
	GR	R	03529-81	1G
Azelaic Acid [123-99-9]				
HOOC(CH2)7COOH=188.22				
Purity: 98%(T)	EP	RT	03524-15	500G
2,2'-Azinobis(3-ethylbenzothiazoline-6-sulfonic Acid) Diammonium Salt [30931-67-0]				
C18H16N4O6S4(NH4)2=548.68				
Purity: 95%(UV)	GR	RT	03535-04	2G
Azocasein [102110-74-7]				
	GR	R	03628-81	1G
			03628-94	5G
Azomethine H [32266-60-7]				
C17H11NO2(SO3Na)2=467.38				
	EP	RT	03625-24	5G
Azur C [531-57-7]				
C13H12ClN3S=277.77				
	EP	RT	03623-44	5G

[B]

B

Bacitracin [1405-87-4]				
	EP	R	03718-01	1G
Baicalin [21967-41-9]				
C21H18O11=446.36				
for Galenicals Test Purity: 98%(HPLC)	SP	R	03725-14	30MG
BAPTA-AM [126150-97-8]				
C34H40N2O18=764.68				
Purity: 98%(HPLC)	GR	F	03731-24	10MG
Barbaloin [1415-73-2]				
C21H22O9=418.39				
for Galenicals Test Purity: 98%(HPLC)	SP	R	03726-46	10MG
			03726-04	30MG
Barbituric Acid Sodium Salt [4390-16-3]				
C4H3N2O3Na=150.07				
	EP	RT	03715-02	25G
Barium [7440-39-3]				
Ba=137.327				
Purity: 99% Dipping in liquid parrafin	EP	RT	03716-92	25G
Barium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37528-54	100ML
Barium Acetate [543-80-6]				
(CH3COO)2Ba=255.42				
Purity: 99%(T)	GR	RT	03802-52	25G
			03802-65	500G
Barium Carbonate [513-77-9]				
BaCO3=197.34				
Purity: 95%(T)	CP	RT	03805-35	500G
Purity: 98%(T)	GR	RT	03806-41	1G
			03806-12	25G
			03806-25	500G
Barium Chloride, Anhydrous [10361-37-2]				
BaCl2=208.23				
	EP.	RT	03813-25	500G
Barium Chloride Dihydrate [10326-27-9]				
BaCl2·2H2O=244.26				
Purity: 98.5%(T)	EP	RT	03810-55	500G
Purity: 99%(T)	GR	RT	03811-61	1G
			03811-74	100G
			03811-45	500G
Barium 2-Cyanoethylphosphate Dihydrate [5015-38-3]				
C3H4NO4PBa·2H2O=322.40				
	GR	R	03815-34	5G
Barium Fluoride [7787-32-8]				
BaF2=175.32				
Purity: 95%(W)	CP	RT	03816-82	25G
			03816-95	500G
Barium Hydroxide Octahydrate [12230-71-6]				
Ba(OH)2·8H2O=315.46				
Purity: 97%(T)	EP	RT	03819-65	500G
Purity: 98%(T)	GR	RT	03820-41	1G
			03820-12	25G
			03820-25	500G
Barium Iodide [7787-33-9]				
BaI2·2H2O=427.17				
	EP	RT	03821-31	1G

B

Barium Nitrate [10022-31-8]				
Ba(NO3)2=261.34				
Purity: 99%(T)	GR	RT	03824-01	1G
			03824-72	25G
			03824-85	500G
Barium Oxide [1304-28-5]				
BaO=153.33				
Purity: 80%(T)	CP	RT	03838-31	1G
			03838-44	100G
Barium Perchlorate Trihydrate [10294-39-0]				
Ba(ClO4)2·3H2O=390.27				
Purity: 98%(T)	GR	RT	03827-42	25G
Barium Peroxide [1304-29-6]				
BaO2=169.33				
Purity: 85%(T)	GR	RT	03830-82	25G
Barium Sulfate [7727-43-7]				
BaSO4=233.39				
	EP	RT	03834-55	500G
	GR	RT	03901-52	25G
			03901-65	500G
Barium Thiocyanate [2092-17-3]				
Ba(SCN)2·3H2O=307.54				
	EP	RT	03905-12	25G
Barium Titanate [12047-27-7]				
BaTiO3=233.19				
	CP	RT	03906-15	500G
Bathocuproine Disulfonic Acid Disodium Salt [52698-84-7]				
C26H18N2O6S2Na2·nH2O=564.54(Anh)				
for Metal Colorimetric Determination	SP	RT	03909-14	100MG
Bathophenanthroline Disulfonic Acid Disodium Salt [53744-42-6]				
C12H6N2(C6H4SO3Na)2·xH2O				
for Metal Colorimetric Determination	SP	RT	03911-64	100MG
			03911-51	1G
BCIP-NBT Solution Kit for Alkaline Phosphatase Stain, Nuclease tested				
for Alkaliphoshatase Staining Component: Staining stock solution(2ml), Buffer solution(200ml)	SP	F	03937-60	1KIT
Beef Tallow [61789-97-7]				
	CP	RT	03914-05	500ML
Bees Wax [8012-89-3]				
White color	CP	RT	03915-95	500G
Yellow color	CP	RT	03916-85	500G
Bentonite [1302-78-9]				
		RT	03923-85	500G
	EP	RT	03922-95	500G
Benzalacetone [122-57-6]				
C6H5CH:CHCOCH3=146.19				
Purity: 98%(GC)	GR	RT	04001-12	25G
Benzaldehyde [100-52-7]				
C6H5CHO=106.12				
Purity: 98%(GC)	GR	RT	04037-75	500ML
Purity: 98%(GC) Chlorine free	GR	RT	04006-62	25ML
			04006-75	500ML
Benzaldehyde Dimethyl Acetal [1125-88-8]				
C6H5CH(OCH3)2=152.19				
	EP	A	04032-54	100G
Benzalkonium Chloride [Alkylbenzyldimethylammonium Chloride] [8001-54-5]				
	EP	RT	04010-92	25G
			04010-05	500G

B

Benzamide [55-21-0]				
C6H5CONH2=121.14				
Purity: 98%(N)	GR	RT	04011-82	25G
Benzamidine Hydrochloride Monohydrate [1670-14-0]				
C6H5CH3N2·HCl·H2O=174.63				
Purity: 98%(T)	GR	RT	04036-14	5G
			04036-72	25G
Benzene [71-43-2]				
C6H6=78.11				
Purity: 99%(GC)	EP	RT	04016-45	500ML
Purity: 99.5%(GC)	GR	RT	04017-35	500ML
Purity: 99.5%(GC) Thiophene free	GR	RT	04018-25	500ML
for Fluorometric Analysis Purity: 99.7%(GC)	SP	RT	04035-95	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	04028-11	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	04026-15	500ML
for Residual Pesticide Analysis Tested for 5,000X	SP	RT	04333-01	1L
Benzene 〈H2O<30ppm〉 [71-43-2]				
C6H6=78.11				
Purity: 99.5%(GC) Special Cap	GR	RT	04091-84	100ML
			04091-55	500ML
Benzenesulfinic Acid Sodium Salt Dihydrate [873-55-2]				
C6H5SO2Na·2H2O=200.19				
Purity: 98%(T)	GR	RT	04102-92	25G
Benzenesulfonamide [98-10-2]				
C6H5SO2NH2=157.19				
	GR	RT	04103-82	25G
Benzenesulfonic Acid Monohydrate [26158-00-9]				
C6H5SO3H·H2O=176.19				
Purity: 98%(T)	EP	A	04104-72	25G
Benzenesulfonyl Chloride [98-09-9]				
C6H5SO2Cl=176.62				
Purity: 99%(GC)	EP	A	04106-52	25G
Benzethonium Chloride [121-54-0]				
C27H42ClNO2=448.08				
Purity: 97%(T)	CP	RT	04128-14	100G
			04128-85	500G
Benzhydrol [91-01-0]				
C6H5CH(OH)C6H5=184.23				
Purity: 99%(GC)	GR	RT	04111-72	25G
Benzhydrylamine [91-00-9]				
C13H13N=183.25				
	EP	RT	07078-42	25ML
Benzil [134-81-6]				
C6H5COCOC6H5=210.23				
Purity: 99%(GC)	GR	RT	04112-62	25G
Benzimidazole [51-17-2]				
C7H6N2=118.14				
Purity: 98%(T)	GR	RT	04115-32	25G
Benzoic Acid [65-85-0]				
C6H5COOH=122.12				
	EP	RT	04119-05	500G
Purity: 99.5%(T)	GR	RT	04120-52	25G
			04120-65	500G
Benzoic Anhydride [93-97-0]				
(C6H5CO)2O=226.23				
	EP	RT	04224-02	25G

B

Benzoin [119-53-9]				
C14H12O2=212.24				
Purity: 98%(GC)	GR	RT	04208-35	500G
Benzonitrile [100-47-0]				
C6H5CN=103.12				
Purity: 98%(GC)	EP	RT	04211-62	25G
			04211-75	500G
Benzophenone [119-61-9]				
C6H5COC6H5=182.22				
Purity: 97%(GC)	EP	RT	04213-55	500G
Purity: 99%(GC)	GR	RT	04214-32	25G
			04214-45	500G
p-Benzoquinone [p-Quinone] [106-51-4]				
O:C6H4:O=108.09				
Purity: 98%(T)	GR	RT	04219-82	25G
Benzothiazole [95-16-9]				
C7H5NS=135.19				
Purity: 96%(GC)	EP	RT	04221-45	500ML
1,2,3-Benzotriazole [95-14-7]				
C6H5N3=119.12				
Purity: 97%(T)	CP	RT	04222-35	500G
Purity: 99%(T)	GR	RT	04223-12	25G
			04223-25	500G
2-(1H-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium Hexafluorophosphate [HBTU] [94790-37-1]				
C11H16F6N5OP=379.24				
for Peptide Synthesis	SP	R	04227-72	25G
2-(1H-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium Tetrafluoroborate [TBTU] [125700-67-6]				
C11H16BF4N5O=321.08				
for Peptide Synthesis	SP	R	04228-62	25G
Benzoxazole [273-53-0]				
C7H5NO=119.12				
	GR	RT	04303-62	25G
Benzoyl Bromide [618-32-6]				
C6H5COBr=185.02				
	EP	A	04327-62	25G
Benzoyl Chloride [98-88-4]				
C6H5COCl=140.57				
Purity: 98%(T)	EP	A	04323-15	500ML
Purity: 99%(T)	GR	A	04324-92	25ML
			04324-05	500ML
Benzoyl Peroxide [94-36-0]				
(C6H5CO)2O2=242.23				
	CP	A	04422-02	25G
			04422-15	500G
Benzyl Acetate [140-11-4]				
CH3COOCH2C6H5=150.17				
Purity: 98%(GC)	GR	RT	04516-82	25G
			04516-95	500G
6-Benzyladenine [Benzyl Kinetin] [1214-39-7]				
	GR	F	06399-01	1G
Benzyl Alcohol [100-51-6]				
C6H5CH2OH=108.14				
Purity: 97%(GC)	EP	RT	04520-96	500ML
			04520-54	18KG
Purity: 99%(GC)	GR	RT	04521-02	25ML
			04521-44	500ML

B

Benzylamine [100-46-9]				
C6H5CH2NH2=107.15				
Purity: 99%(GC)	GR	RT	04526-52	25ML
			04526-65	500ML
Benzyl Benzoate [120-51-4]				
C6H5COOCH2C6H5=212.24				
Purity: 99%(GC)	GR	RT	04601-52	25ML
			04601-65	500ML
Benzyl Bromide [100-39-0]				
C6H5CH2Br=171.03				
Purity: 97%(GC)	EP	RT	04602-42	25G
			04602-55	500G
Benzyl Chloride [100-44-7]				
C6H5CH2Cl=126.58				
Purity: 98%(GC)	EP	RT	04605-25	500ML
Purity: 99%(GC)	GR	RT	04606-02	25ML
			04606-15	500ML
Benzyl Chloromethyl Ether [3587-60-8]				
C6H5CH2OCH2Cl=156.61				
		R	08796-02	25G
Benzyl Cyanide [Phenylacetonitrile] [140-29-4]				
C6H5CH2CN=117.15				
	EP	RT	04609-56	25ML
Benzyl Ether [Dibenzyl Ether] [103-50-4]				
(C6H5CH2)2O=198.26				
Purity: 98%(GC)	GR	RT	04618-52	25G
γ-Benzyl-L-glutamate [1676-73-9]				
C12H15NO4=237.25				
Purity: 98%(T)	GR	RT	04622-24	5G
Benzyl Mercaptan [α-Toluenethiol] [100-53-8]				
C6H5CH2SH=124.20				
Purity: 98%(GC)	GR	RT	04626-42	25G
Benzyloxycarbonyl Chloride [Benzyl Chloroformate] [501-53-1]				
C6H5CH2OCOCl=170.59				
for Peptide Synthesis Purity: 80%(GC)	SP	F	07204-72	25G
			07204-14	100G
Benzyl Phenyl Ketone [Deoxybenzoin] [451-40-1]				
C6H5CH2COC6H5=196.24				
Purity: 95%(GC)	EP	RT	04709-62	25G
Benzyl Salicylate [118-58-1]				
HOC6H4COOCH2C6H5=228.24				
	EP	RT	04715-72	25G
Benzyltriethylammonium Bromide [5197-95-5]				
[C6H5CH2N(C2H5)3]Br=272.22				
Purity: 98%(T)	GR	A	04718-42	25G
Benzyltriethylammonium Chloride [56-37-1]				
C13H22NCl=227.77				
Purity: 98%(T)	EP	A	04719-32	25G
Benzyltrimethylammonium Chloride [56-93-9]				
[C6H5CH2N(CH3)3]Cl=185.69				
Purity: 98%(T)	GR	A	04722-72	25G
Benzyltrimethylammonium Hydroxide [100-85-6]				
C6H5CH2N(CH3)3OH=167.25				
40% in methanol	CP	A	03761-92	25ML
40% in water	CP	A	04742-12	25ML

B

Berberine Hydrochloride [141433-60-5]
C20H18NO4Cl·xH2O

	GR	RT	04729-02	25G
for Galenicals Test Purity: 98%(HPLC)	SP	R	04748-36	10MG
			04748-94	30MG

Bergamot Oil [8007-75-8]

	CP	RT	25522-42	25G

BES [N,N-Bis(2-hydroxyethyl)-2-aminoethanesulfonic Acid] [10191-18-1]
C6H15NO5S=213.25

for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08889-92	25G
Good Buffer Purity: 99%(T)	SP	RT	04813-82	25G

Bestatin [58970-76-6]
C16H24N2O4=308.37

Purity: 98%(HPLC)	GR	R	03700-82	25MG
			03700-24	100MG

Betaine Hydrochloride [590-46-5]
C5H11NO2·HCl=153.61

Purity: 98%(T)	GR	RT	04815-62	25G
			04815-75	500G

Betaine Monohydrate [590-47-6]
C5H11NO2·H2O=135.16

Purity: 99%(T)	GR	RT	04814-72	25G
			04814-85	500G

Bibenzyl [103-29-7]
C6H5CH2CH2C6H5=182.26

Purity: 99%(GC)	GR	RT	11214-12	25G

Bicine [N,N-Bis(2-hydroxyethyl)glycine] [150-25-4]
C6H13NO4=163.17

for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08890-52	25G
			08890-94	250G
Good Buffer Purity: 99%(T)	SP	RT	04817-42	25G
			04817-84	250G

Bilirubin from Porcine [635-65-4]
C33H36N4O6=584.66

	GR	R	04804-44	100MG

(-)-Bilobalide [33570-04-6]
C15H18O8=326.30

Purity: 98%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	02642-24	10MG
			02642-66	100MG

Biocytin [Nε-Biotinyl-L-lysine] [576-19-2]
C16H28N4O4S=372.48

	GR	R	04856-32	25MG

D-Biotin [Vitamin H] [58-85-5]
C10H16N2O3S=244.31

Purity: 98%(T)	GR	RT	04822-04	100MG
			04822-91	1G

Biotinamidocaproate N-Hydroxysuccinimide Ester [72040-63-2]
C20H30N4O6S=454.54

Purity: 98%(HPLC)	GR	R	04857-22	25MG

Biphenyl [92-52-4]
C6H5C6H5=154.21

Purity: 98%(GC)	GR	RT	13729-22	25G
			13729-35	500G

2,2'-Bipyridyl [2,2'-Bipyridine] [366-18-7]
(C5H4N)2=156.18

Purity: 99.5%(T)	GR	RT	14020-81	1G
			14020-94	5G
			14020-52	25G

B

4,4'-Bipyridyl [553-26-4]
C10H8N2=156.18

	EP	RT	07000-61	1G
			07000-32	25G

Bisbenzimide H33258 Fluorochrome Trihydrochloride [HOE 33258] [23491-45-4]
C25H24N6O·3HCl=533.88

Purity: 98%(HPLC)	GR	R	04928-92	25MG

Bisbenzimide H33258 Fluorochrome Trihydrochloride DMSO Solution (1mg/ml) [23491-45-4]

for Fluorometric Analysis Light yellow liquid	SP	F	04907-91	1ML

Bisbenzimide H33342 Fluorochrome Trihydrochloride [HOE 33342] [23491-52-3]
C27H28N6O·3HCl=561.93

Purity: 95%(HPLC)	GR	R	04929-82	25MG

Bisbenzimide H33342 Fluorochrome Trihydrochloride DMSO Solution (1mg/ml) [23491-52-3]

for Fluorometric Analysis Light yellow liquid	SP	F	04915-81	1ML

Bismarck Brown [10114-58-6]
C18H18N8·2HCl=419.31

	EP	RT	05001-82	25G

p-Bis(o-methylstyryl)benzene [Bis(MSB)] [13280-61-0]
C6H4(CH:CHC6H4CH3)2=310.43

for Liquid Scintillation	SP	RT	05006-32	25G

Bismuth, granular [7440-69-9]
Bi=208.98040

Purity: 99.5%(T)	EP	RT	05007-22	25G
			05007-35	500G

Bismuth, powder [7440-69-9]
Bi=208.98040

Purity: 99%(T)	CP	RT	05009-15	500G

Bismuth Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37533-74	100ML

Bismuth(III) Acetate Oxide [5142-76-7]
BiO(CH3COO)=284.02

Purity: 95%(T)	CP	RT	05010-62	25G

Bismuth(III) Chloride [7787-60-2]
BiCl3=315.34

Purity: 95%(T)	EP	RT	05023-15	500G
Purity: 98%(T)	GR	RT	05024-92	25G
			05024-05	500G

Bismuth(III) Hydroxide [10361-43-0]
Bi(OH)3=260.00

	CP	A	05013-32	25G

Bismuth(III) Hydroxide Nitrate Oxide [1304-85-4]
approx. 4BiNO3(OH)2·BiO(OH)=1461.99

	GR	RT	05021-51	1G
			05021-22	25G

Bismuth(III) Iodide [7787-64-6]
BiI3=589.69

	EP	RT	05031-92	25G

Bismuth(III) Nitrate Pentahydrate [10035-06-0]
Bi(NO3)3·5H2O=485.07

Purity: 98%(T)	EP	RT	05014-22	25G
Purity: 99.5%(T)	GR	RT	05015-12	25G

Bismuth(III) Oxide [1304-76-3]
Bi2O3=465.96

Purity: 99.9%	GR	RT	05017-92	25G
			05017-05	500G

Bis(p-nitrophenyl) Phosphate [645-15-8]
C12H9N2O8P=340.18

	GR	R	05025-11	1G

B

Bisphenol A [80-05-7]				
(CH3)2C(C6H4OH)2=228.29				
Purity: 95%(GC)	EP	RT	05026-85	500G
Purity: 99%(GC)	GR	RT	05032-24	10G
4,4'-Bis(1-phenyl-3-methyl-5-pyrazolone) [7477-67-0]				
C20H18N4O2=346.38				
for Water Analysis Purity: 97%(T)	SP	RT	05028-94	5G
Bis[(+)-tartrato]diantimonate(III) Dipotassium Trihydrate [28300-74-5]				
C8H4K2O12Sb2·3H2O=667.87				
Purity: 99.5%(T)	GR	RT	03211-92	25G
Bis(2,4,6-trichlorophenyl) Oxalate [TCPO] [1165-91-9]				
C14H4O4Cl6=448.90				
for Chemoluminometrical Assay	SP	RT	05035-81	1G
N,O-Bis(trimethylsilyl)acetamide [BSA] [10416-59-8]				
CH3C[NSi(CH3)3]OSi(CH3)3=203.43				
Silylation reagent for GC Purity: 80%(GC)	SP	A	05101-01	1ML
			05101-72	25ML
N,O-Bis(trimethylsilyl)trifluoroacetamide [BSTFA] [25561-30-2]				
CF3C[:NSi(CH3)3]OSi(CH3)3=257.40				
Silylation reagent for GC	SP	A	05102-91	1ML
			05102-04	10ML
Bis(triphenylphosphine)palladium(II) Dichloride [13965-03-2]				
[(C6H5)3P]2PdCl2=701.90				
	EP	RT	05136-61	1G
			05136-74	5G
Bis-tris [2,2-Bis(hydroxymethyl)-2,2',2''-nitrilotriethanol] [6976-37-0]				
C8H19NO5=209.24				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08891-42	25G
			08891-84	100G
Good Buffer Purity: 99%(T)	SP	RT	05103-52	25G
			05103-94	100G
Bis-tris Propane [1,3-Bis[tris(hydroxymethyl)methylamino]propane] [64431-96-5]				
C11H26N2O6=282.33				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08892-32	25G
			08892-74	100G
Good Buffer Purity: 99%(T)	SP	RT	05121-12	25G
			05121-54	100G
Blocking One				
for Immunochemistry	SP	R	03953-95	500ML
Blocking One Histo				
for Immunochemistry	SP	R	06349-64	50ML
Blocking One-P				
for Immunochemistry	SP	R	05999-84	200ML
Blocking Solution in PBS for Immunoassay(pH 7.2)				
for Immunochemistry	SP	R	05150-45	500ML
Blocking Solution in TBS for Immunoassay(pH 7.2)				
for Immunochemistry	SP	R	05151-35	500ML
Blue Tetrazolium [1871-22-3]				
C40H32Cl2N8O2=727.64				
	GR	RT	05107-41	1G
N-t-BOC-L-alanine [15761-38-3]				
C8H15NO4=189.21				
	GR	R	05109-34	5G
N-t-BOC-L-asparagine [7536-55-2]				
C9H16N2O5=232.23				
	GR	R	05110-94	5G

B

N-t-BOC-L-aspartic Acid β-Benzyl Ester [7536-58-5]				
C16H21NO6=323.34				
	GR	R	05112-74	5G
N-t-BOC-L-isoleucine [13139-16-7]				
C11H21NO4·1/2H2O=240.30				
	GR	R	05205-64	5G
N-t-BOC-L-leucine Monohydrate [13139-15-6]				
C11H21NO4·H2O=249.30				
	GR	R	05204-74	5G
N-t-BOC-L-phenylalanine [13734-34-4]				
C14H19NO4=265.30				
	GR	R	05208-34	5G
			05208-92	25G
N-t-BOC-L-proline [15761-39-4]				
C10H17NO4=215.25				
	GR	R	05209-24	5G
			05209-82	25G
N-t-BOC-L-tryptophan [13139-14-5]				
C16H20N2O4=304.34				
	GR	R	05210-84	5G
			05210-42	25G
N-t-BOC-L-valine [13734-41-3]				
C10H19NO4=217.26				
	GR	R	05211-32	25G
Boiling Stone				
		RT	05235-45	500G
Bordetella pertussis, Inactive Bacterial Suspension				
Liquid Phosphate buffer containing 0.02% Sodium Azide, Bacteria concentration: 200billion/ml	BC	R	15330-91	1ML
Boric Acid [10043-35-3]				
H3BO3=61.83				
Purity: 99.5%(T)	EP	RT	05214-15	500G
Purity: 99.5%(T)	GR	RT	05215-05	500G
			05215-76	20KG
for Molecular Biology Purity: 99.7%(T) Nuclease and Protease tested	SP	RT	05241-55	500G
for Electrophoresis Purity: 99.7%(T)	SP	RT	05218-62	25G
			05218-04	250G
for Amino Acid Auto Analyzer Purity: 99.7%(T)	SP	RT	05236-35	500G
Borneol [507-70-0]				
C10H18O=154.25				
Purity: 70%(GC) Includes approx. 20% Isoborneol	CP	RT	05240-52	25G
Boron Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37503-64	100ML
Boron Nitride [10043-11-5]				
BN=24.82				
	CP	RT	05224-14	5G
			05224-72	25G
Boron Trifluoride Acetic Acid Complex				
3(CH3COOH·2/3BF3)=315.76				
	EP	RT	05304-64	100G
			05304-35	500G
Boron Trifluoride n-Butyl Ether Complex [593-04-4]				
(C4H9)2O·BF3=198.03				
	EP	RT	05305-54	100G
Boron Trifluoride Ether Complex [109-63-7]				
(C2H5)2O·BF3=141.93				
	EP	RT	05306-02	25G
			05306-44	100G
			05306-15	500G

Boron Trifluoride Methanol Complex [2802-68-8]
(CH3OH)2·BF3=131.89

	EP	RT	05307-34	100G

Boron Trifluoride Methanol Solution

Esterification reagent for GC Boron Trifluoride content: approx. 15%	SP	RT	05319-71	5X1ML

Boron Trifluoride Monoethylamine Complex [75-23-0]
C2H5NH2·BF3=112.89

	EP	RT	05308-95	500G

di-Boron Trioxide [Boron Trioxide;Boric Anhydride] [1303-86-2]
B2O3=69.62

Purity: 85%(T)	EP	RT	05219-65	500G
Purity: 90%(T)	GR	RT	05220-12	25G
			05220-25	500G
for Electronics Purity: 99.999%	SP	RT	05311-22	25G

Brefeldin A from Penicillium brefeldianum [20350-15-6]
C16H24O4=280.36

Purity: 98%(HPLC)	GR	R	05325-81	1MG

Brilliant Green [633-03-4]
C27H34N2O4S=482.63

	GR	RT	05433-32	25G

Bromelin [Bromelain] [37189-34-7]

		R	05449-42	25G

p-Bromoacetanilide [103-88-8]
BrC6H4NHCOCH3=214.06

Purity: 98%(GC)	GR	RT	05416-62	25G

Bromoacetic Acid [79-08-3]
BrCH2COOH=138.95

Purity: 98%(T)	EP	A	05414-82	25G
			05414-95	500G

Bromoacetyl Bromide [598-21-0]
BrCH2COBr=201.84

Purity: 98%(T)	GR	RT	05420-92	25G

8-Bromoadenosine-3',5'-cyclic Monophosphate Sodium Salt Hydrate [76939-46-3]
C10H10BrN5O6PNa·nH2O=430.08(Anh)

Purity: 98%(HPLC)	GR	F	05450-02	25MG
			05450-86	100MG

p-Bromoaniline [106-40-1]
BrC6H4NH2=172.02

Purity: 95%(GC)	EP	RT	05424-52	25G

p-Bromoanisole [104-92-7]
BrC6H4OCH3=187.03

	EP	RT	03789-52	25G

o-Bromobenzaldehyde [6630-33-7]
C7H5OBr=185.02

	EP	RT	06982-12	25G

p-Bromobenzaldehyde [1122-91-4]
BrC6H4CHO=185.02

	EP	R	08798-82	25G

Bromobenzene [108-86-1]
C6H5Br=157.01

Purity: 99%(GC)	GR	RT	05503-12	25G
			05503-25	500G

p-Bromobenzonitrile [623-00-7]
C7H4BrN=182.02

	EP	RT	07140-02	25G

4-Bromo-1-butene [5162-44-7]
C4H7Br=135.00

	EP	RT	06926-94	10G

o-Bromochlorobenzene [694-80-4]
BrC6H4Cl=191.45

Purity: 98%(GC)	GR	RT	05525-32	25G

5-Bromo-4-chloro-3-indolyl-α-D-galactoside [X-α-Gal]

for High Temperature Culture	SP	R	02897-62	25MG
			02897-04	100MG

5-Bromo-4-chloro-3-indolyl-β-D-galactoside [X-Gal] [7240-90-6]
C14H15NO6BrCl=408.63

Purity: 99%(HPLC)	GR	R	05627-86	10MG
			05627-57	100MG
			05627-31	1G
			05627-44	5G
			05644-14	5X20MG
for Molecular Biology Purity: 99%(HPLC) Nuclease and Protease tested	SP	R	06280-44	100MG
			06280-31	1G

5-Bromo-4-chloro-3-indolyl-β-D-galactoside Solution(20mg/ml)

for Microorganism Culture	SP	F	03971-71	10X1ML

5-Bromo-4-chloro-3-indolyl-β-D-glucuronide Cyclohexylammonium Salt [114162-64-0]
C20H26BrClN2O7=521.79

Purity: 98%(HPLC)	GR	F	05646-94	10MG
			05646-36	100MG
for Molecular Biology Purity: 98%(HPLC) Nuclease and Protease tested	SP	F	06281-76	10MG
			06281-34	100MG

5-Bromo-4-chloro-3-indolyl Phosphate p-Toluidine Salt [6578-06-9]
C8H5BrClNO4P·C7H10N=433.62

Purity: 97%(HPLC)	GR	R	05643-24	100MG
			05643-11	1G
			05643-66	5G
for Molecular Biology Nuclease and Protease tested	SP	R	06278-94	100MG
			06278-81	1G

Bromocresol Green [76-60-8]
C21H14Br4O5S=698.01

	GR	RT	05610-31	1G
			05610-02	25G

Bromocresol Purple [115-40-2]
C21H16Br2O5S=540.22

	GR	RT	05612-11	1G
			05612-82	25G

5-Bromo-2'-deoxyuridine [59-14-3]
C9H11BrN2O5=307.10

Purity: 98%(HPLC)	GR	F	05650-66	100MG
			05650-95	500MG
			05650-11	1G
			05650-24	5G
for Molecular Biology Purity: 98%(HPLC) Nuclease and Protease tested	SP	F	08779-74	100MG
			08779-45	500MG
			08779-61	1G

Bromodichloromethane [75-27-4]
BrCHCl2=163.83

	SP	A	05628-34	10G

4-Bromo-N,N-dimethylaniline [586-77-6]
C8H10BrN=200.08

	EP	RT	06985-82	25G

Bromodiphenylmethane [776-74-9]
(C6H5)2CHBr=247.13

	EP	RT	05621-62	25G

B

2-Bromoethylamine Hydrobromide [2576-47-8]				
BrC2H6N·HBr=204.89				
Purity: 98%(T)	EP	RT	05623-84	10G
(2-Bromoethyl)trimethylammonium Bromide [2758-06-7]				
BrCH2CH2N(CH3)3Br=246.97				
	EP	A	05734-92	25G
Bromoform [75-25-2]				
CHBr3=252.73				
Purity: 95%(GC)	EP	RT	05707-52	25G
1-Bromohexadecane [Cetyl Bromide] [112-82-3]				
CH3(CH2)15Br=305.34				
	EP	RT	07902-22	25G
1-Bromo-3-methylbutane [107-82-4]				
(CH3)2CHCH2CH2Br=151.04				
	EP	RT	02803-72	25G
1-Bromonaphthalene [90-11-9]				
C10H7Br=207.07				
Purity: 95%(GC)	EP	RT	05751-62	25G
2-Bromo-2-nitro-1,3-propanediol [52-51-7]				
HOCH2C(Br)(NO2)CH2OH=199.99				
Purity: 95%(GC)	EP	RT	05916-54	5G
p-Bromophenacyl Bromide [99-73-0]				
BrC6H4COCH2Br=277.94				
	GR	R	05802-92	25G
o-Bromophenol [95-56-7]				
BrC6H4OH=173.01				
	GR	RT	06964-52	25G
m-Bromophenol [591-20-8]				
BrC6H4OH=173.01				
	CP	RT	09175-44	5G
p-Bromophenol [106-41-2]				
BrC6H4OH=173.01				
Purity: 98%(GC)	GR	RT	05807-42	25G
Bromophenol Blue [115-39-9]				
C19H10Br4O5S=669.96				
	GR	RT	05808-61	1G
			05808-32	25G
0.04w/v%-Bromophenol Blue Solution				
		RT	37143-84	100ML
			37143-55	500ML
3-Bromopropionic Acid [590-92-1]				
BrCH2CH2COOH=152.97				
Purity: 98%(T)	GR	RT	05814-55	500G
3-Bromopropyne [Propargyl Bromide] [106-96-7]				
HC|CCH2Br=118.96				
Purity: 95%(GC)	EP	RT	29009-62	25G
2-Bromopyridine [109-04-6]				
C5H4BrN=158.00				
Purity: 98%(GC)	EP	A	05828-72	25G
3-Bromopyridine [626-55-1]				
C5H4BrN=158.00				
Purity: 98%(GC)	GR	A	05817-12	25G
2-Bromopyrimidine [4595-60-2]				
C4H3N2Br=158.98				
	EP	R	05833-34	5G
5-Bromosalicylaldehyde [1761-61-1]				
C7H5BrO2=201.02				
	EP	RT	07141-92	25G

B

N-Bromosuccinimide [128-08-5]				
(CH2CO)2NBr=177.98				
	EP	A	05823-22	25G
			05823-35	500G
2-Bromothiophene [1003-09-4]				
C4H3BrS=163.04				
	EP	RT	05901-34	10G
3-Bromothiophene [872-31-1]				
C4H3BrS=163.04				
	EP	RT	06962-72	25G
Bromothymol Blue [76-59-5]				
C27H28Br2O5S=624.38				
	GR	RT	05902-11	1G
			05902-82	25G
0.04w/v%-Bromothymol Blue Solution [76-59-5]				
		RT	37144-45	500ML
o-Bromotoluene [95-46-5]				
BrC6H4CH3=171.03				
Purity: 97%(GC)	EP	RT	05928-62	25G
m-Bromotoluene [591-17-3]				
BrC6H4CH3=171.03				
Purity: 98%(GC)	GR	RT	05905-52	25G
Bromotrimethylsilane [2857-97-8]				
C3H9BrSi=153.09				
Purity: 97%(T)	EP	A	05932-76	10G
11-Bromoundecanoic Acid [2834-05-1]				
C11H21O2Br=265.19				
	EP	RT	07071-12	25G
Brucine Dihydrate [5892-11-5]				
C23H26N2O4·2H2O=430.49				
Purity: 99%(T)	GR	RT	05917-44	5G
			05917-02	25G
for Nitrate Analysis Purity: 99%(T)	SP	RT	05927-14	5G
Brucine Sulfate Heptahydrate [60583-39-3]				
(C23H26N2O4)2·H2SO4·7H2O=1013.11				
	GR	RT	05920-42	25G
1,3-Butanediol [107-88-0]				
HOCH2CH2CH(OH)CH3=90.12				
Purity: 98%(GC)	EP	RT	05921-32	25G
			05921-45	500G
1,4-Butanediol [110-63-4]				
HO(CH2)4OH=90.12				
Purity: 97%(GC)	EP	RT	05922-22	25G
			05922-35	500G
1-Butanol [n-Butyl Alcohol] [71-36-3]				
CH3(CH2)3OH=74.12				
Purity: 98%(GC)	EP	RT	06015-95	500ML
Purity: 99%(GC)	GR	RT	06016-85	500ML
for Fluorometric Analysis Purity: 99.7%(GC)	SP	RT	06029-25	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	06024-91	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	06018-65	500ML
for Hormone Analysis Purity: 99.7%(GC)	SP	RT	06019-55	500ML
2-Butanol [s-Butyl Alcohol] [78-92-2]				
CH3CH(OH)CH2CH3=74.12				
Purity: 98%(GC)	EP	RT	06101-55	500ML
Purity: 99%(GC)	GR	RT	06102-45	500ML

B

2-Butanone [Methyl Ethyl Ketone] [78-93-3]
CH3COCH2CH3=72.11

Purity: 98%(GC)	EP	RT	22505-75	500ML
Purity: 99%(GC)	GR	RT	22506-65	500ML
for Spectrum Purity: 99%(GC)	SP	RT	22507-55	500ML

cis-2-Butene-1,4-diol [6117-80-2]
HOCH2CH:CHCH2OH=88.11

	EP	A	06002-42	25ML

t-Butoxycarbonyl Hydrazide [870-46-2]
C5H12N2O2=132.16

for Peptide Synthesis Purity: 98%(GC)	SP	F	06033-42	25G

2-t-Butoxycarbonyloxyimino-2-phenylacetonitrile [BOC-ON] [58632-95-4]
C13H14N2O3=246.26

for Peptide Synthesis	SP	F	06430-32	25G

Butyl Acetate [n-Butyl Acetate] [123-86-4]
CH3COO(CH2)3CH3=116.16

Purity: 98%(GC)	EP	RT	06005-25	500ML
Purity: 99%(GC)	GR	RT	06006-15	500ML
for Spectrum Purity: 99%(GC)	SP	RT	06028-35	500ML
for Atomic Absorption Spectrometry Purity: 99%(GC)	SP	RT	06008-95	500ML

t-Butyl Acetate [540-88-5]
CH3COOC(CH3)3=116.16

Purity: 98%(GC)	GR	RT	06011-22	25ML

t-Butyl Acetoacetate [1694-31-1]
CH3COCH2COOC(CH3)3=158.19

	EP	RT	06035-22	25ML

n-Butyl Acrylate [141-32-2]
C7H12O2=128.17

Purity: 99%(GC)	EP	A	06013-15	500ML

t-Butyl Alcohol [2-Methyl-2-propanol] [75-65-0]
(CH3)3COH=74.12

Purity: 98%(GC)	EP	RT	06103-35	500G
Purity: 99%(GC)	GR	RT	06104-12	25G
			06104-25	500G

n-Butylamine [109-73-9]
CH3(CH2)3NH2=73.14

Purity: 99%(GC)	GR	RT	06105-02	25ML
			06105-15	500ML

s-Butylamine [13952-84-6]
CH3CH(NH2)CH2CH3=73.14

Purity: 99%(GC)	GR	RT	06107-82	25ML

t-Butylamine [2-Amino-2-methylpropane] [75-64-9]
(CH3)3CNH2=73.14

Purity: 98%(GC)	GR	RT	06108-72	25ML
			06108-85	500ML

n-Butylamine Hydrochloride [3858-78-4]
C4H11N·HCl=109.60

	EP	RT	06992-82	25G

n-Butyl p-Aminobenzoate [94-25-7]
C11H15NO2=193.24

Purity: 98%(T)	GR	RT	06112-02	25G

n-Butyl Benzoate [136-60-7]
C6H5COO(CH2)3CH3=178.23

Purity: 98%(GC)	EP	RT	06132-42	25G

p-t-Butylbenzoic Acid [98-73-7]
(CH3)3CC6H4COOH=178.23

Purity: 98%(T)	EP	RT	06122-85	500G

B

n-Butyl Benzyl Phthalate [85-68-7]
C19H20O4=312.36

Purity: 97%(GC)	EP	RT	06123-62	25G

n-Butyl Bromide [109-65-9]
CH3(CH2)3Br=137.02

Purity: 98%(GC)	GR	RT	06125-42	25G
			06125-55	500G

t-Butyl Bromoacetate [5292-43-3]
BrCH2COOC(CH3)3=195.05

Purity: 97%(GC)	EP	RT	06139-72	25G

n-Butyl-n-butanolnitrosamine [3817-11-6]
C8H18N2O2=174.24

Purity: 85%(GC)	EP	R	06131-94	5G

p-t-Butylcatechol [4-t-Butylpyrocatechol] [98-29-3]
(CH3)3CC6H3(OH)2=166.22

Purity: 97%(GC)	CP	RT	06207-72	25G
			06207-85	500G

n-Butyl Chloride [109-69-3]
CH3(CH2)3Cl=92.57

Purity: 99%(GC)	GR	RT	06209-65	500ML
for Amino Acid Sequence Analysis Purity: 99%(GC)	SP	RT	06210-25	500ML

t-Butyl Chloride [2-Chloro-2-methylpropane] [507-20-0]
(CH3)3CCl=92.57

Purity: 99%(GC)	GR	RT	06213-82	25ML
			06213-95	500ML

t-Butyldimethylchlorosilane [18162-48-6]
(CH3)3CSi(CH3)2Cl=150.72

Silylation reagent for GC Purity: 98%(GC)	SP	RT	06224-42	25G
			06224-26	100G

t-Butyldiphenylchlorosilane [58479-61-1]
C16H19ClSi=274.86

	EP	RT	06981-22	25ML

n-Butyl Ether [142-96-1]
C4H9OC4H9=130.23

Purity: 99%(GC)	GR	RT	06219-35	500ML

3-t-Butyl-4-hydroxyanisole [121-00-6]
(CH3)3CC6H3(OCH3)OH=180.24

	EP	RT	06305-82	25G
			06305-95	500G

Butyl p-Hydroxybenzoate [94-26-8]
HOC6H4COOC4H9=194.23

Purity: 99%(T)	GR	RT	06327-02	25G
			06327-15	500G

n-Butyl Iodide [542-69-8]
CH3(CH2)3I=184.02

Purity: 98%(GC)	EP	RT	06307-62	25G

s-Butyl Iodide [513-48-4]
C4H9I=184.02

	EP	RT	06331-32	25G

n-Butyl Lithium [109-72-8]
CH3(CH2)3Li=64.06

	CP	A	06313-14	250ML

n-Butyl Mercaptan [1-Butanethiol] [109-79-5]
CH3(CH2)3SH=90.19

Purity: 97%(GC)	EP	RT	06336-82	25ML

t-Butyl Mercaptan [2-Methyl-2-propanethiol] [75-66-1]
(CH3)3CSH=90.19

Purity: 98%(GC)	EP	RT	06319-12	25ML

B

n-Butyl Methacrylate(monomer) [97-88-1]				
CH2:C(CH3)COO(CH2)3CH3=142.20				
Purity: 98%(GC)	EP	A	06321-75	500ML
t-Butyl Methyl Ether [1634-04-4]				
(CH3)3COCH3=88.15				
Purity: 99.5%(GC)	EP	RT	03739-15	500ML
for HPLC Purity: 99.5%(GC)	SP	RT	06332-64	200ML
			06332-51	1L
t-Butyl Methyl Ether 〈H2O<50ppm〉 [1634-04-4]				
(CH3)3COCH3=88.15				
Purity: 99.5%(GC) Special Cap	GR	RT	04090-94	100ML
t-Butyl Perbenzoate [614-45-9]				
C6H5COO(O)C(CH3)3=194.23				
Purity: 90%(T)	CP	RT	06402-02	25G
o-t-Butylphenol [88-18-6]				
(CH3)3CC6H4OH=150.22				
Purity: 98%(GC)	EP	RT	06405-72	25G
p-t-Butylphenol [98-54-4]				
(CH3)3CC6H4OH=150.22				
Purity: 98%(GC)	EP	RT	06407-52	25G
			06407-65	500G
4-t-Butylpyridine [3978-81-2]				
C9H13N=135.21				
Purity: 95%(GC)	EP	RT	06434-92	25G
Butyl Vinyl Ether [111-34-2]				
CH2:CHOC4H9=100.16				
Purity: 95%(GC)	EP	A	36301-92	25ML
2-Butyne-1,4-diol [110-65-6]				
HOCH2C|CCH2OH=86.09				
Purity: 98%(GC)	CP	RT	06420-62	25G
			06420-75	500G
3-Butyn-1-ol [927-74-2]				
HC|CCH2CH2OH=70.09				
Purity: 98%(GC)	GR	RT	06433-44	5ML
n-Butyraldehyde [123-72-8]				
CH3CH2CH2CHO=72.11				
	EP	RT	06422-42	25ML
			06422-55	500ML
n-Butyric Acid [107-92-6]				
CH3CH2CH2COOH=88.11				
Purity: 99%(GC)	GR	RT	06427-92	25ML
			06427-05	500ML
n-Butyric Anhydride [106-31-0]				
[CH3(CH2)2CO]2O=158.19				
Purity: 98%(T)	EP	RT	06502-92	25ML
γ-Butyrolactone [96-48-0]				
C4H6O2=86.09				
Purity: 98%(GC)	EP	RT	06504-72	25G
			06504-85	500G
n-Butyronitrile [109-74-0]				
CH3CH2CH2CN=69.11				
Purity: 98%(GC)	GR	RT	06505-62	25G
n-Butyryl Chloride [141-75-3]				
CH3CH2CH2COCl=106.55				
Purity: 98%(GC)	GR	A	06508-32	25G
			06508-45	500G

B

Butyrylthiocholine Iodide [1866-16-6]				
C9H20INOS=317.23				
Purity: 99%(T)	GR	R	06513-94	5G
			06513-52	25G

[C]

C

0.2mol/l-Cacodylate Buffer Solution				
		RT	37237-35	500ML
0.1mol/l-Cacodylate Buffer Solution				
		RT	37238-25	500ML
Cacodylic Acid Sodium Salt [124-65-2]				
(CH3)2AsO2Na·3H2O=214.03				
for Electro Microscopy Purity: 97%(T)	SP	RT	06516-22	25G
			06516-64	100G
			06516-35	500G
Cadaverine [462-94-2]				
H2N(CH2)5NH2=102.18				
Purity: 95%(GC)	EP	RT	06521-71	1ML
			06521-84	5ML
Cadaverine Dihydrochloride [1476-39-7]				
H2N(CH2)5NH2·2HCl=175.10				
Purity: 98%(T)	GR	RT	06520-81	1G
Cadmium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37524-94	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37539-14	100ML
Cadmium Bromide, Anhydrous [7789-42-6]				
CdBr2=272.22				
	EP	RT	06609-12	25G
Cadmium Chloride [7790-78-5]				
CdCl2·2 1/2H2O=228.36				
Purity: 98%(T)	GR	A	06613-71	1G
			06613-42	25G
Cadmium Chloride, Anhydrous [10108-64-2]				
CdCl2=183.32				
	EP	RT	06614-32	25G
			06614-45	500G
Cadmium Sulfate n-Hydrate [15244-35-6]				
CdSO4·nH2O				
Purity: 99%(T)	GR	A	06702-72	25G
Caffeic Acid [3,4-Dihydroxycinnamic Acid] [331-39-5]				
C9H8O4=180.16				
Purity: 98%(T)	GR	RT	06710-91	1G
			06710-04	5G
Caffeine, Anhydrous [58-08-2]				
C8H10N4O2=194.19				
Purity: 98.5%(T)	GR	RT	06712-42	25G
			06712-55	500G
Caffeine Monohydrate [5743-12-4]				
C8H10N4O2·H2O=212.21				
Purity: 98.5%(T)	GR	RT	06711-52	25G
Caged Glutamic Acid				
C14H15N2NaO8=362.27				
Purity: 98%(HPLC)	GR	F	06727-04	5MG
Calcein [1461-15-0]				
C30H26N2O13=622.53				
for Metal Colorimetric Determination	SP	RT	06713-61	1G
Calcein-AM [148504-34-1]				
C46H46N2O23=994.86				
for Fluorometric Analysis Purity: 90%(HPLC)	SP	F	06735-81	1MG
Calcium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37509-04	100ML

C

Calcium Acetate Monohydrate [5743-26-0]				
Ca(CH3COO)2·H2O=176.18				
Purity: 98%(T)	EP	RT	06716-15	500G
Purity: 99%(T)	GR	RT	06717-92	25G
			06717-05	500G
Calcium Bis(dihydrogenphosphate) Monohydrate [Calcium Phosphate, Monobasic] [7758-23-8]				
Ca(H2PO4)2·H2O=252.07				
Purity: 90%(T)	EP	RT	06901-75	500G
Calcium Carbonate [471-34-1]				
CaCO3=100.09				
Purity: 98%(T)	EP	RT	06723-15	500G
			06723-44	20KG
Purity: 99.5%(T)	GR	RT	06724-05	500G
Calcium Chloride [10043-52-4]				
CaCl2=110.98				
Purity: 95%(T)	GR	RT	06729-55	500G
for Molecular Biology Purity: 95%(T) Nuclease and Protease tested	SP	RT	08894-25	500G
Calcium Chloride, for Desiccator [10043-52-4]				
CaCl2=110.98				
	CP	RT	06733-85	500G
			06733-14	15KG
Calcium Chloride, for U-tube [10043-52-4]				
CaCl2=110.98				
Purity: 90%(T)	EP	RT	06836-45	500G
Calcium Chloride, for U-tube No.1 [10043-52-4]				
CaCl2=110.98				
Purity: 90%(T)	EP	RT	06801-85	500G
Calcium Chloride, for U-tube No.2 [10043-52-4]				
CaCl2=110.98				
Purity: 90%(T)	EP	RT	06802-75	500G
			06802-04	10KG
Calcium Chloride, for U-tube No.3 [10043-52-4]				
CaCl2=110.98				
Purity: 90%(T)	EP	RT	06803-65	500G
Calcium Chloride Dihydrate [10035-04-8]				
CaCl2·2H2O=147.01				
Purity: 92%-103%(T)	EP	RT	06730-15	500G
			06730-44	20KG
Purity: 99%-103%(T)	GR	RT	06731-05	500G
for Molecular Biology Purity: 99%-103%(T) Nuclease and Protease tested	SP	RT	08895-15	500G
0.1mol/l-Calcium Chloride Solution				
for Protein Structural Analysis	SP	R	05563-74	100ML
3.2mmol/l-Calcium Chloride Solution [10043-52-4]				
		RT	37348-14	100ML
			37348-85	500ML
Calcium Fluoride [7789-75-5]				
CaF2=78.07				
Purity: 98%(T)	EP	RT	06807-25	500G
Calcium Formate [544-17-2]				
Ca(HCOO)2=130.11				
Purity: 99%(T)	GR	RT	06811-55	500G
Calcium Gluconate [299-28-5]				
Ca[HOCH2(CHOH)4COO]2·H2O=448.39				
Purity: 99%-102%(T)	GR	RT	06812-32	25G

C

Calcium Hydride [7789-78-8]

CaH2=42.09

Lump Particle size: approx.1-20mm	EP	RT	06834-52	25G
			06834-65	500G
Granular Particle size: approx.2mm or less	EP	RT	06840-62	25G
			06840-75	500G
Powder Particle size: approx.40mm or less	EP	RT	06839-02	25G
			06839-15	500G

Calcium Hydrogenphosphate Dihydrate [7789-77-7]

CaHPO4·2H2O=172.09

	EP	RT	06903-55	500G
Purity: 98%(T)	GR	RT	06904-74	100G
			06904-45	500G

Calcium Hydroxide [1305-62-0]

Ca(OH)2=74.09

Purity: 95%(T)	EP	RT	06816-05	500G
Purity: 97%(T)	GR	RT	06817-95	500G

Calcium Hypochlorite, hightest [7778-54-3]

Ca(OCl)2=142.98

		A	06835-55	500G

Calcium Lactate [814-80-2]

(C3H5O3)2Ca·5H2O=308.29

Purity: 97%(T)	EP	RT	06822-15	500G
Purity: 98%(T)	GR	RT	06823-92	25G
			06823-05	500G

Calcium Nitrate Tetrahydrate [13477-34-4]

Ca(NO3)2·4H2O=236.15

Purity: 98%(T)	EP	A	06826-75	500G
Purity: 98.5%(T)	GR	A	06827-65	500G

Calcium Oxalate [5794-28-5]

Ca(COO)2·H2O=146.11

	CP	RT	06828-42	25G

Calcium Oxide [1305-78-8]

CaO=56.08

	EP	RT	06829-45	500G

tri-Calcium Phosphate [7758-87-4]

approx. 10CaO·3P2O5·H2O

	EP	RT	06905-35	500G

tri-Calcium Phosphate (β-form) [7758-87-4]

Ca3(PO4)2=310.18

	EP	RT	06930-95	500G

Calcium Silicate [1344-95-2]

approx. CaSiO3

	CP	RT	06910-55	500G

Calcium di-Sodium Ethylenediaminetetraacetate [62-33-9]

C10H12N2O8CaNa2·xH2O

	GR	RT	15116-82	25G

Calcium Stearate [1592-23-0]

approx. Ca[CH3(CH2)16COO]2

	CP	RT	06911-45	500G

Calcium Sulfate, active anhydrous [7778-18-9]

White granular Particle size: approx.3-5mm(5-10mesh) No moisture indicator		RT	06931-85	500G
Blue granular Particle size: approx.3-5mm(5-10mesh) Moisture indicator		RT	06932-75	500G
Blue/white granular(mixture) Particle size: approx.3-5mm(5-10mesh) Mixture of normal type and modified indicator type		RT	06933-65	500G

Calcium Sulfate, Anhydrous [7778-18-9]

CaSO4=136.14

Purity: 95%(T)	EP	RT	06914-44	100G

C

Calcium Sulfate, Calcined [Gypsum] [10034-76-1]

CaSO4·1/2H2O=145.15

Purity: 97%(T)	CP	RT	06919-65	500G

Calcium Sulfate Dihydrate [10101-41-4]

CaSO4·2H2O=172.17

	EP	RT	06912-35	500G
Purity: 98%(T)	GR	RT	06913-25	500G

Calcium Sulfite [10257-55-3]

CaSO3·1/2H2O=129.15

Purity: 90%(T)	CP	A	06922-05	500G

Calcium Thiocyanate Tetrahydrate [2092-16-2]

Ca(SCN)2·4H2O=228.30

	CP	A	06929-35	500G

Calcium Tungstate [7790-75-2]

CaWO4=287.92

	EP	RT	06928-32	25G

Calpain Inhibitor I [N-Acetyl-L-leucyl-L-leucyl-L-norleucinal] [110044-82-1]

C20H37N3O4=383.53

	GR	R	07036-82	25MG
			07036-24	50MG
			07036-11	1G

Calpain Inhibitor II [N-Acetyl-L-leucyl-L-leucyl-L-methioninal]

C19H35N3O4S=401.56

	GR	R	07037-72	25MG
			07037-14	50MG

Camphor [21368-68-3]

C10H16O=152.23

Purity: 90%(GC)	CP	A	07006-85	500G

D-Camphor [464-49-3]

C10H16O=152.23

Purity: 98%(GC)	GR	A	07007-62	25G
			07007-75	500G

DL-Camphor [21368-68-3]

C10H16O=152.23

Purity: 95%(GC)	GR	A	07008-52	25G
Purity: 99%(GC)	GR	A	07045-04	100MG

D-Camphoric Acid [124-83-4]

C10H16O4=200.23

Purity: 98%(T)	GR	RT	07010-15	500G

D-Camphor-10-sulfonic Acid [3144-16-9]

C10H16O4S=232.30

Purity: 98%(T)	GR	RT	07012-82	25G

DL-Camphor-10-sulfonic Acid [5872-08-2]

C10H16O4S=232.30

	GR	RT	07083-62	25G

Canada Balsam [8007-47-4]

	EP	RT	07017-32	25G
			07017-45	500G

L-Canavanine Sulfate [2219-31-0]

C5H12N4O3·H2SO4=274.25

	GR	R	07019-54	100MG

ε-Caprolactam [105-60-2]

C6H11NO=113.16

Purity: 99%(GC)	GR	RT	07102-02	25G
			07102-15	500G

C

ε-Caprolactone [6-Hexanolide] [502-44-3]				
C6H10O2=114.14				
Purity: 99%(GC)	GR	RT	07103-92	25ML
			07103-05	500ML
CAPS [Cyclohexylaminopropanesulfonic Acid] [1135-40-6]				
C6H11NH(CH2)3SO3H=221.32				
for Molecular Biology Purity: 99%(N) Nuclease and Protease tested	SP	RT	08896-92	25G
			08896-34	100G
Good Buffer Purity: 99%(N)	SP	RT	07116-16	5G
			07116-32	25G
			07116-74	100G
Capsaicin [404-86-4]				
C18H27NO3=305.41				
	EP	R	07127-21	1G
			07127-34	5G
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05081-84	10MG
Captopril [62571-86-2]				
C9H15NO3S=217.29				
Purity: 98%(T)	GR	RT	07134-21	1G
Carbamylcholine Chloride [51-83-2]				
C6H15ClN2O2=182.65				
Purity: 98%(T)	EP	RT	07136-14	10G
Carbazole [86-74-8]				
C12H9N=167.21				
Purity: 95%(GC)	EP	RT	07125-12	25G
Carbenicillin Disodium Salt [4800-94-6]				
C17H16N2O6SNa2=422.36				
	GR	R	07129-01	1G
			07129-14	5G
Carbonyl Cyanide 3-Chlorophenylhydrazone [555-60-2]				
C9H5ClN4=204.62				
Purity: 98%(HPLC)	EP	F	07253-74	100MG
1,1'-Carbonyldiimidazole [530-62-1]				
C7H6N4O=162.15				
for Peptide Synthesis Purity: 98%(T)	SP	R	07234-24	10G
			07234-82	25G
Carborundum				
(400mesh)	CP	RT	07220-65	500G
(600mesh)	CP	RT	07221-55	500G
(800mesh)	CP	RT	07222-45	500G
Carboxymethoxylamine Hemihydrochloride [2921-14-4]				
HOOCCH2ONH2·1/2HCl=218.59				
Purity: 98%(T)	GR	RT	07239-61	1G
Carboxymethyl Cellulose Sodium Salt [CMC] [9004-32-4]				
	EP	RT	07326-95	500G
			07326-24	20KG
DL-Carnitine Hydrochloride [Vitamin BT] [461-05-2]				
C7H16ClNO3=197.66				
Purity: 98%(T)	GR	RT	07309-12	25G
			07309-54	250G
L-Carnitine Hydrochloride(Synthetic) [6645-46-1]				
C7H15NO3·HCl=197.66				
Purity: 98%(T)	GR	RT	07353-51	1G
			07353-64	5G
β-Carotene [Provitamin A] [7235-40-7]				
C40H56=536.87				
Purity: 98%(UV)	GR	F	07312-81	1G
			07312-94	10G

C

Carrageenan [9000-07-1]				
		RT	07350-94	10G
λ-Carrageenan				
		R	09186-04	5G
Carvacrol [499-75-2]				
(CH3)2CHC6H3(CH3)OH=150.22				
	EP	RT	07351-42	25G
Casein from Milk [9000-71-9]				
	CP	RT	07318-05	500G
	GR	RT	07319-82	25G
			07319-95	500G
Casein, Acid Hydrolysate [65072-00-6]				
Solid (powder)	BC	RT	07356-05	500G
Casein, Enzymatic Hydrolysate				
	BC	RT	07357-95	500G
Castor Oil [8001-79-4]				
	CP	RT	25525-25	500G
Castor Oil(dehydrate) [8001-79-4]				
	CP	RT	25527-05	500G
Casuarictin				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	08258-94	5MG
Catalase from Bovine Liver [9001-05-2]				
Activity: 10,000-25, 000u/mg solid	BC	F	07444-74	100MG
Catalpol [2415-24-9]				
C15H22O10=362.33				
for Galenicals Test	SP	R	07440-14	10MG
(-)-Catechin [(-)-C] [18829-70-4]				
C15H14O6=290.27				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02568-14	10MG
(-)-Catechin Gallate [(-)-Cg] [130405-40-2]				
C22H18O10=442.37				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02570-64	10MG
(+)-Catechin Hydrate [(+)-C] [88191-48-4]				
C15H14O6·H2O=308.28				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02567-24	10MG
D-(+)-Catechin Hydrate [225937-10-0]				
C15H14O6·xH2O				
Purity: 95%(HPLC)	EP	RT	07425-11	1G
			07425-24	5G
Catechin Mixture				
Purity: Total 85%(HPLC) Produced by Nagara Science Co., Ltd.		R	05158-81	1G
CBB Color Solution(5x) for Protein Assay				
for Biochemical Research	SP	RT	07427-75	500ML
CBB Stain One(Ready To Use)				
for Electrophoresis	SP	RT	04543-51	1L
			04543-64	5L
N-CBZ-L-glutamic Acid [1155-62-0]				
C13H15NO6=281.26				
	GR	R	07410-04	5G
N-ε-CBZ-L-lysine [1155-64-2]				
C14H20N2O4=280.32				
	GR	R	07415-54	5G
N-CBZ-L-serine [1145-80-8]				
C11H13NO5=239.22				
	GR	R	07421-64	5G
N-CBZ-L-tryptophan [7432-21-5]				
C19H18N2O4=338.36				
	GR	R	07423-44	5G

C

N-CBZ-L-tyrosine [1164-16-5]				
C17H17NO5=315.32				
	GR	R	07501-14	5G
Cedar Oil [8000-27-9]				
	EP	RT	25601-02	25G
			25601-15	500G
Standard Super-Cel(R)				
		RT	08015-35	500G
Hyflo Super-Cel(R)				
		RT	08016-25	500G
Celite(R)503RV				
		RT	08017-15	500G
Celite(R)535RVS				
		RT	08019-95	500G
Celite(R)545RVS				
		RT	08034-85	500G
Cell Count Reagent SF				
for Cell Count Pkg: For 500tests contains 5ml (1vial)	SP	R	07553-15	500TESTS
Pkg: For 2500tests contains 5ml (5vials)			07553-44	2500TESTS
D-(+)-Cellobiose [528-50-7]				
C12H22O11=342.30				
Purity: 98%(HPLC)	GR	RT	07511-84	5G
			07511-42	25G
Cellulase from Aspergillus niger [9012-54-8]				
Activity: 0.3u/mg solid or more Powder	BC	R	07550-74	5000UNITS
Cellulose [9004-34-6]				
	CP	RT	07748-75	500G
α-Cellulose [9004-34-6]				
	CP	RT	07741-45	500G
Cellulose Dialyzer Tubing VT351				
Roll Diameter: 11mm Length: 7.5m Fractional MW: 3,500		RT	41121-34	7.5M
Cellulose Dialyzer Tubing VT801				
Roll Diameter: 16mm Length: 7.5m Fractional MW: 8,000		RT	41116-14	7.5M
Cellulose Dialyzer Tubing VT802				
Roll Diameter: 21mm Length: 7.5m Fractional MW: 8,000		RT	41117-04	7.5M
Cellulose Dialyzer Tubing VT804				
Roll Diameter: 45mm Length: 3m Fractional MW: 8,000		RT	41119-13	3M
Cellulose Dialyzer Tubing VT809				
Roll Diameter: 90mm Length: 3m Fractional MW: 8,000		RT	41120-73	3M
Cephalothin Sodium Salt [58-71-9]				
C16H15N2O6S2Na=418.42				
Purity: 98%(HPLC)	GR	R	07749-81	1G
Ceramide from Bovine Brain				
Purity: 98%(TLC)	GR	F	07750-12	25MG
Cerium(III) Acetate [537-00-8]				
Ce(CH3COO)3･H2O=335.26				
	EP	RT	07714-05	500G
Cerium(III) Carbonate [54451-25-1]				
Ce2(CO3)3･8H2O=604.38				
Purity: 95%(W)	CP	RT	07719-42	25G
Cerium(III) Chloride [18618-55-8]				
CeCl3･7H2O=372.58				
Purity: 98%(T)	EP	RT	07720-02	25G
Cerium(III) Nitrate [10294-41-4]				
Ce(NO3)3･6H2O=434.22				
	EP	RT	07725-52	25G
			07725-65	500G

C

Cerium(III) Oxalate [139-42-4]				
Ce2(C2O4)3･9H2O=706.43				
	EP	RT	07726-42	25G
Cerium(IV) Oxide [1306-38-3]				
CeO2=172.11				
Purity: 99%	EP	RT	07727-32	25G
Cerium(IV) Sulfate [13590-82-4]				
Ce(SO4)2･nH2O				
	GR	RT	07728-22	25G
			07728-35	500G
Cesium [7440-46-2]				
Cs=132.9054519				
Purity: 99.9% Ampule(High Vacuum Packed)	EP	RT	07733-71	1G
Cesium Acetate [3396-11-0]				
CH3COOCs=191.95				
	GR	RT	07801-26	5G
			07801-42	25G
Cesium Carbonate [534-17-8]				
Cs2CO3=325.82				
Purity: 98%(T)	GR	RT	07805-44	5G
			07805-02	25G
Cesium Chloride [7647-17-8]				
CsCl=168.36				
Purity: 99%(T)	GR	RT	07806-92	25G
			07806-05	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08884-42	25G
			08884-55	500G
for Centrifugal Density-grandient Purity: 99%(T)	SP	RT	07807-82	25G
			07807-24	250G
			07807-11	1KG
Cesium Fluoride [13400-13-0]				
CsF=151.90				
Purity: 99%	EP	A	07825-84	5G
			07825-42	25G
Cesium Hydroxide Monohydrate [35103-79-8]				
CsOH･H2O=167.93				
Purity: 95%(T)	EP	RT	07828-54	5G
			07828-12	25G
Cesium Nitrate [7789-18-6]				
CsNO3=194.91				
Purity: 99.99%	GR	RT	07815-72	25G
Cesium Thiocyanate				
CsSCN=190.99				
	EP	RT	07826-32	25G
CHAPS [3-[(3-Cholamidopropyl)dimethylammonio]-1-propanesulfonate] [75621-03-3]				
C32H58N2O7S=614.88				
for Research of Insoluble Protein Purity: 97%(HPLC) CMC: 8mM	SP	RT	07957-51	1G
			07957-64	5G
			07957-22	25G
CHAPSO [3-[(3-Cholamidopropyl)dimethylammonio]-2-hydroxy-1-propanesulfonate] [82473-24-3]				
C32H58N2O8S=630.88				
for Research of Insoluble Protein Purity: 96%(HPLC) CMC: 8mM	SP	RT	07958-41	1G
			07958-54	5G
Chemi-Lumi One				
for Immunochemistry	SP	R	05027-20	1KIT
Chemi-Lumi One L				
for Immunochemistry	SP	R	07880-70	1KIT

C

Chemi-Lumi One Markers Kit				
for Immunochemistry	SP	F	06456-70	1KIT
Chemi-Lumi One Super				
for Immunochemistry	SP	R	02230-30	1KIT
Chenodeoxycholic Acid [474-25-9]				
C24H40O4=392.57				
Purity: 98%(T)	GR	RT	07938-01	1G
CHES [2-(Cyclohexylamino)ethanesulfonic Acid] [103-47-9]				
C6H11NH(CH2)2SO3H=207.29				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08898-72	25G
Good Buffer Purity: 99%(T)	SP	RT	07915-62	25G
			07915-04	100G
1mol/l-CHES-Na Solution				
for Protein Structural Analysis	SP	R	05572-54	100ML
Chitin from Crab Shells, powder [1398-61-4]				
	EP	RT	07946-62	25G
			07946-75	500G
Chitosan from Crab Shell, flake [9012-76-4]				
	EP	RT	07947-52	25G
			07947-65	500G
Chloral Hydrate [302-17-0]				
CCl3CHO·H2O=165.40				
Purity: 99.5%(T)	GR	RT	07922-62	25G
			07922-75	500G
α-Chloralose [α-D-(+)-Glucochloralose] [15879-93-3]				
C8H11Cl3O6=309.53				
Purity: 98%(GC)	GR	RT	08001-92	25G
Chloramine T [Sodium p-Toluenesulfonchloramide Trihydrate] [7080-50-4]				
CH3C6H4SO2NClNa·3H2O=281.69				
	GR	RT	08005-52	25G
			08005-65	500G
Chloramphenicol [56-75-7]				
C11H12Cl2N2O5=323.13				
Purity: 98%(N)	GR	RT	08027-14	5G
			08027-72	25G
for Molecular Biology Purity: 98%(N) Nuclease and Protease tested	SP	RT	06285-94	5G
			06285-52	25G
Chloranil [2,3,5,6-Tetrachloro-1,4-benzoquinone] [118-75-2]				
O:C6Cl4:O=245.88				
Purity: 97%(T)	EP	RT	08006-42	25G
			08006-55	500G
Chloroacetic Acid [79-11-8]				
CH2ClCOOH=94.50				
Purity: 97%(T)	EP	A	23328-75	500G
Purity: 99%(T)	GR	A	23401-24	100G
			23401-95	500G
Chloroacetic Acid Sodium Salt [3926-62-3]				
ClCH2COONa=116.48				
Purity: 90%(T)	CP	RT	23402-85	500G
2-Chloroacrylonitrile [920-37-6]				
H2C:CClCN=87.51				
Purity: 98%(GC)	GR	A	08101-82	25ML
m-Chloroaniline [108-42-9]				
ClC6H4NH2=127.57				
Purity: 99%(GC)	GR	RT	08103-62	25G
p-Chloroaniline [106-47-8]				
ClC6H4NH2=127.57				
Purity: 99%(GC)	GR	RT	08104-52	25G

C

p-Chloroanisole [623-12-1]				
CH3OC6H4Cl=142.58				
	EP	RT	08111-52	25G
o-Chlorobenzaldehyde [89-98-5]				
ClC6H4CHO=140.57				
Purity: 98%(GC)	GR	RT	08115-12	25G
p-Chlorobenzaldehyde [104-88-1]				
ClC6H4CHO=140.57				
Purity: 98%(GC)	GR	RT	08117-92	25G
Chlorobenzene [108-90-7]				
C6H5Cl=112.56				
Purity: 98%(GC)	EP	RT	08121-35	500ML
Purity: 99%(GC)	GR	RT	08122-25	500ML
p-Chlorobenzenethiol [106-54-7]				
ClC6H4SH=144.62				
	EP	RT	08126-72	25G
o-Chlorobenzoic Acid [118-91-2]				
ClC6H4COOH=156.57				
	GR	RT	08128-52	25G
			08128-65	500G
m-Chlorobenzoic Acid [535-80-8]				
ClC6H4COOH=156.57				
Purity: 99%(T)	GR	RT	08129-42	25G
p-Chlorobenzoic Acid [74-11-3]				
ClC6H4COOH=156.57				
Purity: 95%(T)	EP	RT	08131-92	25G
o-Chlorobenzonitrile [873-32-5]				
ClC6H4CN=137.57				
	GR	RT	08132-82	25G
p-Chlorobenzoyl Chloride [122-01-0]				
ClC6H4COCl=175.01				
Purity: 98%(GC)	GR	A	08211-42	25G
3-Chloro-2-butanone [4091-39-8]				
CH3CH(Cl)COCH3=106.55				
	CP	RT	08238-12	25ML
p-Chlorocinnamic Acid [1615-02-7]				
ClC6H4CH:CHCOOH=182.60				
	EP	RT	08304-32	25G
1-Chloro-2,4-dinitrobenzene [2,4-Dinitrochlorobenzene] [97-00-7]				
C6H3ClN2O4=202.55				
Purity: 99%(GC)	GR	RT	13503-62	25G
Chlorodiphenylphosphine [1079-66-9]				
C12H10ClP=220.63				
	CP	RT	12375-82	25G
2-Chloroethylamine Hydrochloride [870-24-6]				
ClCH2CH2NH2·HCl=115.99				
Purity: 98%(T)	GR	RT	08333-52	25G
Chloroform [67-66-3]				
CHCl3=119.38				
Purity: 98%(GC)	EP	RT	08401-65	500ML
Purity: 99%(GC)	GR	RT	08402-84	100ML
			08402-55	500ML
for Fine Analysis Purity: 99%(GC)	UF	RT	08415-95	500ML
for Fluorometric Analysis Purity: 99%(GC)	SP	RT	08437-15	500ML
for HPLC Purity: 99%(GC)	SP	RT	08426-71	1L
for Spectrum Purity: 99%(GC)	SP	RT	08413-15	500ML
for Residual Pesticide Analysis Tested for 5,000X	SP	RT	04334-91	1L
for Hormone Analysis Purity: 99%(GC)	SP	RT	08414-05	500ML

C

Chlorogenic Acid Hemihydrate [327-97-9]				
C16H18O9·1/2H2O=363.32				
Purity: 98%(T)	GR	A	08416-14	100MG
			08416-01	1G
1-Chlorohexadecane [Cetyl Chloride] [4860-03-1]				
CH3(CH2)15Cl=260.89				
Purity: 95%(GC)	EP	RT	07903-12	25ML
			07903-25	500ML
6-Chloro-1-hexanol [2009-83-8]				
Cl(CH2)6OH=136.62				
	GR	RT	17906-72	25G
6-Chloro-3-indolyl-β-D-galactoside [138182-21-5]				
C14H16ClNO6=329.73				
Purity: 98%(HPLC)	GR	R	08442-51	1G
Chloromethyloxirane [Epichlorohydrin] [106-89-8]				
C2H3OCH2Cl=92.52				
Purity: 97%(GC)	EP	RT	14414-15	500G
Purity: 99%(GC)	GR	RT	14415-92	25G
			14415-05	500G
4-Chloro-1-naphthol [604-44-4]				
ClC10H6OH=178.61				
for Histochemical Research Purity: 98%(GC)	SP	RT	08527-64	5G
2-Chloro-4-nitroaniline [121-87-9]				
ClC6H3(NO2)NH2=172.57				
	EP	RT	08510-22	25G
3-Chloro-2-nitrobenzoic Acid [4771-47-5]				
ClC6H3(NO2)COOH=201.56				
	EP	RT	08540-61	1G
2-Chloro-3-nitropyridine [5470-18-8]				
Cl(NO2)C5H3N=158.54				
	EP	RT	08522-14	5G
m-Chloroperbenzoic Acid [937-14-4]				
ClC6H4C(O)OOH=172.57				
Purity: 65%(T)	CP	A	08557-32	25G
			08557-74	100G
			08557-45	500G
o-Chlorophenol [95-57-8]				
ClC6H4OH=128.56				
Purity: 95%(GC)	EP	RT	08516-75	500G
p-Chlorophenol [106-48-9]				
ClC6H4OH=128.56				
Purity: 95%(GC)	EP	RT	08519-32	25G
			08519-45	500G
p-Chlorophenylacetic Acid [1878-66-6]				
ClC6H4CH2COOH=170.59				
	EP	RT	08629-92	25G
DL-p-Chlorophenylalanine [7424-00-2]				
ClC9H10NO2=199.63				
Purity: 98%(T)	GR	RT	08603-54	5G
Chlorophyll a from Spinach [479-61-8]				
C55H72MgN4O5=893.49				
Purity: 90%(HPLC) Not contain Chlorophyll b, Ampule	GR	F	08662-71	1MG
3-Chloro-1-propanol [627-30-5]				
CH2ClCH2CH2OH=94.54				
Purity: 98%(GC)	GR	RT	08619-22	25G
3-Chloropropionic Acid [107-94-8]				
ClCH2CH2COOH=108.52				
Purity: 98%(T)	GR	RT	08622-62	25G

C

2-Chloropyridine [109-09-1]				
ClC5H4N=113.54				
Purity: 99%(GC)	GR	RT	08625-32	25G
Chloroquine Diphosphate [50-63-5]				
C18H26ClN3·2H3PO4=515.86				
Purity: 98%(T)	GR	RT	08660-04	5G
			08660-62	25G
5-Chlorosalicylic Acid [321-14-2]				
ClC6H3(OH)COOH=172.57				
	EP	RT	08702-12	25G
N-Chlorosuccinimide [128-09-6]				
(CH2CO)2NCl=133.53				
	EP	RT	08706-72	25G
			08706-85	500G
Chlorpromazine Hydrochloride [69-09-0]				
C17H19ClN2S·HCl=355.33				
	GR	RT	08650-34	5G
Chlortetracycline Hydrochloride from Streptomyces aureofaciens [64-72-2]				
C22H23ClN2O8·HCl=515.34				
Purity: 97%(T)	EP	F	08755-74	5G
5-α-Cholestane [481-21-0]				
C27H48=372.67				
Purity: 98%(GC)	GR	RT	08716-71	1G
Cholesterol [57-88-5]				
C27H45OH=386.65				
	GR	RT	08721-62	25G
			08721-75	500G
Purity: 99%(GC)	GR	RT	08722-94	100MG
			08722-81	1G
Cholesteryl Linoleate [604-33-1]				
C45H76O2=649.08				
Purity: 98%(HPLC)	GR	R	08728-34	100MG
			08728-21	1G
Cholesteryl Oleate [303-43-5]				
C45H78O2=651.10				
Purity: 98%(HPLC)	GR	R	08730-84	100MG
Cholesteryl Stearate [35602-69-8]				
C45H80O2=653.12				
	EP	R	08802-02	25G
Cholic Acid [81-25-4]				
(HO)3C23H36COOH=408.57				
Purity: 98%(T)	GR	RT	08843-14	5G
			08843-72	25G
Cholic Acid Sodium Salt [361-09-1]				
(OH)3C23H36COONa=430.55				
Purity: 97%(T)	GR	RT	08805-14	5G
			08805-72	25G
			08805-56	250G
for Molecular Biology Purity: 97%(T) Nuclease and Protease tested	SP	RT	06315-94	5G
			06315-52	25G
Choline [62-49-7]				
(CH3)3N(OH)CH2CH2OH=121.18				
		RT	08831-22	25G
			08831-35	500G

C

Choline Chloride [67-48-1]				
[(CH3)3NCH2CH2OH]Cl=139.62				
	EP	R	08809-32	25G
			08809-45	500G
Three-time crystallized	GR	R	08845-52	25G
Choline Dihydrogen Citrate [77-91-8]				
[(CH3)3NCH2CH2OH]C6H7O7=295.29				
	GR	R	08810-92	25G
Choline Hydrogen Tartrate [87-67-2]				
[(CH3)3NCH2CH2OH]C4H5O6=253.25				
Purity: 96%(N)	GR	R	08807-52	25G
Chondroitin Sulfate C Sodium Salt [12678-07-8]				
	GR	RT	08815-84	5G
			08815-42	25G
Chrome Azurol S [1667-99-8]				
C23H13Cl2Na3O9S=605.28				
for Metal Colorimetric Determination	SP	RT	08830-32	25G
Chromium [7440-47-3]				
Cr=51.9961				
Purity: 99.9% Powder Particle size: approx.200mesh or less	GR	RT	08840-02	25G
Chromium, flake [7440-47-3]				
Cr=51.9961				
Purity: 99%	EP	RT	08858-92	25G
Purity: 99.99% Flake Particle size: approx.2-3mm	GR	RT	04667-12	25G
Chromium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37512-44	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37540-74	100ML
Chromium(II) Chloride [10049-05-5]				
CrCl2=122.90				
	EP	RT	08829-14	5G
Chromium(III) Chloride, Anhydrous [10025-73-7]				
CrCl3=158.36				
Purity: 95%(T)	EP	RT	08828-82	25G
Chromium(III) Chloride Hexahydrate [10060-12-5]				
CrCl3·6H2O=266.45				
	EP	RT	08825-25	500G
	GR	RT	08826-02	25G
Chromium(III) Formate Hydrate				
Cr3(HCOO)9·xH2O				
	CP	RT	08902-92	25G
Chromium(III) Hydroxide n-Hydrate [1308-14-1]				
Cr2O3·nH2O				
Purity: (Cr2O3) 50.0%-65.0%(T)	CP	RT	08903-95	500G
Chromium(III) Nitrate [7789-02-8]				
Cr(NO3)3·9H2O=400.15				
Purity: 98%-103%(T)	GR	RT	08906-52	25G
Chromium(III) Oxide [1308-38-9]				
Cr2O3=151.99				
Purity: 98.5%(T)	EP	RT	08908-45	500G
Purity: 99%(T)	GR	RT	08909-22	25G
			08909-35	500G
Chromium(VI) Oxide [Chromic Anhydride] [1333-82-0]				
CrO3=99.99				
Purity: 95%(T)	CP	RT	08917-25	500G
Purity: 98%(T)	GR	RT	08934-82	25G
			08934-95	500G

C

Chromium(III) Potassium Sulfate, 12-Water [Chrome Alum] [7788-99-0]				
CrK(SO4)2·12H2O=499.39				
Purity: 99.5%(T)	GR	RT	08912-75	500G
Chrysoidine [532-82-1]				
C12H13ClN4=248.71				
	EP	RT	08930-22	25G
Chymostatin from Microbial Source [9076-44-2]				
Inhibitory activitly(IC50): 0.2-0.7ug	BC	F	09035-74	10MG
α-Chymotrypsin from Bovine Pancreas [9004-07-3]				
Activity: 30u/mg solid or more Lyophilized powder Three-time crystallized	BC	F	09041-84	250MG
			09041-71	1G
Cimetidine [51481-61-9]				
C10H16N6S=252.34				
Purity: 98%(T)	GR	R	09031-14	5G
Cinchonidine [485-71-2]				
C19H22N2O=294.39				
Purity: 98%(T)	GR	RT	09008-92	25G
Cineole [Eucalyptol] [470-82-6]				
C10H18O=154.25				
Purity: 90%(GC)	CP	RT	09042-32	25G
trans-Cinnamaldehyde [14371-10-9]				
C6H5CH:CHCHO=132.16				
Purity: 98%(GC)	EP	RT	09024-72	25ML
			09024-85	500ML
trans-Cinnamic Acid [140-10-3]				
C6H5CH:CHCOOH=148.16				
Purity: 98.5%(T)	EP	RT	09015-92	25G
Cinnamonitrile [1885-38-7]				
C6H5CH:CHCN=129.16				
	EP	RT	09020-12	25G
Cinnamon Oil				
	CP	RT	25603-82	25G
			25603-95	500G
Cinnamoyl Chloride [102-92-1]				
C6H5CH:CHCOCl=166.60				
	EP	A	09025-62	25G
Cinnamyl Alcohol [104-54-1]				
C6H5CH:CHCH2OH=134.18				
Purity: 97%(GC)	EP	RT	09017-72	25ML
Citraconic Anhydride [616-02-4]				
C5H4O3=112.08				
Purity: 98%(GC)	GR	RT	09131-62	25G
Citral [5392-40-5]				
C10H16O=152.23				
	EP	RT	09103-32	25ML
Citric Acid, Anhydrous [77-92-9]				
C3H4(OH)(COOH)3=192.12				
Purity: 99%(T)	EP	RT	09109-85	500G
			09109-72	25KG
Citric Acid Monohydrate [5949-29-1]				
C6H8O7·H2O=210.14				
	EP	RT	09105-25	500G
Purity: 99.5%(T)	GR	RT	09106-02	25G
			09106-15	500G
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	08899-75	500G
for Amino Acid Auto Analyzer Purity: 99.5%(T)	SP	RT	09108-95	500G

C

Citronellal [106-23-0]				
C10H18O=154.25				
Purity: 80%(GC)	EP	RT	09110-32	25G
Citronellol [106-22-9]				
C10H20O=156.27				
Purity: 94%(GC)	EP	RT	09111-22	25ML
L-Citrulline [372-75-8]				
C6H13N3O3=175.19				
	GR	RT	09113-31	1G
Cleaning Solution Kit for Reversed Phase HPLC Columns				
for HPLC	SP	RT	08966-30	1KIT
Clear-sol I				
for Liquid Scintillation	SP	RT	09135-51	1L
Clear-sol II				
for Liquid Scintillation	SP	RT	09136-41	1L
Clonidine Hydrochloride [4205-91-8]				
C9H9N3Cl2·HCl=266.55				
Purity: 98%(T)	GR	RT	09137-31	1G
Clove Oil [8000-34-8]				
	EP	RT	25604-72	25G
			25604-85	500G
Cobalt, powder [7440-48-4]				
Co=58.933195				
Purity: 99.8%	EP	RT	09116-85	500G
Cobalt Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37515-14	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37541-64	100ML
Cobalt(II) Acetate Tetrahydrate [6147-53-1]				
(CH3COO)2Co·4H2O=249.08				
Purity: 99%(T)	GR	A	09119-42	25G
			09119-55	500G
Cobalt(II) Acetylacetonate [123334-29-2]				
(CH3COCHCOCH3)2Co·2H2O=293.18				
	EP	RT	09121-92	25G
Cobalt(III) Acetylacetonate [21679-46-9]				
(CH3COCHCOCH3)3Co=356.26				
	EP	RT	09122-82	25G
Cobalt(II) Bromide, Anhydrous [7789-43-7]				
CoBr2=218.74				
	EP	A	09132-52	25G
Cobalt(II) Carbonate, Basic [513-79-1]				
	CP	RT	09201-42	25G
			09201-55	500G
Cobalt(II) Chloride, Anhydrous [7646-79-9]				
CoCl2=129.84				
Purity: 95%(T)	EP	RT	09208-72	25G
			09208-85	500G
Cobalt(II) Chloride Hexahydrate [7791-13-1]				
CoCl2・6H2O=237.93				
Purity: 95%(T)	EP	A	09205-15	500G
Purity: 99%(T)	GR	A	09206-92	25G
			09206-05	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	A	08781-24	5G
Cobalt(II) 2-Ethylhexanoate [Cobalt(II) Octylate] [13586-82-8]				
	CP	RT	09216-75	500G

C

Cobalt(II) Iodide Hydrate				
CoI2·nH2O=312.74(Anh)				
	EP	A	09210-22	25G
Cobalt Naphthenate [61789-51-3]				
	CP	RT	09211-25	500G
Cobalt(II) Nitrate Hexahydrate [10026-22-9]				
Co(NO3)2·6H2O=291.03				
Purity: 97%(T)	EP	A	09212-15	500G
Purity: 98%(T)	GR	A	09213-92	25G
			09213-05	500G
Cobalt Oxide, black powder				
	EP	RT	09218-55	500G
Cobalt Oxide, gray powder				
	EP	RT	09221-95	500G
Cobalt(II) di-Sodium Ethylenediaminetetraacetate [11079-03-1]				
C10H12N2O8CoNa2·nH2O=393.12(Anh)				
	GR	RT	15118-62	25G
Cobalt(II) Sulfate Heptahydrate [10026-24-1]				
CoSO4·7H2O=281.10				
Purity: 98%(T)	EP	A	09228-25	500G
Purity: 99%(T)	GR	A	09229-02	25G
			09229-15	500G
Cocarboxylase [154-87-0]				
C12H19ClN4O7P2S=460.77				
	GR	R	09230-91	1G
			09230-04	5G
Coenzyme A [Co-A] from Yeast, free Acid [85-61-0]				
	CP	F	06439-97	10MG
			06439-26	50MG
			06439-84	100MG
Coenzyme A Trilithium Salt from Yeast [18439-24-2]				
C21H33Li3N7O16P3S=785.33				
Purity: 90%(UV)	CP	F	09348-42	25MG
			09348-84	100MG
Colcemid [Demecolcine] [477-30-5]				
C21H25NO5=371.43				
Purity: 98%(HPLC)	GR	RT	09304-31	1MG
			09304-44	5MG
Colcemid Solution(10μg/ml)				
for Tissue Culture Colorless liquid Sterilized by filtration	SP	R	09356-74	10ML
Colchicine [64-86-8]				
C22H25NO6=399.44				
Purity: 96%(T)	GR	RT	09305-05	500MG
Collagen(Type I) [9007-34-5]				
Soluble in acid, from Calf Skin	BC	R	09350-34	50MG
Collagen from Bovine Achilles Tendon [9007-34-5]				
	GR	R	09329-21	1G
Collagenase from Clostridium histolyticum [9001-12-1]				
		F	09353-04	100MG
2,4,6-Collidine [2,4,6-Trimethylpyridine] [108-75-8]				
(CH3)3C5H2N=121.18				
Purity: 99%(GC)	GR	RT	09310-12	25ML
Collodion				
	EP	RT	09315-75	500ML
Colominic Acid Sodium Salt from E. coli [70431-34-4]				
for Research of Sialic Acid	SP	R	09324-71	1G

C

Color Standard Solution

		RT	37145-64	100ML
			37145-35	500ML

Compound 48/80 [94724-12-6]

		F	09347-94	100MG

Concanavalin A from Jack Beans [11028-71-0]

Activity: 70ug solid/ml or less (human hemagglutination method) Fiber crystalline Lyophilization Salt free	BC	F	09446-94	100MG

Congo Red [573-58-0]

C32H22N6Na2O6S2=696.66

	EP	RT	09402-12	25G
	GR	RT	09403-02	25G

Congo Red Stain Solution [573-58-0]

		RT	37156-24	100ML
			37156-95	500ML

Coomassie Brilliant Blue G-250 [6104-58-1]

C47H48N3NaO7S2=854.02

for Electrophoresis	SP	RT	09409-42	25G

Coomassie Brilliant Blue R-250 [6104-59-2]

C45H44N3NaO7S2=825.97

for Electrophoresis	SP	RT	09408-52	25G

Copper, chip [7440-50-8]

Cu=63.546

Purity: 99.9%	EP	RT	09434-15	500G

Copper, granular [7440-50-8]

Cu=63.546

Purity: 99.85%(W)	EP	RT	09412-95	500G

Copper, plate [7440-50-8]

Cu=63.546

Purity: 99.9%	EP	RT	09433-25	500G

Copper, powder [7440-50-8]

Cu=63.546

Purity: 97%(T)	CP	RT	09414-75	500G

Copper, shavings [7440-50-8]

Cu=63.546

Purity: 99.99%	GR	RT	09413-85	500G

Copper Reduced, granular [7440-50-8]

Cu=63.546

for Elemental Analysis Granular particle size: approx. 20-40mesh	SP	RT	09440-54	100G
for Elemental Analysis Granular particle size: approx. 40-80mesh	SP	RT	09441-44	100G

Copper Reduced, wire [7440-50-8]

Cu=63.546

for Elemental Analysis Wire size: approx. 0.4mm	SP	RT	09442-34	100G
for Elemental Analysis Wire size: approx. 0.6mm	SP	RT	09443-24	100G

Copper Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37517-94	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37548-94	100ML

Copper(II) Acetate Monohydrate [6046-93-1]

(CH3COO)2Cu·H2O=199.65

Purity: 98%(T)	EP	RT	09420-85	500G
Purity: 99%(T)	GR	RT	09421-62	25G
			09421-75	500G

Copper(II) Acetylacetonate [13395-16-9]

(CH3COCHCOCH3)2Cu=261.76

Purity: 97%(T)	EP	RT	09425-22	25G

Copper(I) Bromide [7787-70-4]

CuBr=143.45

Purity: 95%(T)	CP	A	09431-32	25G

C

Copper(II) Bromide [7789-45-9]

CuBr2=223.35

Purity: 98%(T)	GR	A	09429-82	25G

Copper(II) Carbonate, Basic [12069-69-1]

approx. CuCO3·Cu(OH)2·H2O=221.12

	GR	RT	09502-02	25G

Copper(I) Chloride [7758-89-6]

CuCl=99.00

	EP	RT	09507-65	500G
Purity: 95%(T)	GR	RT	09508-42	25G
			09508-55	500G

Copper(II) Chloride, Anhydrous [7447-39-4]

CuCl2=134.45

Purity: 98%(T)	GR	RT	09506-62	25G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	08782-14	5G

Copper(II) Chloride Dihydrate [10125-13-0]

CuCl2·2H2O=170.48

	EP	A	09504-95	500G
Purity: 99%(T)	GR	A	09505-01	1G
			09505-72	25G
			09505-85	500G

Copper(II) Citrate [866-82-0]

Cu2C6H4O7·2 1/2H2O=360.22

	CP	RT	09510-92	25G

Copper(I) Cyanide [544-92-3]

CuCN=89.56

Purity: 98%(T)	CP	RT	09511-11	1G
			09511-82	25G
			09511-95	500G

Copper(II) Hydroxide [20427-59-2]

Cu(OH)2=97.56

Purity: 80%(T)	CP	RT	09513-75	500G

Copper(I) Iodide [7681-65-4]

CuI=190.45

Purity: 98%(T)	CP	RT	09514-52	25G

Copper(II) Nitrate Trihydrate [10031-43-3]

Cu(NO3)2·3H2O=241.60

	EP	A	09516-45	500G
	GR	A	09517-22	25G
			09517-35	500G

Copper(II) Oxalate [55671-32-4]

Cu(COO)2·1/2H2O=160.57

Purity: 95%(T)	CP	RT	09519-02	25G
			09519-15	500G

Copper(I) Oxide [1317-39-1]

Cu2O=143.09

Purity: 95%(T)	CP	RT	09528-11	1G
			09528-82	25G

Copper(II) Oxide [1317-38-0]

CuO=79.55

Purity: 95%(T)	EP	RT	09520-75	500G
Purity: 98%(T)	GR	RT	09536-01	1G
			09536-72	25G
			09536-14	250G

Copper(II) Oxide, wire [1317-38-0]

CuO=79.55

for Elemental Analysis Size:0.6mm x 2-5mm	SP	RT	09527-34	100G

C

Copper PAN [Copper 1-(2-Pyridylazo)-2-naphthol] [23299-85-6]				
	GR	RT	09530-61	1G
			09530-74	5G
Copper(II) Perchlorate [13770-18-8]				
Cu(ClO4)2·6H2O=370.54				
Purity: 99%(T)	CP	A	09531-51	1G
			09531-22	25G
Copper(II) di-Sodium Ethylenediaminetetraacetate [39208-15-6]				
C10H12N2O8CuNa2·xH2O				
	GR	RT	15119-52	25G
			15119-65	500G
Copper(II) Sulfate [7758-98-7]				
CuSO4=159.61				
Purity: 97.5%(T)	EP	RT	09607-55	500G
Purity: 98%(T)	GR	RT	09608-45	500G
Copper(II) Sulfate Pentahydrate [7758-99-8]				
CuSO4·5H2O=249.69				
Purity: 99%(T)	EP	RT	09604-85	500G
Purity: 99.5%(T)	GR	RT	09605-04	100G
			09605-75	500G
Copper(II) Sulfate Stock Solution(S.G.=1.100) [7758-99-8]				
		RT	37102-85	500ML
Copper(I) Thiocyanate [1111-67-7]				
CuSCN=121.63				
	CP	A	09612-62	25G
Corn Oil [8001-30-7]				
	CP	RT	25606-65	500G
Cortisone [53-06-5]				
C21H28O5=360.44				
	GR	RT	09619-21	1G
Cottonseed Oil [8001-29-4]				
	CP	RT	25607-55	500G
trans-p-Coumaric Acid [501-98-4]				
C9H8O3=164.16				
	GR	RT	09810-91	1G
			09810-04	5G
Coumarin [91-64-5]				
C9H6O2=146.14				
Purity: 98%(GC)	GR	RT	09812-42	25G
Creatine Monohydrate [6020-87-7]				
C4H9N3O2·H2O=149.15				
	GR	RT	09630-22	25G
Creatine Phosphokinase from Rabbit Muscle [9001-15-4]				
Activity: 20-60u/mg solid Lyophilized powder Includes 2mM Mercaptoethanol	BC	F	09639-74	10MG
			09639-16	100MG
Creatinine [60-27-5]				
C4H7N3O=113.12				
Purity: 99%(T)	GR	RT	09626-34	5G
			09626-92	25G
Cremophor(R) EL				
		RT	09727-14	100G
Creosote [8001-58-9]				
	EP	RT	09702-82	25G
			09702-95	500G
o-Cresol [95-48-7]				
CH3C6H4OH=108.14				
Purity: 99%(GC)	GR	R	09704-62	25G
			09704-75	500G

C

m-Cresol [108-39-4]				
CH3C6H4OH=108.14				
Purity: 98%(GC)	GR	R	09706-42	25ML
			09706-55	500ML
p-Cresol [106-44-5]				
CH3C6H4OH=108.14				
Purity: 99%(GC)	GR	R	09708-22	25G
			09708-35	500G
Cresol(isomer mix.) [1319-77-3]				
CH3C6H4OH=108.14				
	CP	RT	09709-25	500ML
	GR	R	09710-72	25ML
o-Cresolphthalein [596-27-0]				
C22H18O4=346.38				
	GR	RT	09712-81	1G
			09712-52	25G
o-Cresolphthalein Complexon [Phthalein Complexon] [2411-89-4]				
C32H32N2O12=636.60				
for Metal Colorimetric Determination	SP	RT	09713-71	1G
			09713-84	5G
Cresol Red [CR] [1733-12-6]				
C21H18O5S=382.43				
	GR	RT	09714-61	1G
			09714-32	25G
Cresolsulfonic Acid				
C7H8O4S=188.20				
Purity: 80%(T)	CP	RT	09716-25	500G
Crotonic Acid [3724-65-0]				
CH3CH:CHCOOH=86.09				
	GR	RT	09724-02	25G
			09724-15	500G
Croton Oil [8001-28-3]				
	EP	RT	25608-32	25G
Crotonoyl Chloride [10487-71-5]				
CH3CH:CHCOCl=104.53				
	EP	A	09802-72	25G
18-Crown-6 [17455-13-9]				
C12H24O6=264.32				
Purity: 98%(GC)	EP	RT	09829-84	5G
			09829-42	25G
Cryolite [15096-52-3]				
		RT	09828-65	500G
Crystal Violet [548-62-9]				
C25H30ClN3·9H2O=570.12				
	EP	RT	09803-62	25G
	GR	RT	09804-52	25G
Cumene [Isopropylbenzene] [98-82-8]				
C6H5CH(CH3)2=120.19				
Purity: 98%(GC)	GR	RT	09815-12	25ML
			09815-25	500ML
Cumene Hydroperoxide [80-15-9]				
C6H5C(CH3)2OOH=152.19				
Purity: 80%(T)	CP	A	09816-02	25G
Cupferron [135-20-6]				
C6H5N(NO)ONH4=155.15				
	GR	RT	09819-72	25G

C

Curcumin [458-37-7]				
(CH3OC6H3OHCH:CHCO)2CH2=368.38				
	GR	RT	09822-41	1G
			09822-54	5G
Curcumin 1 [458-37-7]				
C21H20O6=368.38				
Purity: 98%(HPLC) Turmeric, Produced by Nagara Science Co., Ltd.	GR	R	02643-14	100MG
Curcumin 2 [297160-27-1]				
C20H18O5=338.35				
Purity: 98%(HPLC) Turmeric, Produced by Nagara Science Co., Ltd.	GR	R	02644-04	10MG
Curcumin 3 [33171-05-0]				
C19H16O4=308.33				
Purity: 98%(HPLC) Turmeric, Produced by Nagara Science Co., Ltd.	GR	R	02645-94	10MG
Cyanamide [420-04-2]				
CH2N2=42.04				
Purity: 90%(N) Stabilizer: approx.0.2% or less formic acid	CP	R	09834-04	5G
			09834-62	25G
2-Cyanoacetamide [107-91-5]				
CNCH2CONH2=84.08				
Purity: 98%(N)	GR	RT	09825-82	25G
Cyanoacetic Acid [372-09-8]				
CNCH2COOH=85.06				
Purity: 98%(T)	EP	RT	09901-72	25G
α-Cyano-4-hydroxycinnamic Acid [28166-41-8]				
C10H7NO3=189.17				
for Mass Spectrometry	SP	R	06700-21	1G
2-Cyanopyridine [100-70-9]				
CNC5H4N=104.11				
Purity: 98%(GC)	GR	RT	09913-22	25G
Cyanuric Acid [108-80-5]				
C3H3N3O3=129.07				
Purity: 98%(T)	GR	RT	09916-05	500G
Cyanuric Chloride [108-77-0]				
C3Cl3N3=184.41				
Purity: 98%(T)	CP	A	09917-82	25G
			09917-95	500G
α-Cyclodextrin [10016-20-3]				
(C6H10O5)6=972.84				
Purity: 98%(HPLC)	GR	RT	10005-24	5G
			10005-82	25G
β-Cyclodextrin [7585-39-9]				
(C6H10O5)7=1134.98				
Purity: 97%(HPLC)	GR	RT	10006-14	5G
			10006-72	25G
			10006-85	500G
γ-Cyclodextrin [17465-86-0]				
(C6H10O5)8=1297.12				
Purity: 99%(HPLC)	GR	RT	10032-51	1G
			10032-64	5G
Cyclododecanone [830-13-7]				
C12H22O=182.30				
Purity: 99%(GC)	GR	RT	10009-55	500G
Cyclododecene [1501-82-2]				
C12H22=166.30				
	EP	RT	10011-92	25G
Cycloheptanone [502-42-1]				
C7H12O=112.17				
Purity: 97%(GC)	EP	RT	10016-42	25ML

C

1,3-Cyclohexadiene [592-57-4]				
C6H8=80.13				
Purity: 95%(GC)	EP	A	10033-54	5G
1,4-Cyclohexadiene [628-41-1]				
C6H8=80.13				
Purity: 95%(GC)	EP	A	10021-04	10G
Cyclohexane [110-82-7]				
C6H12=84.16				
Purity: 98%(GC)	EP	RT	10022-65	500ML
Purity: 99.5%(GC)	GR	RT	10023-55	500ML
for Fluorometric Analysis Purity: 99.7%(GC)	SP	RT	10036-95	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	10034-31	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	10029-95	500ML
Cyclohexane 〈H2O<30ppm〉 [110-82-7]				
C6H12=84.16				
Purity: 99.5%(GC) Special Cap	GR	RT	04092-74	100ML
Cyclohexanecarboxylic Acid [98-89-5]				
C6H11COOH=128.17				
	EP	RT	02392-62	25G
1,2-Cyclohexanediaminetetraacetic Acid Monohydrate [CDTA] [13291-61-7]				
C14H22N2O8·H2O=364.35				
	GR	RT	10101-54	5G
			10101-12	25G
1,4-Cyclohexanediol(cis,trans mix.) [556-48-9]				
C6H12O2=116.16				
Purity: (cis+trans) 98%(GC)	EP	RT	10106-62	25G
1,2-Cyclohexanedione [765-87-7]				
C6H8O2=112.13				
Purity: 97%(GC)	EP	R	10137-91	1G
1,3-Cyclohexanedione [504-02-9]				
C6H8O2=112.13				
Purity: 90%(T)	CP	R	10138-52	25G
Cyclohexanol [108-93-0]				
C6H11OH=100.16				
Purity: 97%(GC)	EP	RT	10110-05	500ML
Purity: 98%(GC)	GR	RT	10111-95	500ML
Cyclohexanone [108-94-1]				
C6H10O=98.14				
Purity: 98%(GC)	EP	RT	10113-75	500ML
Purity: 99%(GC)	GR	RT	10114-65	500ML
Cyclohexene [110-83-8]				
C6H10=82.14				
Purity: 98%(GC)	GR	RT	10117-22	25ML
			10117-35	500ML
Cyclohexene Oxide [286-20-4]				
C6H10O=98.14				
Purity: 98%(GC)	GR	R	10140-02	25ML
2-Cyclohexen-1-one [930-68-7]				
C6H8O=96.13				
	EP	RT	06963-62	25ML
Cycloheximide [66-81-9]				
C15H23NO4=281.35				
Purity: 90%(HPLC)	CP	A	06741-91	1G
			06741-04	5G
			06741-62	25G
			06741-75	500G

C

Cyclohexylamine [108-91-8]				
C6H11NH2=99.17				
Purity: 98%(T)	GR	RT	10121-52	25ML
Cyclohexylbenzene [Phenylcyclohexane] [827-52-1]				
C6H11C6H5=160.26				
	EP	RT	10134-92	25ML
Cyclohexyl Bromide [108-85-0]				
C6H11Br=163.06				
Purity: 98%(GC)	EP	RT	10125-12	25G
1,3-Cyclooctadiene [1700-10-3]				
C8H12=108.18				
	EP	A	10209-22	25ML
1,5-Cyclooctadiene [111-78-4]				
C8H12=108.18				
Purity: 97%(GC)	EP	A	10210-82	25G
Cyclooctane [292-64-8]				
C8H16=112.21				
Purity: 99%(GC)	GR	RT	10211-85	500ML
Cyclooctene [931-88-4]				
C8H14=110.20				
Purity: 94%(GC)	EP	RT	10214-42	25G
Cyclopentane [287-92-3]				
C5H10=70.13				
Purity: 98%(GC)	GR	RT	10217-12	25ML
Cyclopentanol [96-41-3]				
C5H9OH=86.13				
Purity: 99%(GC)	GR	RT	10222-32	25ML
Cyclopentanone [120-92-3]				
C5H8O=84.12				
Purity: 99%(GC)	GR	RT	10223-22	25ML
			10223-35	500ML
Cyclopentene [142-29-0]				
C5H8=68.12				
Purity: 99%(GC)	GR	RT	10225-44	10ML
Cyclopentyl Methyl Ether [5614-37-9]				
	EP	RT	06534-95	500ML
Cyclophosphamide Monohydrate [6055-19-2]				
C7H15Cl2N2O2P·H2O=279.10				
Purity: 98%(T)	GR	R	10232-31	1G
Cystamine Dihydrochloride [56-17-7]				
C4H12N2S2·2HCl=225.20				
Purity: 98%(T)	GR	RT	10306-84	5G
L-Cysteic Acid [23537-25-9]				
HO3SCH2CH(NH2)COOH·H2O=187.17				
	GR	RT	10308-51	1G
			10308-64	5G
L-Cysteine [52-90-4]				
HSCH2CH(NH2)COOH=121.16				
Purity: 98%-102%(T)	GR	R	10309-41	1G
			10309-12	25G
D-Cysteine Hydrochloride Monohydrate [32443-99-5]				
C3H7NO2S·HCl·H2O=175.63				
	GR	R	10311-04	5G
DL-Cysteine Hydrochloride Monohydrate [10318-18-0]				
C3H7NO2S·HCl·H2O=175.63				
	GR	R	10312-81	1G

C

L-Cysteine Hydrochloride Monohydrate [7048-04-6]				
C3H7NO2S·HCl·H2O=175.63				
Purity: 99%(T)	GR	R	10313-84	5G
			10313-42	25G
			10313-55	500G
L-Cysteine Methyl Ester Hydrochloride [18598-63-5]				
C4H9NO2S·HCl=171.65				
Purity: 98%(T)	GR	R	10314-74	5G
			10314-32	25G
L-(-)-Cystine [56-89-3]				
[SCH2CH(NH2)COOH]2=240.30				
Purity: 99%(N)	GR	RT	10328-04	5G
			10328-62	25G
			10328-75	500G
L-Cystine Dihydrochloride [13059-63-7]				
C6H12N2O4S2·2HCl=313.22				
	GR	RT	10318-92	25G
Cytidine-5'-monophospho-N-acetylneuraminic Acid Disodium Salt [3063-71-6]				
C20H29N4O16PNa2=658.41				
for Research of Sialic Acid	SP	F	10432-24	10MG
Cytochalasin B from Helminthosporium dematioideum [14930-96-2]				
C29H37NO5=479.61				
Purity: 98%(HPLC)	GR	F	10435-81	1MG
Cytochrome C from Horse Heart [9007-43-6]				
Purity: 95%-105%(UV) MW: 12,384	GR	R	10429-84	100MG
			10429-55	500MG

[D]

Dabsyl Chloride [56512-49-3]				
C14H14N3O2SCl=323.80				
Labeling Reagent for HPLC Purity: 99%(HPLC)	SP	RT	10427-91	1G
Daidzein [486-66-8]				
C15H10O4=254.24				
Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	09388-64	10MG
Daidzin [552-66-9]				
C21H20O9=416.38				
Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	09389-54	10MG
Dansyl Chloride [605-65-2]				
(CH3)2NC10H6SO2Cl=269.75				
for Fluorometric Analysis Purity: 98%(T)	SP	R	10416-31	1G
Decalin [Decahydronaphthalene] [91-17-8]				
C10H18=138.25				
Purity: (cis+trans) 90.0%(GC)	CP	RT	10604-45	500ML
Purity: (cis+trans) 95%(GC)	EP	RT	10605-35	500ML
Purity: (cis+trans) 98%(GC)	GR	RT	10606-25	500ML
for Electrophoresis Purity: (cis+trans) 98%(GC)	SP	RT	10634-55	500ML
for Analysis of Sulfur in Petroleum Product Purity: (cis+trans) 98%(GC)	SP	RT	10629-51	1L
Decamethylene Glycol [1,10-Decanediol] [112-47-0]				
HO(CH2)10OH=174.28				
	EP	RT	10612-22	25G
n-Decane [124-18-5]				
CH3(CH2)8CH3=142.28				
Purity: 98%(GC)	GR	RT	10613-12	25ML
			10613-25	500ML
Decanoic Acid [n-Capric Acid] [334-48-5]				
CH3(CH2)8COOH=172.26				
Purity: 95%(GC)	EP	RT	07021-62	25G
Purity: 99%(GC)	GR	RT	07022-52	25ML
1-Decanol [112-30-1]				
CH3(CH2)9OH=158.28				
Purity: 97%(GC)	EP	RT	10618-62	25ML
n-Decanoyl Chloride [112-13-0]				
CH3(CH2)8COCl=190.71				
Purity: 95%(GC)	EP	A	07109-32	25G
n-Decylaldehyde [n-Caprinaldehyde] [112-31-2]				
CH3(CH2)8CHO=156.27				
Purity: 90%(GC)	CP	RT	10642-32	25ML
Dehydroacetic Acid Sodium Salt [4418-26-2]				
C8H7NaO4·H2O=208.14				
Purity: 98%(T)	EP	RT	10624-72	25G
			10624-85	500G
2,3-Dehydro-2-deoxy-N-acetylneuraminic Acid [24967-27-9]				
C11H17NO8=291.25				
for Research of Sialic Acid	SP	F	05457-74	5MG
			05457-32	25MG
Dehydroisoandrosterone [53-43-0]				
C19H28O2=288.42				
	GR	RT	10626-81	1G
Denhardt's Stock Solution(50x) [50x Denhardt's Solution]				
for Molecular Biology Nuclease and Protease tested	SP	F	10727-74	50ML

Deoxycholic Acid [83-44-3]				
C24H40O4=392.57				
Purity: 98%(T)	GR	RT	10711-64	5G
			10711-22	25G
Deoxycholic Acid Sodium Salt Monohydrate [145224-92-6]				
C24H39NaO4·H2O=432.57				
	GR	RT	10712-54	5G
			10712-12	25G
			10712-96	100G
for Molecular Biology Nuclease and Protease tested	SP	RT	02889-72	25G
Deoxycorticosterone Acetate [56-47-3]				
C21H29O2(OCOCH3)=372.50				
Purity: 98%(HPLC)	GR	RT	10715-11	1G
2-Deoxy-D-glucose [154-17-6]				
C6H12O5=164.16				
Purity: 98%(GC)	GR	A	10722-11	1G
2'-Deoxyguanosine [961-07-9]				
C10H13N5O4·H2O=285.26				
Purity: 98%(HPLC)	GR	RT	10828-41	1G
2'-Deoxynucleoside-5'-triphosphate Mixed Solution, 2mM of each				
for Molecular Biology Water solution, Nuclease tested	SP	F	02541-31	1ML
Deoxyribonucleic Acid from Salmon Testes, sonicated, denatured aqueous solution [9007-49-2]				
for Molecular Biology Water solution, Concentration: 10mg/ml, Ultrasonic treated	SP	F	10848-81	1ML
Deoxyribonucleic Acid Sodium Salt from Calf Thymus [73049-39-5]				
	BC	R	05658-44	100MG
Deoxyribonucleic Acid Sodium Salt from Salmon Testes, sonicated for Hybridization				
DNA chain length: 0.5-1kb	GR	F	10834-64	10MG
Deoxyribonucleoside-5'-triphosphate Solution Set				
Component: dATP, dCTP, dGTP, dTTP each 100mM solution 25umol each 4 bottles	EP	F	11371-81	1SET
2-Deoxy-D-ribose [533-67-5]				
C5H10O4=134.13				
Purity: 98%(GC)	GR	R	10829-31	1G
Deoxyschizandrin [61281-38-7]				
C24H32O6=416.51				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05078-44	5MG
Devarda's Alloy [8049-11-4]				
	GR	RT	10909-52	25G
			10909-65	500G
Dexamethasone from Plant [50-02-2]				
C22H29FO5=392.46				
Purity: 97%(HPLC)	GR	R	11107-64	100MG
			11107-51	1G
Dextran [9004-54-0]				
(C6H10O5)n				
MW: 15,000-20,000	GR	RT	10901-74	100G
			10901-45	500G
MW: 35,000-50,000	GR	RT	10902-64	100G
MW: 50,000-70,000	GR	RT	10910-54	5G
			10910-12	25G
			10910-25	500G
MW: 190,000-230,000	GR	RT	10911-44	5G
			10911-02	25G
for Leukocite Separation MW: approx.200,000	SP	RT	10927-12	25G
			10927-54	100G
			10927-25	500G
Dextrin [9004-53-9]				
	CP	RT	10914-85	500G

D

Diacetone Alcohol [4-Hydroxy-4-methyl-2-pentanone] [123-42-2]				
(CH3)2C(OH)CH2COCH3=116.16				
Purity: 97%(GC)	EP	RT	10919-35	500ML
Diacetyl [2,3-Butanedione] [431-03-8]				
CH3COCOCH3=86.09				
Purity: 98%(GC)	GR	A	10920-82	25G
Diacetyl Monoxime [2,3-Butanedione-2-oxime] [57-71-6]				
CH3C:NOHCOCH3=101.10				
	GR	RT	10923-52	25G
4',6-Diamidino-2-phenylindole Dihydrochloride [28718-90-3]				
C16H15N5·2HCl·nH2O=350.25(Anh)				
for Fluorometric Analysis	SP	R	11034-56	10MG
			11034-14	100MG
3,3'-Diaminobenzidine [91-95-2]				
C12H14N4=214.27				
Purity: 95%(T)	EP	R	11048-31	1G
			11048-44	5G
3,3'-Diaminobenzidine Tetrahydrochloride [7411-49-6]				
C12H14N4·4HCl·nH2O=360.11(Anh)				
	GR	RT	11009-41	1G
			11009-54	5G
4,4'-Diaminodiphenyl Ether [101-80-4]				
O(C6H4NH2)2=200.24				
Purity: 98%(T)	GR	RT	11015-22	25G
6,9-Diamino-2-ethoxyacridine Lactate [Acrinol] [1837-57-6]				
C15H15N3O·C3H6O3·H2O=361.39				
Purity: 98%(T)	GR	R	11035-04	5G
			11035-62	25G
2,3-Diaminonaphthalene [771-97-1]				
C10H6(NH2)2=158.20				
Purity: 95%(T)	EP	RT	11047-41	1G
1,3-Diamino-2-propanol [616-29-5]				
(NH2CH2)2CHOH=90.12				
	EP	R	11123-02	25G
Diatomaceous Earth				
		RT	08272-65	500G
1,8-Diazabicyclo[5,4,0]-7-undecene [6674-22-2]				
C9H16N2=152.24				
Purity: 97%(GC)	EP	RT	11131-92	25G
			11131-34	100G
			11131-05	500G
Dehydrohalogenation Reagent Purity: 98%(GC)	SP	RT	11117-92	25G
			11117-05	500G
Dibenzofuran [132-64-9]				
C12H8O=168.19				
	EP	RT	11206-22	25G
Dibenzylamine [103-49-1]				
C14H15N=197.28				
	EP	RT	23186-22	25G
p-Dibromobenzene [106-37-6]				
C6H4Br2=235.90				
Purity: 99%(GC)	GR	RT	11312-35	500G
1,4-Dibromobutane [110-52-1]				
Br(CH2)4Br=215.91				
Purity: 98%(GC)	GR	RT	11316-82	25G

D

Dibromomethane [74-95-3]				
CH2Br2=173.83				
Purity: 99%(GC)	GR	RT	22413-62	25G
			22413-75	500G
1,3-Dibromopropane [109-64-8]				
C3H6Br2=201.89				
	EP	RT	07061-42	25G
2,6-Dibromopyridine [626-05-1]				
C5H3Br2N=236.89				
	EP	RT	06937-12	25G
Dibucaine Hydrochloride [61-12-1]				
C20H29N3O2·HCl=379.92				
Purity: 98%(T)	GR	RT	11433-71	1G
			11433-84	5G
			11433-42	25G
Di-n-butylamine [111-92-2]				
[CH3(CH2)3]2NH=129.24				
Purity: 99%(GC)	GR	RT	11415-82	25ML
			11415-95	500ML
2-Di-n-butylaminoethanol [102-81-8]				
(C4H9)2NCH2CH2OH=173.30				
Purity: 99%(GC)	GR	RT	11418-65	500ML
2,6-Di-t-butyl-p-cresol [Butyl Hydroxy Toluene;BHT] [128-37-0]				
[(CH3)3C]2C6H2(CH3)OH=220.35				
Purity: 98%(GC)	EP	RT	11421-92	25G
			11421-05	500G
Di-t-butyl Dicarbonate [Di-BOC; Di-t-butyl Pyrocarbonate] [24424-99-5]				
[COOC(CH3)3]2O=218.25				
Purity: 97%(GC)	EP	F	11430-72	25G
			11430-14	100G
for Peptide Synthesis	SP	F	11431-04	100G
Di-n-butyl Fumarate [105-75-9]				
[:CHCOO(CH2)3CH3]2=228.28				
Purity: 98%(GC)	GR	RT	11502-32	25G
Di-t-butyl Peroxide [110-05-4]				
(CH3)3COOC(CH3)3=146.23				
	CP	A	11510-22	25G
2,4-Di-t-butylphenol [96-76-4]				
[(CH3)3C]2C6H3OH=206.32				
	EP	RT	11511-12	25G
2,6-Di-t-butylphenol [128-39-2]				
[(CH3)3C]2C6H3OH=206.32				
	GR	RT	11514-82	25G
Di-n-butyl Phthalate [DBP] [84-74-2]				
C6H4(COOC4H9)2=278.34				
Purity: 98%(GC)	EP	RT	11518-55	500G
Di-n-butyl Sebacate [109-43-3]				
[(CH2)4COO(CH2)3CH3]2=314.46				
Purity: 98%(GC)	GR	RT	11520-92	25G
			11520-05	500G
Di-n-butyltin Dilaurate [77-58-7]				
(C4H9)2Sn(CO2C11H23)2=631.56				
	EP	RT	11525-42	25G
Di-n-butyltin Oxide [818-08-6]				
[CH3(CH2)3]2SnO=248.94				
	CP	RT	11528-12	25G

D

N6,2'-O-Dibutyryladenosine-3',5'-cyclic Monophosphate Sodium Salt [16980-89-5]				
C18H23N5O8PNa·nH2O=491.37(Anh)				
Purity: 95%(HPLC)	EP	F	11540-74	100MG
			11540-61	1G
2,3-Dichloroaniline [608-27-5]				
Cl2C6H3NH2=162.02				
Purity: 98%(GC)	GR	RT	11605-92	25G
o-Dichlorobenzene [95-50-1]				
C6H4Cl2=147.00				
Purity: 99%(GC)	GR	RT	11619-35	500ML
for HPLC Purity: 99%(GC)	SP	RT	11635-31	1L
m-Dichlorobenzene [541-73-1]				
C6H4Cl2=147.00				
Purity: 98%(GC)	GR	RT	11620-82	25G
			11620-95	500G
p-Dichlorobenzene [106-46-7]				
C6H4Cl2=147.00				
Purity: 98%(GC)	GR	RT	11622-62	25G
			11622-75	500G
2,5-Dichlorobenzoic Acid [50-79-3]				
Cl2C6H3COOH=191.01				
Purity: 97%(T)	CP	RT	11641-12	25G
1,4-Dichlorobutane [110-56-5]				
ClCH2(CH2)2CH2Cl=127.01				
Purity: 99%(GC)	GR	RT	11705-82	25G
2,3-Dichloro-5,6-dicyano-p-benzoquinone [84-58-2]				
C6Cl2O2(CN)2=227.00				
Purity: 98%(N)	GR	R	11713-01	1G
			11713-14	5G
			11713-72	25G
cis-1,2-Dichloroethylene [156-59-2]				
C2H2Cl2=96.94				
	GR	RT	07076-62	25G
trans-1,2-Dichloroethylene [156-60-5]				
ClCH:CHCl=96.94				
Purity: 98%(GC)	GR	A	11715-52	25G
			11715-65	500G
2',7'-Dichlorofluorescein [76-54-0]				
C20H10Cl2O5=401.20				
	GR	RT	11716-71	1G
2,6-Dichloroindophenol Sodium Salt Dihydrate [620-45-1]				
C12H6Cl2NNaO2·2H2O=326.11				
	GR	RT	05316-01	1G
			05316-14	5G
Dichloromethane [75-09-2]				
CH2Cl2=84.93				
Purity: 98%(GC) Stabilizer: approx.10ppm 2-methyl-2-butene	EP	RT	22414-65	500ML
Purity: 99.5%(GC) Stabilizer: approx.10ppm 2-methyl-2-butene	GR	RT	22415-55	500ML
for Fluorometric Analysis Purity: 99.5%(GC) Stabilizer: approx.10ppm 2-methyl-2-butene	SP	RT	22428-95	500ML
for HPLC Purity: 99.5%(GC) Stabilizer: approx.10ppm 2-methyl-2-butene	SP	RT	22423-61	1L
for Spectrum Purity: 99.5%(GC) Stabilizer: approx.10ppm 2-methyl-2-butene	SP	RT	22420-75	500ML
for Residual Pesticide Analysis Tested for 5,000X Stabilizer: approx.10ppm 2-methyl-2-butene	SP	RT	04335-81	1L
for Hormone Analysis Purity: 99.5%(GC)	SP	RT	22421-65	500ML
Dichloromethane 〈H2O<50ppm〉 [75-09-2]				
CH2Cl2=84.93				
Purity: 99%(GC)	GR	A	22430-74	100ML
			22430-61	1L

D

Dichloromethyl Methyl Ether [4885-02-3]				
C2H4Cl2O=114.96				
	EP	RT	06925-62	25G
2,4-Dichlorophenoxyacetic Acid [94-75-7]				
Cl2C6H3OCH2COOH=221.04				
Purity: 95%(T)	CP	RT	11831-22	25G
3-(3',4'-Dichlorophenyl)-1,1-dimethylurea [330-54-1]				
C9H10Cl2N2O=233.09				
	EP	RT	11828-82	25G
Dichlorophenylphosphine [644-97-3]				
C6H5PCl2=178.98				
	EP	A	27402-52	25ML
1,3-Dichloro-2-propanone [534-07-6]				
C3H4OCl2=126.97				
	EP	RT	06999-12	25G
2,4-Dichlorotoluene [95-73-8]				
Cl2C6H3CH3=161.03				
Purity: 99%(GC)	GR	RT	11901-02	25G
Dicumyl Peroxide [80-43-3]				
C6H5C(CH3)2OOC(CH3)2C6H5=270.37				
Purity: 95%(HPLC)	CP	A	11907-42	25G
Dicyandiamide [461-58-5]				
H2NC(:NH)NHCN=84.08				
Purity: 98%(N)	CP	RT	11931-25	500G
Dicyandiamidine Sulfate [591-01-5]				
C4H12N8O2·H2SO4=302.27				
Purity: 98%(T)	GR	RT	11910-82	25G
Dicyclohexylamine [101-83-7]				
(C6H11)2NH=181.32				
Purity: 99%(GC)	EP	RT	11911-72	25ML
N,N'-Dicyclohexylcarbodiimide [538-75-0]				
C6H11N:C:NC6H11=206.33				
Purity: 98%(GC)	GR	RT	11913-52	25G
			11913-65	500G
for Peptide Synthesis Purity: 99%(GC)	SP	RT	11914-42	25G
			11914-55	500G
Dicyclohexyl Phthalate [84-61-7]				
C6H4(COOC6H11)2=330.42				
Purity: 99%(GC)	GR	RT	11930-35	500G
Dicyclopentadiene [77-73-6]				
C10H12=132.20				
Purity: 90%(GC) Stabilizer: approx. 50ppm TBC	CP	A	11918-15	500ML
Diethylamine [109-89-7]				
(C2H5)2NH=73.14				
Purity: 98%(GC)	EP	RT	12007-15	500ML
Purity: 99%(GC)	GR	RT	12008-92	25ML
			12008-05	500ML
Diethyl Aminomalonate Hydrochloride [13433-00-6]				
C7H13NO4·HCl=211.64				
	EP	RT	07087-22	25G
(Diethylamino)sulfur Trifluoride [38078-09-0]				
C4H10F3NS=161.19				
		R	07065-44	5G
N,N-Diethylaniline [91-66-7]				
C6H5N(C2H5)2=149.23				
Purity: 98%(GC)	EP	RT	12018-75	500ML

D

Diethyl Azodicarboxylate [1972-28-7]				
(:NCOOC2H5)2=174.15				
	RT	12034-84	10G	
Diethyl Carbonate [105-58-8]				
(C2H5O)2CO=118.13				
Purity: 99%(GC)	GR	RT	12122-82	25G
			12122-95	500G
Diethyl Disulfide [110-81-6]				
(C2H5)2S2=122.25				
	EP	RT	12108-24	10G
Diethylene Glycol [111-46-6]				
HOCH2CH2OCH2CH2OH=106.12				
Purity: 97%(GC)	EP	RT	12114-05	500G
			12114-34	20KG
Purity: 99%(GC)	GR	RT	12115-95	500G
Diethylene Glycol Diethyl Ether [Bis(2-ethoxyethyl) Ether] [112-36-7]				
[C2H5OCH2CH2]2O=162.23				
Purity: 98%(GC)	GR	RT	12117-62	25ML
			12117-75	500ML
Diethylene Glycol Dimethyl Ether [Bis(2-methoxyethyl) Ether] [111-96-6]				
[CH3OCH2CH2]2O=134.17				
Purity: 97%(GC)	EP	RT	12118-52	25ML
			12118-65	500ML
Diethylene Glycol Monobutyl Ether [2-(2-Butoxyethoxy)ethanol] [112-34-5]				
CH3(CH2)3(OCH2CH2)2OH=162.23				
Purity: 95%(GC)	EP	RT	12119-55	500ML
Diethylene Glycol Monobutyl Ether Acetate [2-(2-Butoxyethoxy)ethyl Acetate] [124-17-4]				
C10H20O4=204.26				
Purity: 97%(GC)	EP	RT	12120-15	500ML
			12120-44	15KG
Diethylene Glycol Monoethyl Ether [2-(2-Ethoxyethoxy)ethanol] [111-90-0]				
C2H5(OCH2CH2)2OH=134.17				
Purity: 98%(GC)	EP	RT	12121-05	500ML
			12121-76	17KG
Diethylene Glycol Monoethyl Ether Acetate [2-(2-Ethoxyethoxy)ethyl Acetate] [112-15-2]				
C8H16O4=176.21				
Purity: 98%(GC)	EP	RT	12201-55	500ML
Diethylene Glycol Monomethyl Ether [2-(2-Methoxyethoxy)ethanol] [111-77-3]				
CH3(OCH2CH2)2OH=120.15				
Purity: 98%(GC)	EP	RT	12202-45	500G
			12202-74	17KG
Diethylenetriamine [111-40-0]				
(NH2CH2CH2)2NH=103.17				
Purity: 95%(T)	EP	RT	12206-92	25ML
			12206-05	500ML
Diethylenetriaminepentaacetic Acid [67-43-6]				
C14H23N3O10=393.35				
Purity: 98%(N)	GR	RT	12207-82	25G
Diethyl Ether [60-29-7]				
(C2H5)2O=74.12				
Purity: 98%(GC) Stabilizer: approx.2ppm BHT	EP	RT	15401-45	500ML
Purity: 99.5%(GC) Stabilizer: approx.2ppm BHT	GR	RT	15402-35	500ML
Purity: 99.5%(GC) Stabilizer: approx.2ppm BHT Moisture content: under 100ppm	GR	RT	15404-15	500ML
Purity: 99.5%(GC) Stabilizer: approx.3ppm BHT Peroxide content: under approx. 1ppm	GR	RT	15434-25	500ML
for Fluorometric Analysis Purity: 99.5%(GC) Stabilizer: approx.2ppm BHT	SP	RT	15438-85	500ML
for Residual Pesticide Analysis Tested for 5,000X Non stabilizer	SP	RT	04336-71	1L
for Extraction Stabilizer: approx.2% ethanol and 0.5% water	SP	RT	15430-81	1L

D

Diethyl Ether 〈H2O<50ppm〉 [60-29-7]				
(C2H5)2O=74.12				
Purity: 99.5%(GC) Special Cap	GR	RT	04094-54	100ML
			04094-25	500ML
N,N-Diethylformamide [617-84-5]				
HCON(C2H5)2=101.15				
	GR	RT	12210-35	500ML
Diethyl Fumarate [623-91-6]				
(:CHCOOC2H5)2=172.18				
Purity: 95%(GC)	EP	RT	12228-12	25ML
Di(2-ethylhexyl)Phosphoric Acid [D-2-EHPA] [298-07-7]				
(C8H17O)2PO(OH)=322.42				
Purity: 95%(T)	CP	RT	07963-45	500ML
Di-2-ethylhexyl Sodium Sulfosuccinate [577-11-7]				
C20H37O7SNa=444.56				
for Water Analysis Purity: 95%(T)(after drying)	SP	RT	12213-34	100G
			12213-05	500G
Diethyl Ketone [3-Pentanone] [96-22-0]				
(C2H5)2CO=86.13				
Purity: 98%(GC)	GR	RT	12215-72	25ML
			12215-85	500ML
Diethyl Malonate [105-53-3]				
CH2(COOC2H5)2=160.17				
Purity: 99%(GC)	GR	RT	12219-32	25G
			12219-45	500G
Diethyl Methylmalonate [609-08-5]				
CH3CH(COOC2H5)2=174.19				
Purity: 99%(GC)	GR	RT	12221-82	25G
			12221-95	500G
N,N-Diethyl-N'-1-naphthylethylenediamine Oxalate [Tsuda Reagent] [29473-53-8]				
C18H24N2O4=332.39				
Purity: 98%(T)	GR	R	35612-81	1G
			35612-94	5G
Diethyl Oxalate [95-92-1]				
(COOC2H5)2=146.14				
Purity: 98%(GC)	GR	RT	12226-32	25ML
N,N-Diethyl-p-phenylenediamine Sulfate [6283-63-2]				
(C2H5)2NC6H4NH2·H2SO4=262.33				
Purity: 95%(T)	CP	RT	12351-82	25G
Diethyl Phthalate [84-66-2]				
C6H4(COOC2H5)2=222.24				
Purity: 98%(GC)	GR	RT	12306-95	500ML
N,N-Diethyl-1,3-propanediamine [104-78-9]				
(C2H5)2N(CH2)3NH2=130.23				
	EP	RT	12308-62	25G
Diethyl Pyrocarbonate [1609-47-8]				
C2H5OCOOCOOC2H5=162.14				
Purity: 95%(T)	EP	R	12311-44	10ML
			12311-86	50ML
Diethyl Sulfate [64-67-5]				
(C2H5)2SO4=154.18				
Purity: 98%(GC)	EP	RT	12315-62	25ML
			12315-75	500ML
Diethyl L-(+)-Tartrate [87-91-2]				
C8H14O6=206.19				
Purity: 98%(GC)	GR	RT	12319-22	25G

Digitonin [11024-24-1]
C56H92O29=1229.31

	GR	RT	12333-51	1G

Digitoxin [71-63-6]
C41H64O13=764.94

Purity: 98%(HPLC)	GR	RT	12428-21	1G

Diglycerol [627-82-7]
[CH2CH(OH)CH2OH]2O=166.17

	GR	RT	12404-92	25G
			12404-05	500G

Digoxin [20830-75-5]
C41H64O14=780.94

Purity: 95%(HPLC) Crystalline	GR	RT	12429-24	100MG

Dihexadecyl Phosphate [2197-63-9]
(C16H33O)2PO2H=546.85

	EP	R	11532-84	5G

Dihydrocapsaicin [19408-84-5]
C18H29NO3=307.43

Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	05084-54	50MG
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05083-64	10MG

2,3-Dihydrofuran [1191-99-7]
C4H6O=70.09

	GR	RT	06898-32	25ML

3,4-Dihydro-2H-pyran [110-87-2]
C5H8O=84.12

Purity: 96%(GC)	EP	RT	12432-22	25ML

Dihydroxyacetone(dimer) [62147-49-3]
(C3H6O3)2=180.16

Purity: 95%(T)	EP	RT	12438-62	25G

3,5-Dihydroxybenzoic Acid [99-10-5]
(HO)2C6H3COOH=154.12

Purity: 95%(T)	CP	RT	30025-02	25G

2,4-Dihydroxybenzophenone [131-56-6]
(HO)2C6H3COC6H5=214.22

	EP	RT	12502-02	25G

1,5-Dihydroxynaphthalene [83-56-7]
C10H6(OH)2=160.17

	CP	RT	12625-02	25G

2,3-Dihydroxynaphthalene [92-44-4]
C10H6(OH)2=160.17

Purity: 98%(HPLC)	EP	RT	12605-04	10G

Diiodomethane [75-11-6]
CH2I2=267.84

Purity: 99%(GC)	GR	RT	22503-82	25G
			22503-95	500G

Diisopropanolamine [110-97-4]
[CH3CH(OH)CH2]2NH=133.19

Purity: 98%(T)	GR	RT	14001-02	25G
			14001-15	500G

Diisopropyl Ether [108-20-3]
[(CH3)2CH]2O=102.18

Purity: 99%(GC) Stabilizer: approx.0.01% HQ	GR	RT	29228-05	500ML
Purity: 99%(GC) No stabilizer	GR	RT	29226-25	500ML

N,N-Diisopropylethylamine [7087-68-5]
[(CH3)2CH]2NC2H5=129.24

Purity: 98%(GC)	EP	RT	14014-42	25ML
			14014-84	100ML
			14014-55	500ML

Diisopropyl Phthalate [605-45-8]
C6H4[COOCH(CH3)2]2=250.29

Purity: 98%(GC)	GR	RT	14018-02	25ML

Dimedone [Dimethyldihydroresorcinol] [126-81-8]
C8H12O2=140.18

Purity: 99%(T)	GR	A	12702-24	5G
			12702-82	25G

2,5-Dimethoxybenzaldehyde [93-02-7]
(CH3O)2C6H3CHO=166.17

Purity: 95%(GC)	EP	RT	12711-04	5G
			12711-62	25G

3,4-Dimethoxybenzaldehyde [120-14-9]
(CH3O)2C6H3CHO=166.17

	EP	RT	07053-52	25G

3,4-Dimethoxyphenylacetic Acid [93-40-3]
(CH3O)2C6H3CH2COOH=196.20

Purity: 95%(T)	GR	RT	12717-02	25G

2,2-Dimethoxypropane [77-76-9]
(CH3)2C(OCH3)2=104.15

Purity: 97%(GC)	EP	RT	12801-82	25ML
			12801-95	500ML

N,N-Dimethylacetamide [127-19-5]
CH3CON(CH3)2=87.12

Purity: 98%(GC)	EP	RT	12804-65	500ML
			12804-94	17KG
Purity: 99%(GC)	GR	RT	12805-42	25ML
			12805-55	500ML

3,3-Dimethylacrylic Acid [541-47-9]
C5H8O2=100.12

Purity: 98%(GC)	GR	R	12826-72	25G

β,β-Dimethylacrylshikonin [24502-79-2]
C21H22O6=370.40

Purity: 98%(HPLC) Lithospermum roots Produced by Nagara Science Co., Ltd.	GR	R	04062-64	10MG

Dimethyl Adipate [627-93-0]
CH3OCO(CH2)4COOCH3=174.19

Purity: 98%(GC)	EP	RT	12808-25	500ML

Dimethyl Adipimidate Dihydrochloride [14620-72-5]
C8H16N2O2·2HCl=245.15

Bifunctional cross-linking reagent	SP	R	12825-24	5G

Dimethylamine Borane [74-94-2]
(CH3)2NH·BH3=58.92

	CP	RT	12836-42	25G

p-Dimethylaminobenzaldehyde [100-10-7]
(CH3)2NC6H4CHO=149.19

Purity: 99%(T)	GR	RT	12816-02	25G
			12816-15	500G

p-Dimethylaminobenzoic Acid [619-84-1]
C9H11NO2=165.19

Purity: 98%(T)	GR	RT	12818-82	25G

p-Dimethylaminobenzylidenerhodanine [536-17-4]
(CH3)2NC6H4CH:C3HNOS2=264.37

	GR	RT	12819-01	1G
			12819-14	5G

2-Dimethylaminoethanol [108-01-0]
(CH3)2NCH2CH2OH=89.14

Purity: 99%(GC)	GR	RT	12822-12	25ML
			12822-25	500ML

D

2-(Dimethylamino)ethyl Methacrylate [2867-47-2]				
C8H15NO2=157.21				
Purity: 98%(GC) Stabilizer: approx.2,000ppm MEHQ	EP	A	12902-04	25ML
4-Dimethylaminopyridine [1122-58-3]				
(CH3)2NC5H4N=122.17				
Purity: 98%(T)	GR	RT	12922-86	5G
			12922-02	25G
			12922-44	100G
N,N-Dimethylaniline [121-69-7]				
C6H5N(CH3)2=121.18				
Purity: 99%(GC)	EP	RT	12910-65	500ML
Purity: 99%(GC)	GR	RT	12911-42	25ML
			12911-55	500ML
9,10-Dimethyl-1,2-benzanthracene [57-97-6]				
C18H10(CH3)2=256.34				
Purity: 98%(GC)	GR	RT	12914-41	1G
N,N-Dimethylbenzylamine [103-83-3]				
(CH3)2NCH2C6H5=135.21				
Purity: 99%(GC)	GR	RT	12916-92	25ML
			12916-05	500ML
3,3-Dimethyl-1-butene [558-37-2]				
(CH3)3CCH:CH2=84.16				
	EP	RT	12926-62	25ML
N,N-Dimethylcarbamoyl Chloride [79-44-7]				
(CH3)2NCOCl=107.54				
Purity: 97%(GC)	EP	R	12920-22	25G
Dimethyl Carbonate [616-38-6]				
(CH3O)2CO=90.08				
Purity: 99%(GC)	GR	RT	12921-12	25G
			12921-25	500G
2,6-Di-O-methyl-β-cyclodextrin [51166-71-3]				
C56H98O35=1331.36				
	GR	RT	13029-34	5G
			13029-92	25G
Dimethyldichlorosilane [75-78-5]				
(CH3)2SiCl2=129.06				
Purity: 98%(GC)	EP	A	13006-82	25ML
			13006-24	100ML
2,4-Dimethyl-1,3-dioxane [766-20-1]				
(CH3)2C4H6O2=116.16				
	EP	RT	13009-94	10ML
2,2-Dimethyl-1,3-dioxolane-4-methanol [100-79-8]				
C6H12O3=132.16				
	EP	RT	13033-22	25G
Dimethyl Disulfide [624-92-0]				
(CH3)2S2=94.20				
Purity: 98%(GC)	EP	RT	13010-12	25ML
N,N-Dimethylethylenediamine(asym.) [108-00-9]				
H2NCH2CH2N(CH3)2=88.15				
	EP	RT	13013-82	25ML
N,N-Dimethylformamide [68-12-2]				
HCON(CH3)2=73.09				
Purity: 99%(GC)	EP	RT	13015-75	500ML
Purity: 99.5%(GC)	GR	RT	13016-52	25ML
			13016-94	100ML
			13016-65	500ML

D

N,N-Dimethylformamide [68-12-2]				
HCON(CH3)2=73.09				
for Molecular Biology Purity: 99.7%(GC) Nuclease and Protease tested	SP	RT	08900-12	25ML
			08900-54	100ML
			08900-25	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	13024-71	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	13020-95	500ML
N,N-Dimethylformamide 〈H2O<50ppm〉 [68-12-2]				
HCON(CH3)2=73.09				
Purity: 99.5%(GC) Special Cap	GR	RT	04096-34	100ML
			04096-21	1L
N,N-Dimethylformamide Dimethyl Acetal [4637-24-5]				
(CH3)2NCH(OCH3)2=119.16				
Esterification reagent for GC	SP	RT	13124-32	25ML
Dimethyl Fumarate [624-49-7]				
CH3OCOCH:CHCOOCH3=144.13				
Purity: 98%(GC)	GR	RT	13105-82	25G
3,3-Dimethylglutaric Acid [4839-46-7]				
C7H12O4=160.17				
Purity: 98%(T)	GR	RT	13106-72	25G
N-N-Dimethylglycine [1118-68-9]				
(CH3)2NCH2COOH=103.12				
Purity: 98%(T)	GR	RT	13107-04	5G
Dimethylglyoxime [95-45-4]				
(CH3)2C2(:NOH)2=116.12				
	GR	RT	13109-42	25G
N,O-Dimethylhydroxylamine Hydrochloride [6638-79-5]				
C2H7NO·HCl=97.54				
	GR	RT	06960-92	25G
1,3-Dimethyl-2-imidazolidinone [80-73-9]				
C5H10N2O=114.15				
Purity: 99%(GC)	GR	RT	13123-55	500G
Dimethyl Maleate [624-48-6]				
(:CHCOOCH3)2=144.13				
Purity: 95%(GC)	EP	RT	13237-62	25ML
Dimethyl Malonate [108-59-8]				
CH2(COOCH3)2=132.11				
Purity: 95%(GC)	EP	RT	13203-92	25G
			13203-05	500G
Dimethyloctadecylchlorosilane [18643-08-8]				
C20H43SiCl=347.09				
	CP	RT	13238-52	25G
N,N-Dimethyloctylamine [7378-99-6]				
C8H17N(CH3)2=157.30				
Purity: 90%(GC)	CP	RT	13235-82	25ML
2,2-Dimethylolpropionic Acid [4767-03-7]				
CH3C(CH2OH)2COOH=134.13				
Purity: 99%(T)	GR	RT	13220-62	25G
Dimethyl Oxalate [553-90-2]				
(COOCH3)2=118.09				
Purity: 99%(GC)	GR	RT	13222-42	25G
			13222-55	500G
N,N-Dimethyl-p-phenylenediamine [99-98-9]				
H2NC6H4N(CH3)2=136.19				
Purity: 98%(GC)	GR	RT	13301-02	25G
N,N-Dimethyl-p-phenylenediamine Oxalate [62778-12-5]				
[H2NC6H4N(CH3)2]2·(COOH)2=362.42				
	GR	RT	13304-72	25G

D

N,N-Dimethyl-p-phenylenediamine Sulfate [536-47-0]
H2NC6H4N(CH3)2·H2SO4=234.27

	GR	RT	13305-04	5G
			13305-62	25G

N,N-Dimethyl-p-phenylenediammonium Dichloride [536-46-9]
C8H14Cl2N2=209.12

Purity: 99%(T)	GR	RT	13302-34	5G
			13302-92	25G

Dimethyl Phthalate [131-11-3]
C6H4(COOCH3)2=194.18

Purity: 98%(GC)	GR	RT	13309-35	500G

Dimethyl Pimelimidate Dihydrochloride [58537-94-3]
C9H18N2O2·2HCl=259.17

Purity: 97%(T)	EP	F	13327-11	1G

N,N-Dimethyl-1,3-propanediamine [109-55-7]
(CH3)2NCH2CH2CH2NH2=102.18

Purity: 98%(GC)	EP	RT	13312-62	25ML

2,2-Dimethyl-1,3-propanediol [126-30-7]
HOCH2C(CH3)2CH2OH=104.15

Purity: 98%(GC)	GR	RT	24123-02	25G
			24123-15	500G

2,2-Dimethyl-1-propanol [75-84-3]
(CH3)3CCH2OH=88.15

Purity: 98.0%(GC)	GR	RT	24121-22	25G

3,5-Dimethylpyrazole [67-51-6]
C5H8N2=96.13

	EP	RT	06995-52	25G

5,5-Dimethyl-1-pyrroline N-Oxide [3317-61-1]
C6H11NO=113.16

Purity: 98%(GC)	GR	F	13329-91	1G

Dimethyl Suberimidate Dihydrochloride [34490-86-3]
C10H20N2O2·2HCl=273.20

Purity: 95%(T)	EP	R	13326-21	1G

Dimethyl Succinate [106-65-0]
CH3OCOCH2CH2COOCH3=146.14

Purity: 99%(GC)	GR	RT	13315-32	25G

Dimethyl Sulfide [75-18-3]
(CH3)2S=62.13

Purity: 98%(GC)	EP	RT	13402-82	25ML
			13402-95	500ML

Dimethyl Sulfone [67-71-0]
(CH3)2SO2=94.13

Purity: 99%(GC)	GR	RT	09358-12	25G

Dimethyl Sulfoxide [67-68-5]
(CH3)2SO=78.13

Purity: 98%(GC)	EP	RT	13406-55	500G
			13406-13	3KG
			13406-84	24KG
Purity: 99%(GC)	GR	RT	13407-45	500G
			13407-03	3KG
for Molecular Biology Purity: 99.5%(GC) Nuclease and Protease tested	SP	RT	08904-14	100G
			08904-85	500G
for Biochemical Research Purity: 99.5%(GC)	SP	RT	13445-74	100G
			13445-45	500G
for Tissue Culture Purity: 99.5%(GC) Sterilized by filtration Endotoxin tested Ampule	SP	RT	13408-64	5X5ML
for Spectrum Purity: 99.5%(GC)	SP	RT	13435-75	500G
for Liquid scintillation Purity: 99.5%(GC)	SP	RT	13412-65	500G

D

N,N-Dimethyl-p-toluidine [99-97-8]
C9H13N=153.21

	EP	RT	07064-12	25ML

1,3-Dimethylurea(sym.) [96-31-1]
CH3NHCONHCH3=88.11

	EP	RT	13422-22	25G
			13422-35	500G

m-Dinitrobenzene [99-65-0]
C6H4(NO2)2=168.11

Purity: 99%(GC)	GR	RT	13427-72	25G

3,5-Dinitrobenzoic Acid [99-34-3]
(NO2)2C6H3COOH=212.12

Purity: 99%(T)	GR	RT	13432-92	25G

3,5-Dinitrobenzoyl Chloride [99-33-2]
(NO2)2C6H3COCl=230.56

Purity: 98%(T)	GR	A	13501-82	25G
Labeling Reagent for HPLC Purity: 98%(T)	SP	A	13530-44	5G

2,4-Dinitrophenol [α-Dinitrophenol] [51-28-5]
(NO2)2C6H3OH=184.11

Water content: approx.20%	GR	RT	13518-82	25G

Dinonyl Phthalate [DNP] [84-76-4]
C6H4(COOC9H19)2=418.61

Purity: 80%(GC)	CP	RT	13644-22	25ML

Dioctyl Adipate [DOA] [103-23-1]
(CH2CH2COOC8H17)2=370.57

Purity: 98%(GC)	GR	RT	13609-05	500ML

Dioctyl Phthalate [DOP] [117-81-7]
C6H4(COOC8H17)2=390.56

Purity: 95%(GC)	EP	RT	13615-15	500G

Di-n-octyl Phthalate [117-84-0]
C24H38O4=390.56

Purity: 90%(GC)	CP	RT	13633-62	25ML

1,4-Dioxane [123-91-1]
C4H8O2=88.11

Purity: 98%(GC) Stabilizer: approx.2ppm BHT	EP	RT	13621-25	500ML
Purity: 99.5%(GC) Stabilizer: approx.2ppm BHT	GR	RT	13622-15	500ML
for Protein Structural Analysis Purity: 99%(GC)	SP	RT	05565-54	100ML
for HPLC Purity: 99%(GC)	SP	RT	13631-11	1L
for Spectrum Purity: 99%(GC)	SP	RT	13634-65	500ML
for Liquid scintillation Purity: 99%(GC) Stabilizer: approx.2ppm BHT	SP	RT	13626-75	500ML

1,3-Dioxolane [646-06-0]
C3H6O2=74.08

Purity: 99%(GC)	GR	RT	13643-45	500G

Diphenhydramine Hydrochloride [147-24-0]
C17H21NO·HCl=291.82

Purity: 98%(T)	EP	RT	13638-54	5G

p-Diphenylaminesulfonic Acid Sodium Salt [6152-67-6]
C6H5NHC6H4SO3Na=271.27

	GR	RT	13717-72	25G
Metal Indicator	SP	RT	13725-91	1G

s-Diphenylcarbazone [538-62-5]
C26H26N8O2=482.54

Purity: 60%(HPLC)	GR	RT	13721-02	25G

1,5-Diphenylcarbonohydrazide [140-22-7]
C6H5NHNHCONHNHC6H5=242.28

	GR	RT	13720-12	25G
for Analysis of Poisonous Metal Purity: 98%(HPLC)	SP	R	13732-62	25G

D

Diphenylcyclopropenone [886-38-4]				
C15H10O=206.24				
Purity: 95%(GC)	EP	RT	13733-81	1G
Diphenyldichlorosilane [80-10-4]				
(C6H5)2SiCl2=253.20				
Purity: 97%(GC)	EP	RT	13724-14	10G
			13724-85	500G
Diphenyl Diselenide [1666-13-3]				
(C6H5)2Se2=312.13				
	EP	RT	13819-42	25G
Diphenyl Disulfide [882-33-7]				
(C6H5)2S2=218.34				
Purity: 98%(GC)	EP	RT	13802-42	25G
			13802-55	500G
Diphenyl Ether [101-84-8]				
(C6H5)2O=170.21				
Purity: 98%(GC)	GR	RT	13804-22	25G
			13804-35	500G
1,3-Diphenylguanidine [102-06-7]				
(C6H5NH)2C:NH=211.26				
	EP	RT	13810-32	25G
Diphenylmethane [101-81-5]				
C6H5CH2C6H5=168.23				
Purity: 99%(GC)	GR	RT	13815-82	25G
			13815-95	500G
4,4'-Diphenylmethanediisocyanate [101-68-8]				
CH2(C6H4NCO)2=250.25				
		R	13821-05	500G
N-(Diphenylmethylene)glycine Ethyl Ester [69555-14-2]				
C17H17NO2=267.32				
	EP	RT	13825-94	5G
2,5-Diphenyloxazole [PPO] [92-71-7]				
(C6H5)2C3HNO=221.25				
for Liquid Sintillation	SP	RT	13817-62	25G
			13817-04	100G
			13817-46	250G
Diphenylphosphoryl Azide [DPPA] [26386-88-9]				
(C6H5O)2P(O)N3=275.20				
for Peptide Synthesis Purity: 95%(HPLC)	SP	RT	13904-12	25G
			13904-54	100G
Diphenyl Sulfone [127-63-9]				
(C6H5)2SO2=218.27				
	GR	RT	13913-05	500G
Dipicolinic Acid [Pyridine-2,6-dicarboxylic Acid] [499-83-2]				
C5H3N(COOH)2=167.12				
Purity: 98%(T)	GR	RT	13925-84	5G
			13925-42	25G
Di-n-propylamine [142-84-7]				
(CH3CH2CH2)2NH=101.19				
Purity: 99%(GC)	GR	RT	14003-82	25ML
Dipropylene Glycol [110-98-5]				
(CH3CHOHCH2)2O=134.17				
Purity: 95%(GC)	EP	RT	14012-75	500G
Dipropylenetriamine〔Iminodipropylamine〕 [56-18-8]				
(H2NCH2CH2CH2)2NH=131.22				
	EP	RT	14013-65	500ML

D

Disodium Molybdate(VI) Dihydrate [10102-40-6]				
Na2MoO4·2H2O=241.97				
Purity: 99%(T)	GR	RT	31621-52	25G
			31621-65	500G
Dispominicolumn Set				
		RT	08612-34	5SET
Dispotray(for minigel staining)				
		RT	06563-44	20PIECES
Distilled Water [7732-18-5]				
for HPLC	SP	RT	14029-91	1L
			14029-33	3L
N,N'-Disuccinimidyl Carbonate [74124-79-1]				
C9H8N2O7=256.17				
for Peptide Synthesis	SP	R	14036-04	5G
Disuccinimidyl Suberate [68528-80-3]				
C16H20N2O8=368.34				
Bifunctional cross-linking reagent Purity: 90%(N)	SP	R	14035-01	1G
5,5'-Dithiobis(2-nitrobenzoic Acid) [69-78-3]				
[SC6H3(NO2)COOH]2=396.35				
for SH Groups Analysis Purity: 97%(T)	SP	RT	14101-21	1G
			14101-34	5G
			14101-92	25G
2,2'–Dithiobis(5-nitropyridine) [2127-10-8]				
NO2C5H3NSSNH3C5NO2=310.31				
for SH Groups Analysis	SP	RT	14102-11	1G
3,3'-Dithiobis(succinimidyl propionate) [57757-57-0]				
C14H16N2O8S2=404.42				
Bifunctional cross-linking reagent Purity: 95%(N)	SP	R	14123-41	1G
3,3'-Dithiodipropionic Acid [1119-62-6]				
(CH2CH2COOH)2S2=210.27				
Purity: 98%(T)	EP	RT	14106-42	25G
2,2'-Dithiodipyridine [2127-03-9]				
(C5H4NS)2=220.31				
for SH Groups Analysis Purity: 98%(T)	SP	R	14107-74	5G
4,4'-Dithiodipyridine [2645-22-9]				
(C5H4NS)2=220.31				
for SH Groups Analysis Purity: 98%(T)	SP	R	14108-51	1G
Dithioerythritol [6892-68-8]				
[CH(OH)CH2SH]2=154.25				
for SH Groups Analysis Purity: 98%-105%(UV)	SP	R	14109-54	100MG
			14109-41	1G
Dithiothreitol [3483-12-3]				
[CH(OH)CH2SH]2=154.25				
for Molecular Biology Purity: 99-105%(UV) Nuclease tested	SP	R	14128-46	100MG
			14128-91	1G
			14128-04	5G
			14128-62	25G
for SH Groups Analysis Purity: 99%-105%(UV)	SP	R	14112-36	100MG
			14112-81	1G
			14112-94	5G
			14112-52	25G
1mol/l-Dithiothreitol Solution [1mol/l-DTT Solution]				
for Molecular Biology 0.01mol/l Sodium acetate buffer (pH5.2), Nuclease tested	SP	F	14130-41	1ML
Dithizone [60-10-6]				
C6H5NHNHCSN:NC6H5=256.33				
Purity: 85%(UV)	GR	RT	13916-04	5G

Divinylbenzene [1321-74-0]

C6H4(CH:CH2)2=130.19

Purity: 50%(GC)(mixed isomers) Stabilizer: approx.1,000ppm TBC Includes approx. 40% Ethyl Vinyl Benzene	CP	A	14114-45	500ML

DMEM(1.0g/l Glucose) with L-Gln and Sodium Pyruvate, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	08456-65	500ML
			08456-94	6X500ML

DMEM(1.0g/l Glucose) with Sodium Pyruvate, without L-Gln and Phenol Red, liquid

for Tissue Culture Light yellow liquis Mycoplasma and Endotoxin tested	SP	R	08490-05	500ML

DMEM(4.5g/l Glucose) with L-Gln and HEPES, without Sodium Pyruvate, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested, includes 25mM HEPES buffer	SP	R	08457-55	500ML

DMEM(4.5g/l Glucose) with L-Gln and Sodium Pyruvate, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	08458-45	500ML
			08458-74	6X500ML

DMEM(4.5g/l Glucose) with L-Gln, without Sodium Pyruvate, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	08459-35	500ML
			08459-06	6X500ML

DMEM(4.5g/l Glucose) without L-Gln, Sodium Pyruvate and Phenol Red, liquid

for Tissue Culture Light yellow liquid Mycoplasma and Endotoxin tested	SP	R	08489-45	500ML

DMEM(4.5g/l Glucose) without L-Gln and Sodium Pyruvate, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	08488-55	500ML

DMEM/Ham's F-12 with L-Gln, Sodium Pyruvate and HEPES, liquid

for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	08460-95	500ML

DMEM/Ham's F-12 with L-Gln, Sodium Pyruvate and HEPES, without Phenol Red, liquid

for Tissue Culture	SP	R	05177-15	500ML

DNA Ladder One(Broad Range)(Ready To Use)

for Nucleic Acid Electorphoresis	SP	R	08362-85	500UL

100bp DNA Ladder One(Ready To Use)

for Nucleic Acid Electorphoresis	SP	R	07908-75	500UL

1kbp DNA Ladder One(Ready To Use)

for Nucleic Acid Electorphoresis	SP	R	08232-85	500UL

4,7,10,13,16,19-Docosahexaenoic Acid [6217-54-5]

C22H32O2=328.49

Purity: 98%(GC)	GR	R	14122-64	100MG

Dodecamethylene Glycol [5675-51-4]

C12H26O2=202.33

Purity: 97%(GC)	EP	RT	14204-52	25G

n-Dodecane [112-40-3]

CH3(CH2)10CH3=170.33

Purity: 99%(GC)	GR	RT	14205-42	25ML
			14205-55	500ML

1-Dodecanethiol [112-55-0]

CH3(CH2)11SH=202.40

Purity: 95%(GC)	EP	RT	20127-82	25G

1-Dodecanol [Lauryl Alcohol] [112-53-8]

CH3(CH2)11OH=186.33

Purity: 95%(GC)	EP	RT	20118-15	500ML
Purity: 98%(GC)	GR	RT	20119-92	25ML
			20119-05	500ML

1-Dodecene [112-41-4]

CH2:CH(CH2)9CH3=168.32

Purity: 95%(GC)	EP	RT	14208-25	500ML

n-Dodecyl-β-D-maltopyranoside [n-Dodecyl-β-D-maltoside] [69227-93-6]

C24H46O11=510.62

for Research of Insoluble Protein Purity: 98%(GC) Powder CMC: 0.17mM	SP	R	14239-41	1G
			14239-54	5G

D-DOPA [D-β-(3,4-Dihydroxyphenyl)alanine] [5796-17-8]

(HO)2C6H3CH2CH(NH2)COOH=197.19

Purity: 98%(HPLC)	GR	R	14209-44	100MG

DL-DOPA [63-84-3]

(HO)2C6H3CH2CH(NH2)COOH=197.19

	GR	R	14210-62	25G

L-DOPA [59-92-7]

(HO)2C6H3CH2CH(NH2)COOH=197.19

Purity: 98%(N)	GR	R	14211-81	1G
			14211-94	5G
			14211-52	25G

Dopamine Hydrochloride [3-Hydroxytyramine Hydrochloride] [62-31-7]

(HO)2C6H3CH2CH2NH2·HCl=189.64

Purity: 98%(T)	GR	R	14212-71	1G
			14212-84	5G

D-PBS(-) without Ca and Mg, liquid

for Tissue Culture Sterilized by filtration, Mycoplasma and Endotoxin tested	SP	RT	14249-95	500ML
			14249-66	6X500ML

D-PBS(+)Preparation Reagent(Ca, Mg Solution)(100x)

for Tissue Culture Sterilized by filtration, Mycoplasma and Endotoxin tested	SP	RT	02492-94	30ML

Dulcitol [Galactitol] [608-66-2]

HOCH2(CHOH)4CH2OH=182.17

Purity: 98%(T)	GR	RT	14217-92	25G

Durene [95-93-2]

C6H2(CH3)4=134.22

Purity: 98%(GC)	GR	RT	14218-24	10G

Dysprosium Nitrate [10031-49-9]

Dy(NO3)3·5H2O=438.59

Purity: 99.9%	EP	RT	14222-41	1G

Dysprosium Oxide [1308-87-8]

Dy2O3=373.00

Purity: 99.9%	EP	RT	14223-31	1G

[E]

E

E-64 [66701-25-5]				
C15H27N5O5·1/2H2O=366.41				
Purity: 98%(HPLC)	GR	F	14303-81	1MG
			14303-94	10MG
0.2g/l-EDTA Solution				
for Tissue Culture Sterilized by filtration	SP	R	14367-74	100ML
0.5mol/l-EDTA Solution(pH 8.0)				
Biotechnology Grade Sterilized by filtration, Nuclease and Protease tested, Sterile tested, Endotoxin tested	SP	RT	06894-14	100ML
			06894-85	500ML
for Molecular Biology Nuclease and Protease tested	SP	RT	14347-21	1L
EEDQ [N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline] [16357-59-8]				
C14H17NO3=247.29				
for Peptide Synthesis Purity: 98%(T)	SP	R	14304-42	25G
			14304-26	100G
5,8,11,14,17-Eicosapentaenoic Acid [10417-94-4]				
C20H30O2=302.45				
Purity: 99%(GC)	GR	F	14326-04	100MG
			14326-91	1G
11-Eicosenoic Acid				
CH3(CH2)7CH:CH(CH2)9COOH=310.51				
	GR	R	14334-94	5ML
Elastase from Porcine Pancreas [39445-21-1]				
Activity: 50-120u/mg protein Two-time crystallized, Water suspension	BC	R	14363-14	10MG
			14363-56	50MG
Elastin, from Bovine Neck Ligament [9007-58-3]				
	GR	R	14337-64	5G
ELISA POD Substrate A.B.T.S Kit				
for Immunochemistry Component: Coloring solution(100ml), Substrate solution(10ml), Stop solution(100ml)	SP	R	14351-80	1KIT
ELISA POD Substrate TMB Kit				
for Immunochemistry Component: Coloring solution(100ml), Substrate solution(10ml), Stop solution(100ml)	SP	R	14353-31	1KIT
ELISA POD Substrate TMB Kit(HYPER)				
for Immunochemistry Component: Coloring solution(100ml), Substrate solution(10ml), Stop solution(100ml)	SP	R	02893-60	1KIT
ELISA POD Substrate TMB Kit(Popular)				
for Immunochemistry	SP	R	05298-80	1KIT
ELISA POD Substrate TMB Solution(Easy)				
for Immunochemistry	SP	R	05299-54	100ML
Eosin Yellowish(water soluble) [17372-87-1]				
C20H6Br4O5Na2=691.85				
Purity: 85%(W)	GR	RT	14410-42	25G
(-)-Epicatechin [(-)-EC] [490-46-0]				
C15H14O6=290.27				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02547-84	10MG
			02547-26	100MG
(+)-Epicatechin [(+)-EC] [35323-91-2]				
C15H14O6=290.27				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02573-34	10MG
(-)-Epicatechin gallate [(-)-ECg] [1257-08-5]				
C22H18O10=442.37				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02565-44	10MG
			02565-86	100MG
(-)-Epicatechin-3'-O-methylether [(-)-EC-3'-O-Me]				
C16H16O6=304.29				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02574-11	1MG

(-)-Epicatechin-4'-O-methylether [(-)-EC-4'-O-Me]				
C16H16O6=304.29				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02575-01	1MG
(-)-Epicatechin-3'-O-methylether gallate [(-)-ECg-3'-O-Me]				
C23H20O10=456.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02578-71	1MG
(-)-Epicatechin-4'-O-methylether gallate [(-)-ECg-4'-O-Me]				
C23H20O10=456.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02579-61	1MG
(-)-Epicatechin 3-(3'-O-methyl)gallate [(-)-ECg-3'-O-Me] [83104-86-3]				
C23H20O10=456.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02580-21	1MG
(-)-Epicatechin 3-(4'-O-methyl)gallate [(-)-ECg-4'-O-Me] [108907-44-4]				
C23H20O10=456.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02581-11	1MG
(-)-Epigallocatechin [(-)-EGC] [970-74-1]				
C15H14O7=306.27				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02564-54	10MG
			02564-96	100MG
(-)-Epigallocatechin gallate [(-)-EGCg] [989-51-5]				
C22H18O11=458.37				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02566-34	10MG
			02566-76	100MG
(-)-Epigallocatechin-3'-O-methylether [(-)-EGC-3'-O-Me]				
C16H16O7=320.29				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02576-91	1MG
(-)-Epigallocatechin-4'-O-methylether [(-)-EGC-4'-O-Me] [17291-05-3]				
C16H16O7=320.29				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02577-81	1MG
(-)-Epigallocatechin-3'-O-methylether Gallate [(-)-EGCg-3'-O-Me] [298700-56-8]				
C23H20O11=472.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02582-01	1MG
(-)-Epigallocatechin-4'-O-methylether Gallate [(-)-EGCg-4'-O-Me] [298700-57-9]				
C23H20O11=472.40				
Purity: 90%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02584-81	1MG
(-)-Epigallocatechin 3-(3"-O-methyl)gallate [(-)-EGCg-3"-O-Me] [83104-87-4]				
C23H20O11=472.40				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	F	05167-61	1MG
(-)-Epigallocatechin 3-(4"-O-methyl)gallate [(-)-EGCg-4"-O-Me] [224434-07-5]				
C23H20O11=472.40				
Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	F	05168-51	1MG
Erbium [7440-52-0]				
Er=167.259				
Purity: 99.9%	GR	RT	14501-81	1G
Erbium Chloride [10025-75-9]				
ErCl3·6H2O=381.71				
Purity: 99%	EP	RT	14502-71	1G
Erbium Nitrate [10031-51-3]				
Er(NO3)3·5H2O=443.35				
Purity: 99%	EP	RT	14503-61	1G
Erbium Oxide [12061-16-4]				
Er2O3=382.52				
Purity: 99.9%	GR	RT	14504-51	1G
Ergosterol [Ergosterin] [57-87-4]				
C28H44O=396.65				
	CP	R	14507-21	1G

Eriochrome Black T [1787-61-7]				
C20H12N3NaO7S=461.38				
	GR	RT	14508-82	25G
meso-Erythritol [meso-Erythrite] [149-32-6]				
[CH(OH)CH2OH]2=122.12				
Purity: 98%(HPLC)	GR	A	14531-04	5G
Erythromycin [114-07-8]				
C37H67NO13=733.93				
	EP	RT	14549-94	5G
Erythrosine B [Tetraiodofluorescein Sodium Salt] [568-63-8]				
C20H6I4O5Na2=879.86				
Purity: 90%(T)	GR	RT	14519-42	25G
β-Escin				
C54H84O23·xH2O				
	EP	RT	14520-31	1G
17α-Estradiol [57-91-0]				
C18H24O2=272.38				
Purity: 98%(HPLC)	GR	RT	14548-04	100MG
17β-Estradiol [50-28-2]				
C18H24O2=272.38				
Purity: 98%(UV)	GR	RT	14541-61	1G
			14541-74	5G
Estriol [50-27-1]				
C18H24O3=288.38				
	GR	RT	14550-54	100MG
Estrone [53-16-7]				
C18H22O2=270.37				
	GR	RT	14528-51	1G
1,2-Ethanedithiol [540-63-6]				
HSCH2CH2SH=94.20				
Purity: 98%(GC)	GR	RT	14529-54	5G
			14529-12	25G
Ethanol(95) [64-17-5]				
C2H5OH=46.07				
Purity: 94.8%-95.8%(p)	EP	RT	14710-25	500ML
Purity: 94.8%-95.8%(p)	GR	RT	14711-15	500ML
Ethanol(99.5) [64-17-5]				
C2H5OH=46.07				
Purity: 99.5%	EP	RT	14712-05	500ML
Purity: 99.5%	GR	RT	14713-95	500ML
for Fine Analysis Purity: 99.5%(GC)	UF	RT	14722-75	500ML
for Molecular Biology Purity: 99.5% Nuclease and Protease tested	SP	RT	08948-54	100ML
			08948-25	500ML
for HPLC Purity: 99.5%(GC)	SP	RT	14741-25	500ML
			14741-41	1L
for Spectrum Purity: 99.5%(GC)	SP	RT	14719-35	500ML
for Hormone Analysis Purity: 99.5%(GC)	SP	RT	14720-95	500ML
88%-Ethanol-A, Denatured				
Purity: 85.5%-89.5%(GC) Methanol content: approx. 3%, 2-Propanol content: approx. 9%		RT	14706-95	500ML
Ethidium Bromide [1239-45-8]				
C21H20BrN3=394.31				
Purity: 95%(T)	GR	RT	14603-51	1G
			14603-64	5G
Ethidium Bromide Solution(10mg/ml) [1239-45-8]				
for Nucleic Acid Electorphoresis	SP	R	14631-94	10ML
Ethidium Bromide Solution(0.44mg/ml) [1239-45-8]				
for Nucleic Acid Electorphoresis Eye drop bottle	SP	R	02393-94	10ML

o-Ethoxybenzamide [938-73-8]				
C2H5OC6H4CONH2=165.19				
Purity: 98%(N)	GR	RT	14613-92	25G
Ethyl Acetate [141-78-6]				
CH3COOC2H5=88.11				
Purity: 98%(GC)	EP	RT	14622-85	500ML
Purity: 99.5%(GC)	GR	RT	14623-46	100ML
			14623-75	500ML
for HPLC Purity: 99.8%(GC)	SP	RT	14746-91	1L
for Spectrum Purity: 99.8%(GC)	SP	RT	14747-65	500ML
for Residual Pesticide Analysis Purity: 99.8%(GC)	SP	RT	04337-61	1L
for Amino Acid Sequence Analysis Purity: 99.8%(GC)	SP	RT	14626-45	500ML
Ethyl Acrylate [140-88-5]				
CH2:CHCOOC2H5=100.12				
Purity: 99%(GC)	EP	A	14707-85	500ML
Ethylamine [75-04-7]				
C2H5NH2=45.08				
	CP	RT	14723-52	25ML
			14723-65	500ML
Ethylamine Hydrochloride [557-66-4]				
C2H5NH2·HCl=81.54				
Purity: 98%(T)	EP	A	14802-12	25G
Ethyl m-Aminobenzoate [582-33-2]				
H2NC6H4COOC2H5=165.19				
Purity: 98%(GC)	GR	RT	14803-44	5G
Ethyl p-Aminobenzoate [94-09-7]				
H2NC6H4COOC2H5=165.19				
Purity: 99%(T)	GR	RT	14804-92	25G
			14804-05	500G
Ethyl m-Aminobenzoate Methanesulfonate [886-86-2]				
C10H15NO5S=261.29				
Purity: 98%(T)	GR	RT	14805-24	5G
			14805-82	25G
N-Ethylaniline [N-Monoethylaniline] [103-69-5]				
C6H5NHC2H5=121.18				
	EP	RT	14833-12	25ML
p-Ethylaniline [589-16-2]				
C2H5C6H4NH2=121.18				
	GR	RT	14810-02	25ML
Ethylbenzene [100-41-4]				
C2H5C6H5=106.16				
Purity: 99%(GC)	GR	RT	14815-52	25ML
			14815-65	500ML
Ethyl Benzoate [93-89-0]				
C6H5COOC2H5=150.17				
Purity: 98%(GC)	GR	RT	14819-12	25ML
Ethyl Bromide [Bromoethane] [74-96-4]				
C2H5Br=108.97				
Purity: 98%(GC)	EP	RT	14824-32	25G
			14824-45	500G
Ethyl 4-Bromo-n-butyrate [2969-81-5]				
C6H11O2Br=195.05				
Purity: 97%(GC) Density(20°C): 1.352g/ml	EP	RT	14829-82	25G
Ethyl 2-Bromopropionate [535-11-5]				
CH3CH(Br)COOC2H5=181.03				
Purity: 98%(GC)	EP	RT	14926-02	25G

E

Ethyl 3-Bromopropionate [539-74-2]				
C5H9O2Br=181.03				
Purity: 98%(GC)	GR	RT	14903-92	25G
2-Ethylbutyraldehyde [97-96-1]				
(C2H5)2CHCHO=100.16				
	EP	RT	14909-32	25ML
Ethyl n-Butyrate [105-54-4]				
CH3(CH2)2COOC2H5=116.16				
Purity: 98%(GC)	GR	RT	14910-92	25ML
Ethyl Carbamate [51-79-6]				
H2NCOOC2H5=89.09				
	GR	R	08793-32	25G
Ethyl Cellulose [9004-57-3]				
Granular Viscosity: 30-50cps (5% water solution 25°C)	EP	RT	14916-32	25G
			14916-45	500G
Granular Viscosity: 80-120cps (5% water solution 25°C)	EP	RT	14917-22	25G
			14917-35	500G
Ethyl Chloroacetate [105-39-5]				
ClCH2COOC2H5=122.55				
Purity: 95%(GC)	EP	RT	14918-12	25G
Ethyl Chloroglyoxylate [4755-77-5]				
	EP	RT	14922-42	25G
Ethyl Cyanoacetate [105-56-6]				
CNCH2COOC2H5=113.11				
Purity: 98%(GC)	EP	RT	15002-62	25G
			15002-75	500G
Ethylcyclohexane [1678-91-7]				
C6H11C2H5=112.21				
Purity: 98%(GC)	GR	RT	15026-75	500ML
Ethyl Decanoate [110-38-3]				
CH3(CH2)8COOC2H5=200.32				
	GR	RT	14912-14	25ML
Ethyl p-Dimethylaminobenzoate [10287-53-3]				
(CH3)2NC6H4COOC2H5=193.24				
Purity: 98%(HPLC)	GR	RT	15008-02	25G
1-Ethyl-3-(3-dimethylaminopropyl)carbodiimide Hydrochloride [Water Soluble Carbodiimide] [25952-53-8]				
C8H18ClN3=191.70				
for Peptide Synthesis Purity: 99%(T)	SP	R	15022-86	5G
			15022-02	25G
			15022-44	100G
Ethylene Bromohydrin [2-Bromoethanol] [540-51-2]				
BrCH2CH2OH=124.96				
Purity: 95%(GC)	EP	RT	15029-32	25G
			15029-45	500G
Ethylene Carbonate [96-49-1]				
C3H4O3=88.06				
Purity: 98%(GC)	GR	RT	15012-32	25G
			15012-45	500G
Ethylene Cyanohydrin [109-78-4]				
HOCH2CH2CN=71.08				
Purity: 98%(GC)	GR	RT	15017-82	25ML
Ethylenediamine, Anhydrous [107-15-3]				
H2NCH2CH2NH2=60.10				
Purity: 98%(T)	GR	RT	15020-22	25ML
			15020-35	500ML

E

Ethylenediamine Dihydrochloride [333-18-6]				
C2H8N2·2HCl=133.02				
Purity: 98%(T)	GR	A	15129-22	25G
Ethylenediamine Monohydrate(100%) [6780-13-8]				
C2H4(NH2)2·H2O=78.11				
Purity: 98%(T)	GR	RT	15101-62	25ML
			15101-75	500ML
Ethylenediaminetetraacetic Acid [60-00-4]				
C10H16N2O8=292.24				
Purity: 99%(T)	GR	RT	15105-22	25G
			15105-35	500G
for Electrophoresis Purity: 99%(T)	SP	RT	15107-02	25G
Ethylene Glycol [107-21-1]				
HOCH2CH2OH=62.07				
Purity: 99%(GC)	EP	RT	15208-95	500ML
			15208-53	3L
			15208-24	20L
Purity: 99.5%(GC)	GR	RT	15209-85	500ML
for Column Chromatography Purity: 99.5%(GC)	SP	RT	15212-25	500ML
for Amino Acid Auto Analyzer Purity: 99.5%(GC)	SP	RT	15225-65	500ML
Ethylene Glycol Bis(β-aminoethylether)-N,N,N',N'-tetraacetic Acid [EGTA;GEDTA] [67-42-5]				
C14H24N2O10=380.35				
Purity: 96%(T)	GR	RT	15214-21	1G
			15214-34	5G
			15214-92	25G
for Molecular Biology Purity: 96%(T) Nuclease and Protease tested	SP	RT	08907-71	1G
			08907-84	5G
			08907-42	25G
0.1M-Ethylene Glycol Bis(β-aminoethylether)-N,N,N',N'-tetraacetic Acid Disodium Salt Solution(neutral)[0.1M-EGTA·2Na]				
		RT	37346-05	500ML
for Molecular Biology Liquid Nuclease and Protease tested	SP	RT	08947-35	500ML
Ethylene Glycol Dimethacrylate(monomer) [97-90-5]				
C10H14O4=198.22				
Purity: 95%(GC)	CP	A	15218-52	25G
Ethylene Glycol Dimethyl Ether [1,2-Dimethyoxyethane] [110-71-4]				
Purity: 99%(GC)	GR	RT	15221-92	25ML
			15221-05	500ML
for Liquid Scintillation Purity: 99%(GC)	SP	RT	15222-95	500ML
Ethylene Glycol Monobutyl Ether [2-Butoxyethanol] [111-76-2]				
HOCH2CH2OC4H9=118.17				
	EP	RT	15302-45	500ML
Ethylene Glycol Monobutyl Ether Acetate [112-07-2]				
C8H16O3=160.21				
Purity: 98%(GC)	GR	RT	15319-45	500ML
Ethylene Glycol Monoethyl Ether [2-Ethoxyethanol] [110-80-5]				
C2H5OCH2CH2OH=90.12				
Purity: 98%(GC)	EP	RT	15304-25	500ML
Purity: 99%(GC)	GR	RT	15305-15	500ML
Ethylene Glycol Monoethyl Ether Acetate [111-15-9]				
CH3COOCH2CH2OC2H5=132.16				
Purity: 98%(GC)	EP	RT	15307-95	500ML
Ethylene Glycol Monomethyl Ether Acetate [110-49-6]				
C5H10O3=118.13				
	EP	RT	15311-25	500G
Ethylene Glycol Monophenyl Ether [2-Phenoxyethanol] [122-99-6]				
C6H5OCH2CH2OH=138.16				
Purity: 97%(GC)	EP	RT	15312-02	25ML
			15312-15	500ML

E

Ethyleneimine(polymer) [9002-98-6]				
	EP	RT	15315-72	25G
			15315-85	500G
Ethyleneurea [120-93-4]				
C3H6N2O=86.09				
	EP	RT	15317-52	25G
			15317-65	500G
Ethyl Formate [109-94-4]				
HCOOC2H5=74.08				
Purity: 95%(GC)	EP	RT	15413-95	500ML
Purity: 97%(GC)	GR	RT	15414-72	25ML
			15414-85	500ML
Ethyl Gallate [831-61-8]				
C9H10O5=198.17				
	EP	RT	06984-92	25G
Ethyl Hexanoate [123-66-0]				
CH3(CH2)4COOC2H5=144.21				
Purity: 98%(GC)	EP	RT	14913-62	25G
			14913-75	500G
2-Ethylhexanoic Acid [149-57-5]				
CH3(CH2)3CH(C2H5)COOH=144.21				
	EP	RT	15417-55	500ML
2-Ethyl-1-hexanol [104-76-7]				
CH3(CH2)3CH(C2H5)CH2OH=130.23				
Purity: 98%(GC)	EP	RT	15421-85	500ML
2-Ethylhexyl Acrylate(monomer) [103-11-7]				
C11H20O2=184.28				
Purity: 99%(GC)	EP	A	15420-95	500G
2-Ethylhexylaldehyde [123-05-7]				
CH3(CH2)3CH(C2H5)CHO=128.21				
	EP	RT	25509-32	25ML
Ethyl p-Hydroxybenzoate [120-47-8]				
(HO)C6H4CO2C2H5=166.17				
Purity: 99%(T)	EP	RT	15424-42	25G
			15424-55	500G
Ethyl Iodide [Iodoethane] [75-03-6]				
C2H5I=155.97				
Purity: 98%(GC)	GR	RT	15502-12	25ML
			15502-54	250ML
Ethyl Isonipecotate [1126-09-6]				
C8H15NO2=157.21				
	EP	RT	22866-42	25ML
Ethyl Lactate [97-64-3]				
CH3CH(OH)COOC2H5=118.13				
Purity: 96%(GC)	EP	RT	15506-85	500G
N-Ethylmaleimide [128-53-0]				
(:CHCO)2NC2H5=125.13				
for SH Groups Analysis Purity: 99%(T)	SP	R	15512-11	1G
			15512-24	5G
			15512-82	25G
Ethyl Mercaptan [Ethanethiol] [75-08-1]				
CH3CH2SH=62.13				
Purity: 98%(GC)	EP	RT	15515-52	25ML
			15515-65	500ML
Ethyl Methacrylate [97-63-2]				
CH2:C(CH3)COOC2H5=114.14				
Purity: 99%(GC)	EP	A	15518-22	25ML

E

Ethyl Methanesulfonate [62-50-0]				
CH3SO3C2H5=124.16				
Purity: 98%(GC)	GR	RT	15519-54	5G
N-Ethylmorpholine [100-74-3]				
C6H13NO=115.17				
Purity: 97%(GC)	EP	RT	15521-62	25ML
Ethyl Myristate [124-06-1]				
CH3(CH2)12COOC2H5=256.42				
	GR	RT	15522-52	25ML
Ethyl Octanoate [106-32-1]				
CH3(CH2)6COOC2H5=172.26				
Purity: 95%(GC)	EP	RT	14914-52	25ML
Ethyl Oleate [111-62-6]				
C17H33COOC2H5=310.51				
	CP	RT	15608-42	25G
Ethyl Orthoformate [122-51-0]				
HC(OC2H5)3=148.20				
Purity: 95%(GC)	EP	RT	15609-32	25ML
			15609-45	500ML
Ethyl 3-Oxobutanate [141-97-9]				
CH3COCH2COOC2H5=130.14				
	EP	RT	14702-35	500G
Purity: 98%(GC)	GR	RT	14703-25	500G
o-Ethylphenol [90-00-6]				
C2H5C6H4OH=122.16				
	GR	RT	15613-04	5G
p-Ethylphenol [123-07-9]				
C2H5C6H4OH=122.16				
Purity: 98%(GC)	GR	RT	15628-82	25G
Ethyl Propionate [105-37-3]				
CH3CH2COOC2H5=102.13				
Purity: 98%(GC)	GR	RT	15627-92	25ML
			15627-05	500ML
Ethyl Salicylate [118-61-6]				
HOC6H4COOC2H5=166.17				
Purity: 99%(GC)	GR	RT	15701-02	25ML
Ethyl Thioglycolate [623-51-8]				
HSCH2COOC2H5=120.17				
	EP	RT	15704-72	25G
o-Ethyltoluene [611-14-3]				
CH3C6H4C2H5=120.19				
Purity: 99%(GC)	GR	RT	15726-34	5ML
Ethyl Trifluoroacetate [383-63-1]				
CF3COOC2H5=142.08				
Purity: 99%(GC)	GR	RT	15719-92	25G
Ethyl Vanillin [3-Ethoxy-4-hydroxybenzaldehyde] [121-32-4]				
C2H5OC6H3(OH)CHO=166.17				
Purity: 98%(T)	GR	RT	15802-82	25G
Ethyl Vinyl Ether [109-92-2]				
C2H5OCH:CH2=72.11				
Purity: 99%(GC)	GR	A	15803-72	25ML
			15803-85	500ML
Ethyl Violet [2390-59-2]				
C31H42N3Cl=492.14				
Purity: 90%(N)		RT	15832-92	25G
Eucalyptus Oil [8000-48-4]				
	CP	RT	25609-22	25ML

E

Eugeniin				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	08257-04	5MG
Eugenol [97-53-0]				
CH2:CHCH2C6H3(OCH3)OH=164.20				
Purity: 97%(GC)	EP	RT	15806-42	25G
			15806-55	500G
Europium(III) Chloride [13759-92-7]				
EuCl3·6H2O=366.41				
Purity: 99%(T)	GR	RT	15808-51	1G
Europium(III) Nitrate [10031-53-5]				
Eu(NO3)3·6H2O=446.07				
	EP	RT	15809-41	1G
Europium(III) Oxide [1308-96-9]				
Eu2O3=351.93				
Purity: 99.9%	EP	RT	15810-01	1G
Evans Blue [314-13-6]				
C34H24N6Na4O14S4=960.81				
	CP	RT	09158-74	5G
Extract Beef [68990-09-0]				
for Microorganism Culture Powder	SP	RT	15837-55	500G
Extract Malt				
		RT	21113-35	500G
Extract Yeast Dried [8013-01-2]				
		RT	36802-16	250G
			36802-74	5KG
for Microorganism Culture Powder	SP	RT	15838-45	500G
			15838-74	5KG

[F]

F

Famotidine [76824-35-6]				
C8H15N7O2S3=337.4				
	EP	RT	04238-74	5G
Farnesol(isomer mix.) [4602-84-0]				
C15H25OH=222.37				
	EP	RT	15930-44	10G
Fast Blue RR Salt [55663-99-5]				
C15H14ClN3O3·1/2ZnCl2=387.89				
		F	15955-34	5G
Fast Garnet GBC Salt [101-89-3]				
C14H14N4O4S=334.35				
		F	09235-54	5G
Fast Green FCF [2353-45-9]				
C37H34N2O10S3Na2=808.85				
	EP	RT	15939-54	10G
Fast Red Violet LB Salt [32348-81-5]				
C14H11Cl2N3O·1/2ZnCl2=376.31				
		F	15952-35	500MG
Fehling's Reagent Solution(A)				
		RT	37109-15	500ML
Fehling's Reagent Solution(B)				
		RT	37110-75	500ML
Ferrocene [102-54-5]				
Fe(C5H5)2=186.03				
Purity: 95%(T)	GR	RT	15918-82	25G
			15918-95	500G
Fibronectin from Human Plasma [86088-83-7]				
10mmol/l Tris-HCl buffer, pH7.5, Concentration: 600ug/ml and more	BC	F	16049-71	1MG
Ficoll(M.W.400,000) [26873-85-8]				
	EP	RT	16006-92	25G
			16006-34	100G
			16006-76	250G
for Molecular Biology Nuclease and Protease tested	SP	RT	16048-52	25G
Field's Stain Solution(A)				
		RT	37111-65	500ML
Field's Stain Solution(B)				
		RT	37112-55	500ML
Flavin Adenine Dinucleotide Disodium Salt [84366-81-4]				
C27H31N9Na2O15P2·nH2O=829.51(Anh)				
Purity: 90%(HPLC)	GR	R	16010-22	25MG
			16010-06	100MG
			16010-51	1G
			16010-64	5G
Flavin Mononucleotide Sodium Salt [130-40-5]				
C17H20N4NaO9P·xH2O				
Purity: 95%(UV)	GR	R	16011-41	1G
Flavone [2-Phenylchromone] [525-82-6]				
C15H10O2=222.24				
Purity: 98%(GC)	GR	RT	16012-31	1G
Fluo 3-AM Special Packaging [121714-22-5]				
for Fluorometric Analysis Component: Fluo3-AM(50ug, 5 bottles), DMSO for solving(1ml, 1 bottle)	SP	F	16053-01	1SET
Fluorene [86-73-7]				
C13H10=166.22				
Purity: 98%(GC)	GR	RT	16021-82	25G

9-Fluorenone [486-25-9]
C13H8O=180.20

GR	RT	16102-64	5G
		16102-22	25G

9-Fluorenylmethyloxycarbonyl Chloride [28920-43-6]
C15H11ClO2=258.70

for Peptide Synthesis Purity: 97%(HPLC)	SP	R	16150-34	5G
			16150-92	25G

Fluorescein [2321-07-5]
C20H12O5=332.31

EP	RT	16105-92	25G
GR	RT	16106-82	25G

Fluorescein Isothiocyanate, Isomer I [3326-32-7]
C21H11NO5S=389.38

for Fluorometric Analysis Purity: 90%(HPLC)	SP	R	16151-66	250MG

p-Fluoroaniline [371-40-4]
FC6H4NH2=111.12

Purity: 95%(GC)	EP	RT	16127-12	25ML

3-Fluoroanisole [456-49-5]
FC6H4OCH3=126.13

GR	A	16131-84	10G

4-Fluoroanisole [459-60-9]
FC6H4OCH3=126.13

GR	A	16132-32	25ML

Fluorobenzene [462-06-6]
C6H5F=96.10

Purity: 99%(GC)	GR	RT	16201-22	25ML

4-Fluorobenzonitrile [1194-02-1]
C7H4FN=121.11

GR	RT	07084-52	25G

1-Fluoro-2,4-dinitrobenzene [2,4-Dinitrofluorobenzene] [70-34-8]
(NO2)2C6H3F=186.10

Purity: 99%(GC)	GR	RT	13512-84	5G
			13512-42	25G

5-Fluoroorotic Acid Monohydrate [703-95-7]
C5H3FN2O4·H2O=192.10

Purity: 95%(T)	EP	R	16346-71	1G

5-Fluorouracil [51-21-8]
C4H3FN2O2=130.08

GR	RT	16220-01	1G
		16220-14	5G

N-FMOC-O-t-butyl-L-tyrosine [Fmoc-L-Tyr(t-Bu)] [71989-38-3]
C28H29NO5=459.53

EP	F	16353-71	1G

N-FMOC-L-glutamic Acid γ-t-Butyl Ester [Fmoc-L-Glu(O t-Bu)] [204251-24-1]
C24H27NO6·H2O=443.49

EP	F	16354-74	5G

N-FMOC-L-phenylalanine [Fmoc-L-Phe] [35661-40-6]
C24H21NO4=387.43

EP	F	16361-61	1G

Folic Acid [59-30-3]
C19H19N7O6=441.40

Purity: 98%(UV)	GR	RT	16221-91	1G
			16221-62	25G

10%-Formaldehyde Neutral Buffer Solution

		RT	37152-51	1L

Formaldehyde Solution [Formalin] [50-00-0]
HCHO=30.03

EP	RT	16222-65	500G
GR	RT	16223-55	500G

Formamide [75-12-7]
HCONH2=45.04

Purity: 97%(GC)	EP	RT	16228-05	500ML
Purity: 98.5%(GC)	GR	RT	16229-82	25ML
			16229-95	500ML
for Molecular Biology Purity: 99%(GC) Bottled by nitrogen gas, Nuclease and Protease tested	SP	F	02020-64	100ML
for Molecular Biology Purity: 99%(GC) Nuclease and Protease tested	SP	R	16345-65	500ML
for Column Chromatography Purity: 98.5%(GC)	SP	RT	16301-25	500ML

Formic Acid [64-18-6]
HCOOH=46.03

(approx.85%)	EP	RT	16306-75	500G
Purity: 88%-92%(T) (approx. 90%)	GR	RT	16307-65	500ML
Purity: 98%(T) (98-100%)	GR	RT	16308-55	500G
for Biochemical Research Purity: 98%(T) (98-100%)	SP	RT	16372-34	100G
for HPLC Purity: 98%(T)	SP	RT	08965-82	25ML
for Column Chromatography Purity: 98%(T) (98-100%)	SP	RT	16311-95	500G

N-Formyl-L-methionyl-L-leucyl-L-phenylalanine [59880-97-6]
C21H31N3O5S=437.55

Purity: 95%(HPLC)	BC	F	16371-44	10MG

Forskolin from Coleus forskohlii [66575-29-9]
C22H34O7=410.50

Purity: 99%(HPLC)	GR	RT	16384-84	10MG
			16384-42	25MG

D-(-)-Fructose [Levulose] [57-48-7]
C6H12O6=180.16

GR	RT	16315-42	25G
		16315-55	500G

D-Fructose-6-phosphate Disodium Salt [26177-86-6]
C6H11O9PNa2=304.10

GR	F	16369-94	100MG
		16369-81	1G

Fuchsine, Acid [Rubin S] [3244-88-0]
C20H17N3O9S3Na2=585.54

GR	RT	16402-92	25G

Fuchsine Basic [Magenta] [632-99-5]

EP	RT	16405-62	25G
GR	RT	16406-94	10G

D-(+)-Fucose [D-(+)-Rhodeose] [3615-37-0]
C6H12O5=164.16

Purity: 98%(HPLC)	GR	RT	16410-11	1G

L-(-)-Fucose [2438-80-4]
C6H12O5=164.16

Purity: 98%(HPLC)	GR	RT	16411-01	1G
			16411-14	5G
			16411-72	25G

Fumaric Acid [110-17-8]
HOOCCH:CHCOOH=116.07

Purity: 99%(T)	GR	RT	16413-52	25G
			16413-65	500G

Fumaric Acid Disodium Salt [17013-01-3]
C4H2O4Na2=160.04

Purity: 99%(T)	GR	RT	16415-32	25G

Fumaric Acid Monosodium Salt [5873-57-4]
C4H3O4Na=138.05

Purity: 98%(T)	EP	RT	16417-12	25G
			16417-25	500G

Fura 2-AM Special Packaging [108964-32-5]
C44H47N3O24=1001.85

for Fluorometric Analysis Component: Fluo2-AM(50ug, 5 bottles), DMSO for solving(1ml, 1 bottle)	SP	F	16439-61	1SET

2-Furancarboxylic Acid [Pyromucic Acid] [88-14-2]
C4H3OCOOH=112.08

Purity: 98%(T)	GR	RT	16421-42	25G

Furfural [98-01-1]
C4H3OCHO=96.08

Purity: 98%(GC)	GR	RT	16436-75	500G

Furfuryl Alcohol [98-00-0]
C4H3OCH2OH=98.10

Purity: 95%(GC)	EP	RT	16425-15	500ML
Purity: 98%(GC)	GR	RT	16426-92	25ML

Furfuryl Mercaptan [2-Furylmethanethiol] [98-02-2]
C4H3OCH2SH=114.17

	EP	RT	16431-12	25G

Furosemide [54-31-9]
C12H11ClN2O5S=330.74

	GR	RT	16539-51	1G

2-Furoyl Chloride [527-69-5]
C4H3OCOCl=130.53

	GR	RT	16502-24	10G

[G]

G 418 Disulfate [108321-42-2]
C20H40O10N4·2H2SO4=692.71

Purity: 98%(TLC) Titer: over 730ug/mg	GR	RT	16512-36	250MG
			16512-81	1G
			16512-94	5G
			16512-52	25G
for Tissue Culture Purity: 98%(TLC) Endotoxin tested, Cell culture tested	SP	RT	08973-01	1G
			08973-14	5G

G 418 Disulfate Aqueous Solution [108321-42-2]
C20H40O10N4·2H2SO4=692.71

		R	16513-84	20ML
			16513-26	100ML
for Tissue Culture Water solution, Titer: 50mg/ml, Sterilized by filter,	SP	R	09380-86	20ML
Mycoplasma and Endotoxin tested, Cell culture tested			09380-44	100ML

Gadolinium [7440-54-2]
Gd=157.25

Purity: 99.9%	GR	RT	16505-81	1G

Gadolinium Chloride [13450-84-5]
GdCl3·6H2O=371.70

Purity: 99.9%	GR	RT	16506-71	1G

Gadolinium Nitrate [52788-53-1]
Gd(NO3)3·5H2O=433.34

Purity: 98%(W)	GR	RT	16507-61	1G

Gadolinium Oxide [12064-62-9]
Gd2O3=362.50

Purity: 99.9%(W)			16508-51	1G

D-Galactosamine Hydrochloride [1772-03-8]
C6H13NO5·HCl=215.63

for Amino Sugar Compounds Purity: 98%(T)	SP	RT	16510-85	500MG
			16510-14	5G

D-(+)-Galactose [59-23-4]
C6H12O6=180.16

Purity: 98%(GC)	GR	RT	16511-62	25G
			16511-75	500G
Purity: 98%(GC) Glucose: 0.05% or less	GR	RT	16550-52	25G
			16550-65	500G

Gallic Acid [5995-86-8]
(HO)3C6H2COOH·H2O=188.13

	EP	RT	16520-42	25G
			16520-55	500G

Gallium [7440-55-3]
Ga=69.723

Purity: 99.9999% Granular Particle size: approx.5mm	GR	R	16522-51	1G
			16522-64	5G

Gallium(III) Chloride [13450-90-3]
GaCl3=176.08

Purity: 99.999%	GR	RT	16523-54	5G

Gallium(III) Nitrate [69365-72-6]
Ga(NO3)3·xH2O

	EP	RT	16524-31	1G

(-)-Gallocatechin [(-)-GC] [3371-27-5]
C15H14O7=306.27

Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02569-04	10MG

(-)-Gallocatechin gallate [(-)-GCg] [4233-96-9]

C22H18O11=458.38

Purity: 98%(HPLC) Green tea catechins, Produced by Nagara Science Co., Ltd.	GR	R	02572-44	10MG

Gelatin [9000-70-8]

	EP	RT	16605-42	25G
			16605-55	500G
Purified powder Fine powder	GR	RT	16631-92	25G
			16631-05	500G

Gel-Negative Stain Kit for SDS-PAGE

for Electrophoresis Component: Solution A(5X), Solution B(5X), Solution C(5X), 200ml each	SP	RT	16660-41	1KIT

Geniposide [24512-63-8]

C17H24O10=388.37

for Galenicals Test Purity: 98%(HPLC)	SP	R	16654-86	10MG
			16654-44	30MG

Genistein [446-72-0]

C15H10O5=270.24

Purity: 98%(HPLC)	GR	F	16659-36	20MG

Genistin [529-59-9]

C21H20O10=432.38

Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	09386-84	10MG

Gentamicin Sulfate [1405-41-0]

Titer: 600ug/mg	EP	R	16637-61	1G
			16637-74	5G
			16637-32	25G
for Tissue Culture Endotoxin tested, Cell culture tested	SP	R	08975-81	1G
			08975-94	5G

Gentamicin Sulfate Solution(10mg/ml) [1405-41-0]

for Tissue Culture Sterilized by filtration	SP	R	16672-04	10ML

Gentian Violet B [548-62-9]

C25H30ClN3=407.98

	EP	RT	16613-32	25G
	GR	RT	16614-22	25G

β-Gentiobiose [554-91-6]

C12H22O11=342.30

Purity: 98%(HPLC)	GR	A	16617-34	100MG

Gentisic Acid [2,5-Dihydroxybenzoic Acid] [490-79-9]

(HO)2C6H3COOH=154.12

Purity: 98%(T)	GR	RT	16618-82	25G

Gentisinaldehyde [1194-98-5]

(HO)2C6H3CHO=138.12

	GR	RT	16620-61	1G

Geraniol [106-24-1]

C10H18O=154.25

Purity: 95%(GC)	EP	RT	16621-22	25ML

Germanium(IV) Oxide [1310-53-8]

GeO2=104.64

Purity: 99.99%	GR	RT	16625-24	5G
			16625-82	25G

Gibberellin A3 [77-06-5]

C19H22O6=346.37

	GR	RT	16627-04	100MG
			16627-91	1G

Giemsa's Stain Buffer Solution

		RT	09542-24	100ML

Giemsa's Stain Solution

		RT	37114-64	100ML
			37114-35	500ML

Gingerol [23513-14-6]

C17H26O4=294.39

for Galenicals Test Purity: 98%(HPLC)	SP	R	16739-44	10MG
			16739-86	30MG

Ginkgolic Acid 13:0 [20261-38-5]

C20H32O3=320.47

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04073-24	5MG

Ginkgolic Acid 15:0 [16611-84-0]

C22H36O3=348.52

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04074-14	5MG

Ginkgolic Acid 15:1 [Ginkgolic Acid, Ginkgolic Acid I] [22910-60-7]

C22H34O3=346.50

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04067-14	10MG

Ginkgolic Acid 15:1 + 13:0(4:1)

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04071-44	10MG

Ginkgolic Acid 17:1 [Ginkgolic Acid II]

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04068-04	10MG

Ginkgolic Acid 17:1 + 15:0(6:1)

Purity: 99%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	04072-34	10MG

Ginkgolide A [15291-75-5]

C20H24O9=408.40

Purity: 98%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	02592-84	10MG
			02592-26	100MG

Ginkgolide B [15291-77-7]

C20H24O10=424.40

Purity: 98%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	02593-74	10MG
			02593-16	100MG

Ginkgolide C [15291-76-6]

C20H24O11=440.40

Purity: 98%(HPLC) Ginkgo Biloba, Produced by Nagara Science Co., Ltd.	GR	R	02594-64	10MG
			02594-06	100MG

Ginsenoside Rg1 [22427-39-0]

C42H72O14=801.01

for Galenicals Test Purity: 98%(HPLC)	SP	R	16741-36	10MG
			16741-94	30MG

Globotriaosylceramide (Gb3) from Porcine Erythrocyte

	BC	F	02446-91	1MG

γ-Globulin, Bovine [9007-83-4]

Purity: 99%(EA) Sodium Chloride content: under 5%, Protease tested	BC	F	16742-71	1G
			16742-84	10G

D-Glucitol [50-70-4]

C6H14O6=182.17

	EP	RT	32020-05	500G
Purity: 97%(T)	GR	RT	32021-82	25G
			32021-95	500G
			32021-24	20KG
for Molecular Biology Purity: 97%(T) Nuclease and Protease tested	SP	RT	06286-55	500G

Gluconic Acid Potassium Salt [299-27-4]

CH2(OH)(CHOH)4COOK=234.25

Purity: 97%-103%(T)	GR	RT	16724-82	25G
			16724-95	500G

Gluconic Acid Sodium Salt [527-07-1]

C6H11O7Na=218.14

Purity: 98%(T)	GR	RT	16720-22	25G
			16720-35	500G

Glucono-1,5-lactone [90-80-2]				
C6H10O6=178.14				
Purity: 99%(T)	GR	RT	16721-12	25G
			16721-25	500G
D-Glucosamine Hydrochloride [66-84-2]				
C6H13NO5·HCl=215.63				
for Amino Sugar Compounds Purity: 98%(T)	SP	RT	16802-52	25G
			16802-94	100G
D-(+)-Glucose [50-99-7]				
C6H12O6=180.16				
	EP	RT	16805-35	500G
			16805-64	10KG
Purity: 98%(GC)	GR	RT	16806-12	25G
			16806-25	500G
			16806-54	15KG
β-D-(+)-Glucose [492-61-5]				
C6H12O6=180.16				
Purity: 70%(GC)	GR	RT	16804-32	25G
L-Glucose [921-60-8]				
C6H12O6=180.16				
	GR	RT	16809-11	1G
Glucose Oxidase from Aspergillus niger [9001-37-0]				
Activity: 200-300u/mg solid Lyophilized powder Salt free	BC	F	16831-14	100MG
			16831-01	1G
D-Glucose-6-phosphate Dipotassium Salt Hydrate [5996-17-8]				
C6H11O9PK2·nH2O=336.32(Anh)				
	GR	F	16906-31	1G
α-D-Glucose-1-phosphate Disodium Salt Hydrate [56401-20-8]				
C6H11O9PNa2·nH2O=304.10(Anh)				
Purity: 98%(T)	GR	R	16815-21	1G
			16815-34	5G
D-Glucose-6-phosphate Disodium Salt Hydrate [3671-99-6]				
C6H11O9PNa2·nH2O=304.10(Anh)				
Purity: 98%(T)	GR	R	16818-91	1G
D-Glucose-6-phosphate Monosodium Salt [54010-71-8]				
C6H12NaO9P=282.12				
Purity: 98%(T)	GR	RT	16832-91	1G
D-Glucuronic Acid [6556-12-3]				
C6H10O7=194.14				
Purity: 97%(T)	GR	RT	16928-22	25G
β-Glucuronidase from E. coli [9001-45-0]				
Activity: 1,000,000-5,000,000u/g protein Lyophilized powder	BC	F	16944-02	25KU
D-Glucurono-6,3-lactone [32449-92-6]				
C6H8O6=176.12				
Purity: 99%(T)	GR	RT	16908-82	25G
D-Glutamic Acid [6893-26-1]				
HOOCCH2CH2CH(NH2)COOH=147.13				
Purity: 98%(T)	GR	RT	16909-01	1G
			16909-14	5G
			16909-72	25G
L-Glutamic Acid [56-86-0]				
HOOCCH2CH2CH(NH2)COOH=147.13				
Purity: 99%(T)	GR	RT	16911-22	25G
			16911-35	500G
L-Glutamic Acid Monopotassium Salt Monohydrate [19473-49-5]				
C5H8KNO4·H2O=203.23				
Purity: 99%(T)	GR	RT	16941-32	25G
			16941-74	100G

L-Glutamic Acid Monosodium Salt [142-47-2]				
C5H8NO4Na·H2O=187.13				
Purity: 99%(T)	GR	RT	16914-92	25G
			16914-05	500G
D-Glutamine [5959-95-5]				
H2NCOCH2CH2CH(NH2)COOH=146.14				
Purity: 98%(T)	GR	RT	16917-91	1G
L-Glutamine [56-85-9]				
H2NCOCH2CH2CH(NH2)COOH=146.14				
	GR	RT	16919-84	5G
			16919-42	25G
			16919-55	500G
200mM-L-Glutamine Stock Solution				
for Tissue Culture 0.85% NaCl solution, Concentration: 29.2mg/ml, Sterilized by filtration, Mycoplasma tested	SP	F	16948-04	100ML
Glutaraldehyde [111-30-8]				
OCHCH2CH2CH2CHO=100.12				
25% in water	EP	A	17025-25	500G
for Electro Microscopy Concentration: approx. 25%	SP	R	17003-92	25G
			17003-05	500G
for Electro Microscopy Concentration: approx. 25% Ampule	SP	R	17052-94	10ML
			17052-36	5X10ML
for Electro Microscopy (8%Water solution) Ampule	SP	R	17051-04	10ML
			17051-46	5X10ML
Glutaric Acid [110-94-1]				
HOOC(CH2)3COOH=132.11				
Purity: 98%(T)	EP	RT	17005-72	25G
			17005-85	500G
Glutaric Anhydride [108-55-4]				
CH2(CH2CO)2O=114.10				
Purity: 98%(T)	GR	RT	17006-62	25G
Glutathione(Oxidized Form), free acid [27025-41-8]				
	EP	R	06440-31	1G
			06440-44	5G
			06440-02	25G
Glutathione(Reduced Form), free acid [70-18-8]				
C10H17N3O6S=307.32				
	GR	R	17050-01	1G
			17050-14	5G
			17050-72	25G
			17050-56	100G
for Molecular Biology Nuclease and Protease tested	SP	R	08786-61	1G
			08786-74	5G
			08786-32	25G
Gluten from Wheat [8002-80-0]				
	EP	RT	17011-95	500G
DL-Glyceraldehyde [56-82-6]				
HOCH2CH(OH)CHO=90.08				
Purity: 98%(T)	GR	R	17014-81	1G
			17014-94	5G
DL-Glyceraldehyde-3-phosphate, free acid [591-59-3]				
C3H7O6P=170.06				
		F	17049-12	25MG
DL-Glyceric Acid [600-19-1]				
HOCH2CH(OH)COOH=106.08				
	CP	RT	17048-64	10G

Glycerol [56-81-5]
CH2(OH)CH(OH)CH2(OH)=92.09

Purity: 95%(GC)	EP	RT	17017-35	500ML
			17017-93	3L
			17017-64	22KG

Glycerol [56-81-5]
CH2(OH)CH(OH)CH2(OH)=92.09

Purity: 99%(GC)	GR	RT	17018-25	500ML
			17018-83	3L
			17018-54	22KG
for Molecular Biology Purity: 99%(GC) Nuclease and Protease tested	SP	RT	17045-94	100ML
			17045-65	500ML
for Fluorometric Analysis Purity: 99%(GC)	SP	RT	17038-65	500ML

Glycerophosphoric Acid Calcium Salt [27214-00-2]
C3H7O6PCa=210.14

Purity: 98%(T)	GR	RT	17139-32	25G

DL-α-Glycerophosphoric Acid Disodium Salt [17603-42-8]
C3H7NaO6P·6H2O=324.13

Purity: 95%(T)	EP	RT	17134-82	25G

β-Glycerophosphoric Acid Disodium Salt [819-83-0]
C3H7Na2O6P·nH2O=216.04(Anh)

	GR	RT	17130-22	25G

β-Glycerophosphoric Acid Disodium Salt Pentahydrate [819-83-0]
C3H7Na2O6P·5H2O=306.11

	EP	RT	17103-82	25G

Glycidol [2,3-Epoxy-1-propanol] [556-52-5]
HOC3H5O=74.08

Purity: 90%(GC)	CP	A	17126-34	100G
			17126-05	500G

Glycidyl Methacrylate [106-91-2]
CH2:C(CH3)COOC3H5O=142.15

Purity: 90%(GC)	CP	RT	17107-55	500G

3-Glycidyloxypropyltrimethoxysilane [2530-83-8]
C3H5O2(CH2)3Si(OCH3)3=236.34

	EP	RT	17136-62	25G

Glycine [56-40-6]
H2NCH2COOH=75.07

Purity: 99%(T)	GR	RT	17109-22	25G
			17109-35	500G
			17109-64	10KG
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	17141-24	100G
			17141-95	500G
for Electrophoresis Purity: 99%(T)	SP	RT	17128-14	100G

Glycine Ethyl Ester Hydrochloride [623-33-6]
H2NCH2COOC2H5·HCl=139.58

Purity: 99%(T)	GR	A	17114-42	25G

Glycine Methyl Ester Hydrochloride [5680-79-5]
H2NCH2COOCH3·HCl=125.55

Purity: 98%(T)	GR	A	17116-22	25G

Glycitein [40957-83-3]
C16H12O5=284.26

Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	09387-74	10MG

Glycitin [40246-10-4]
C22H22O10=446.40

Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	09391-04	10MG

Glycochenodeoxycholic Acid Sodium Salt [16564-43-5]
C26H42NO5Na=471.61

Purity: 97%(HPLC)	GR	RT	17132-44	100MG

Glycocholic Acid Sodium Salt [863-57-0]
C26H42NNaO6=487.6

	GR	RT	17123-51	1G

Glycogen [9005-79-2]

From Bovine Liver	GR	R	17133-21	1G
for Molecular Biology from Oyster Nuclease and Protease tested	SP	R	08776-91	1G

Glycogen Solution(20mg/ml) from Oyster, Nuclease tested [9005-79-2]

for Molecular Biology Water solution, Nuclease tested	SP	F	17110-11	1ML

Glycolaldehyde, dimer [23147-58-2]
C4H8O4=120.10

Purity: 95%(T) Crystalline	EP	F	17142-01	1G

Glycolic Acid [79-14-1]
HOCH2COOH=76.05

Purity: 60%-75%(T)	CP	RT	17122-45	500G
Purity: 98%(T) Crystalline	EP	RT	17227-72	25G
			17227-85	500G

N-Glycolylneuraminic Acid [1113-83-3]
C11H19NO10=325.27

for Research of Sugar Chain	SP	F	05435-96	10MG
			05435-54	50MG

Glycopeptidolipid(GPL) from Mycobacterium avium serotype 4

Liquid Pale yellowish white	BC	R	05493-81	1MG

Glycopeptidolipid Invariant Lipid Core from Mycobacterium avium serotype 4

Liquid Pale yellowish white	BC	R	05492-91	1MG

Glycoursodeoxycholic Acid Sodium Salt
C26H42NO5Na=471.61

	GR	RT	17230-54	100MG

Glycylglycine [556-50-3]
H2NCH2CONHCH2COOH=132.12

Purity: 98%(N)	GR	RT	17205-94	5G
			17205-52	25G
			17205-65	500G
for Molecular Biology Purity: 99%(N) Nuclease and Protease tested	SP	RT	08916-22	25G
Good Buffer Purity: 99%(N)	SP	RT	17206-42	25G

Glycyrrhetic Acid [471-53-4]
C30H46O4=470.68

Purity: 97%(T)	GR	RT	17216-54	5G

Glycyrrhetic Acid 3-O-Glucuronide [34096-83-8]
C36H54O10=646.82

Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	RT	05090-64	10MG

18β-Glycyrrhetinic Acid [471-53-4]
C30H46O4=470.68

Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	RT	05088-14	10MG

Glycyrrhizic Acid [Glycyrrhizin] [1405-86-3]
C42H62O16=822.93

Purity: 98%(UV)	GR	RT	17217-44	5G
			17217-02	25G

Glycyrrhizic Acid Dipotassium Salt [68797-35-3]
C42H60K2O16=899.11

Purity: 99%(HPLC) Licorice(Glycyrrhiza), Produced by Nagara Science Co., Ltd.	GR	RT	04066-24	10MG
			04066-66	100MG

Glycyrrhizic Acid Monoammonium Salt n-Hydrate [53956-04-0]
C42H61O16NH4·nH2O

Purity: 99%(HPLC) Licorice(Glycyrrhiza), Produced by Nagara Science Co., Ltd.	GR	RT	04065-76	100MG

Glycyrrhizin [1405-86-3]
C42H62O16=822.93

for Galenicals Test Purity: 98%(HPLC)	SP	R	17239-06	10MG
			17239-64	30MG

Glyoxal [107-22-2]				
OHCCHO=58.04				
	RT	17226-95	500G	
Glyoxylic Acid Monohydrate [563-96-2]				
OHCCOOH·H2O=92.05				
Purity: 95%(T)	CP	RT	17223-54	10G
			17223-12	25G
Gold Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37530-04	100ML
Gold(III) Sodium Chloride [Sodium Tetrachloroaurate(III)] [13874-02-7]				
NaAuCl4·2H2O=397.80				
	GR	RT	17305-71	1G
Gomisin A [58546-54-6]				
C23H28O7=416.46				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05076-64	10MG
Gomisin N [69176-52-9]				
C23H28O6=400.46				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05075-74	10MG
Gram's Stain Reagent Solution(1)				
		RT	37116-44	100ML
			37116-15	500ML
Gram's Stain Reagent Solution(2)				
		RT	37117-34	100ML
			37117-05	500ML
Gram's Stain Reagent Solution(3)				
		RT	37118-24	100ML
			37118-95	500ML
Guanidine Carbonate [593-85-1]				
C2H10N6·H2CO3=180.17				
	EP	RT	05297-32	25G
Guanidine Hydrochloride [50-01-1]				
HN:C(NH2)2·HCl=95.53				
Purity: 99%(T)	GR	RT	17318-82	25G
			17318-95	500G
			17318-24	10KG
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	17353-25	500G
for Biochemical Research Purity: 99.5%(T)	SP	RT	17319-14	100G
			17319-85	500G
8mol/l-Guanidine Hydrochloride Solution [50-01-1]				
for Molecular Biology Water solution, Nuclease and Protease tested	SP	RT	17356-24	100ML
Guanidine Phosphate [5423-23-4]				
[HN:C(NH2)2]2·H3PO4=216.14				
Purity: 95%(T)	CP	RT	17322-25	500G
Guanidine Thiocyanate [593-84-0]				
CH5N3·HSCN=118.16				
for Molecular Biology Nuclease and Protease tested	SP	RT	06287-32	25G
			06287-45	500G
for Biochemical Research Purity: 99%(T)	SP	RT	17345-64	100G
	SP	RT	17345-35	500G
			17345-51	1KG
6mol/l-Guanidine Thiocyanate Solution [593-84-0]				
for Molecular Biology Water solution, Nuclease tested	SP	RT	16689-04	100ML
p'-Guanidinobenzoic Acid p-Nitrophenyl Ester Hydrochloride [19135-17-2]				
C14H13ClN4O4=336.73				
	GR	R	17340-14	100MG

Guanosine-5'-diphosphate Sodium Salt from Yeast [43139-22-6]				
C10H14N5NaO11P2=465.18				
Purity: 95%(HPLC)	GR	F	17354-02	25MG
			17354-44	100MG
Guanosine-5'-monophosphate Disodium Salt [5550-12-9]				
C10H12N5O8PNa2·nH2O=407.18(Anh)				
	GR	R	16772-81	1G
Guanosine-5'-triphosphate Disodium Salt [56001-37-7]				
C10H14N5O14P3Na2=567.14				
Purity: 90%(HPLC)	EP	F	17450-74	100MG
			17450-61	1G
for Molecular Biology Purity: 90%(HPLC) Nuclease and Protease tested	SP	F	08921-84	100MG
			08921-71	1G

[H]

Haemosol				
		RT	04558-71	1LB
Hafnium Oxide [12055-23-1]				
HfO2=210.49				
Purity: 98%	EP	RT	17409-21	1G
Ham's F-12 with L-Gln, liquid				
for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	17458-65	500ML
Hayem's Reagent Solution				
		RT	37120-74	100ML
			37120-45	500ML
HBSS(+) with Ca, Mg and Phenol Red, liquid				
for Tissue Culture Sterilized by filtration, Mycoplasma and Endotoxin tested	SP	R	17459-55	500ML
HBSS(-) without Ca and Mg, with Phenol Red, liquid				
for Tissue Culture Sterilized by filtration, Mycoplasma and Endotoxin tested	SP	RT	17460-15	500ML
Hematoxylin [517-28-2]				
C16H14O6=302.28				
	GR	RT	17501-04	5G
			17501-62	25G
Hematoxylin for Biological Stain [517-28-2]				
C16H14O6·H2O=320.29				
	GR	RT	17539-34	5G
			17539-92	25G
Hemin from Bovine [16009-13-5]				
C34H32ClFeN4O4=651.94				
Purity: 98%(HPLC)	GR	R	17552-44	250MG
			17552-31	1G
Hemoglobin from Bovine [9008-02-0]				
Purity: 90%(HPLC) Purified powder	BC	R	17553-92	25G
Heparin Lithium Salt [9045-22-1]				
Solids (lyophilized powder)	BC	RT	02869-16	25000UNITS
			02869-74	100000UNITS
Heparin Lithium Salt from Porcine Intestinal Mucosa [9045-22-1]				
Activity: 140 USP u/mg Lyophilized powder	BC	RT	17556-91	1G
Heparin Sodium Salt [9041-08-1]				
	GR	RT	17513-96	100MG
			17513-41	1G
			17513-54	5G
HEPES [2-[4-(2-Hydroxyethyl)-1-piperazinyl]ethanesulfonic Acid] [7365-45-9]				
C8H18N2O4S=238.31				
Biotechnology Grade Purity: 99%(T) Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02443-34	100G
			02443-05	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	17546-34	100G
			17546-05	500G
Good Buffer Purity: 99%(T)	SP	RT	17514-44	5G
			17514-02	25G
			17514-86	100G
			17514-15	500G
for JIS Biochemical Purity: 99%(T)	SP	RT	17547-82	25G
			17547-24	100G
			17547-95	500G
1mol/l-HEPES Buffer Solution				
for Tissue Culture Sterilized by filtration, Mycoplasma and Endotoxin tested pH7.1-7.5	SP	R	17557-94	100ML
1mol/l-HEPES Solution				
for Protein Structural Analysis	SP	R	05570-74	100ML

HEPES-Na [2-[4-(2-Hydroxyethyl)-1-piperazinyl]ethanesulfonic Acid Sodium Salt] [75277-39-3]				
C8H17N2O4SNa=260.29				
Good Buffer Purity: 99%(T)	SP	RT	17529-06	5G
			17529-22	25G
			17529-64	100G
HEPPS [N-(2-Hydroxyethyl)piperazine-N'-3-propanesulfonic Acid] [16052-06-5]				
C9H20N2O4S=252.33				
Good Buffer Purity: 99%(T)	SP	RT	17536-22	25G
			17536-64	100G
n-Heptadecane [629-78-7]				
C17H36=240.47				
Purity: 98%(GC)	GR	RT	17527-42	25ML
Heptafluoro-n-butyric Acid [375-22-4]				
CF3CF2CF2COOH=214.04				
for Amino Acid Sequence Analysis Purity: 99%(T)	SP	RT	26514-64	10G
Heptafluoro-n-butyric Anhydride [336-59-4]				
(CF3CF2CF2CO)2O=410.06				
Acylation reagent for GC	SP	RT	26518-11	1ML
Heptane [142-82-5]				
CH3(CH2)5CH3=100.20				
Purity: 97%(GC)	EP	RT	17522-05	500ML
Purity: 99%(GC)	GR	RT	17523-95	500ML
for Fluorometric Analysis Purity: 99%(GC)	SP	RT	17626-55	500ML
for HPLC Purity: 99%(GC)	SP	RT	17623-01	1L
for Spectrum Purity: 99%(GC)	SP	RT	17601-65	500ML
Heptane 〈H2O<30ppm〉 [142-82-5]				
CH3(CH2)5CH3=100.20				
Purity: 98%(GC) Special Cap	GR	RT	04098-14	100ML
Heptanoic Acid [111-14-8]				
CH3(CH2)5COOH=130.18				
Purity: 97%(GC)	EP	RT	14316-92	25ML
1-Heptanol [111-70-6]				
CH3(CH2)6OH=116.20				
Purity: 98%(GC)	GR	RT	17610-32	25ML
			17610-45	500ML
n-Heptylamine [111-68-2]				
CH3(CH2)6NH2=115.22				
Purity: 98%(GC)	GR	RT	17614-92	25ML
n-Heptyl Bromide [1-Bromoheptane] [629-04-9]				
CH3(CH2)6Br=179.10				
Purity: 98%(GC)	GR	RT	17615-82	25G
Herbimycin A from Streptomyces sp. [70563-58-5]				
C30H42N2O9=574.66				
	EP	F	17631-04	100UG
Hexaamminecobalt(III) Chloride [10534-89-1]				
[Co(NH3)6]Cl3=267.47				
Purity: 98%(T)	GR	RT	17701-42	25G
Hexaammonium Heptamolybdate Tetrahydrate [12054-85-2]				
(NH4)6Mo7O24·4H2O=1236.00				
Purity: 95%(T)	EP	RT	02520-85	500G
Purity: 99%(T)	GR	RT	02521-62	25G
			02521-75	500G
Purity: 99%(T) Powder	GR	RT	02533-25	500G
n-Hexadecane [544-76-3]				
CH3(CH2)14CH3=226.44				
Purity: 98%(GC)	GR	RT	07819-32	25ML
			07819-45	500ML

1-Hexadecanol [36653-82-4]
CH3(CH2)15OH=242.44

Purity: 95%(GC)	EP	RT	07821-95	500G
Purity: 99%(GC)	GR	RT	07822-72	25G

1-Hexadecene [629-73-2]
CH3(CH2)13CH:CH2=224.43

Purity: 90%(GC)	EP	RT	17711-12	25ML

n-Hexadecylamine [Cetylamine] [143-27-1]
CH3(CH2)15NH2=241.46

Purity: 90%(GC)		A	07935-02	25G

Hexadecyldimethylethylammonium Bromide [124-03-8]
C20H44BrN=378.47

	EP	RT	07934-12	25G

Hexadecylpyridinium Chloride Monohydrate [6004-24-6]
[CH3(CH2)15C5H5N]Cl·H2O=358.00

Purity: 99%(T)	EP	A	07905-34	10G
			07905-92	25G
			07905-05	500G

Hexadecyltrimethylammonium Bromide [57-09-0]
[CH3(CH2)15N(CH3)3]Br=364.45

Purity: 99%(T)	GR	A	07906-82	25G
			07906-95	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	A	08897-82	25G

100g/l-Hexadecyltrimetylammonium Bromide Solution

for Molecular Biology 10%(w/v) Hexadecyltrimethylammonium Bromide, 0.7mol/l NaCl solution, Nuclease tested	SP	RT	17472-94	100ML

Hexadecyltrimethylammonium Chloride [112-02-7]
[CH3(CH2)15N(CH3)3]Cl=320.00

Purity: 95%(T)	EP	A	07907-14	5G
			07907-72	25G

Hexadecyltrimethylammonium Hydroxide [505-86-2]
C19H43NO=301.55

Purity: 24%-27%(T) 25% in Methanol		A	07936-34	100ML

Hexadimethrine Bromide [28728-55-4]
(C13H30Br2N2)n

Purity: 90%(T) MW: 5,000-10,000		R	17736-44	10G

1,1,1,3,3,3-Hexafluoro-2-propanol [920-66-1]
CF3CH(OH)CF3=168.04

Purity: 98%(GC)	GR	RT	17812-47	5G
			17812-34	50G
for HPLC Purity: 99.5%(GC)	SP	RT	17814-14	100G
			17814-85	500G

Hexamethonium Chloride [60-25-3]
C12H30N2Cl2·2H2O=309.32

	EP	RT	17902-12	25G

Hexamethyldisilane [1450-14-2]
C6H18Si2=146.38

	GR	RT	07081-24	10ML

1,1,1,3,3,3-Hexamethyldisilazane [999-97-3]
(CH3)3SiNHSi(CH3)3=161.39

Silylation reagent for GC Purity: 96%(GC)	SP	RT	17904-92	25G
			17904-34	100G
			17904-05	500G

Hexamethyldisiloxane [107-46-0]
(CH3)3SiOSi(CH3)3=162.38

Purity: 97%(GC)	EP	RT	17905-82	25ML
			17905-95	500ML

Hexamethylene Bromide [1,6-Dibromohexane] [629-03-8]
Br(CH2)6Br=243.97

Purity: 95%(GC)	EP	RT	17910-02	25G

Hexamethylenediamine [1,6-Diaminohexane] [124-09-4]
H2N(CH2)6NH2=116.20

Purity: 97%(T)	EP	RT	17907-62	25G
			17907-75	500G

Hexamethylene Diisocyanate [822-06-0]
OCNCH2(CH2)4CH2NCO=168.19

Purity: 98%(GC)	EP	A	17912-82	25ML

Hexamethylene Glycol [1,6-Hexanediol] [629-11-8]
HO(CH2)6OH=118.17

Purity: 98%(GC)	GR	RT	17913-72	25G
			17913-85	500G

Hexamethylenetetramine [100-97-0]
(CH2)6N4=140.19

Purity: 98%(T)	EP	RT	17915-65	500G
Purity: 99%(T)	GR	RT	17916-42	25G
			17916-55	500G

Hexamethylphosphoric Triamide [680-31-9]
[(CH3)2N]3PO=179.20

Purity: 98%(GC)	EP	RT	17918-22	25G
			17918-35	500G

Hexane [110-54-3]
CH3(CH2)4CH3=86.18

Purity: 90%(GC)	EP	RT	17921-75	500ML
Purity: 96%(GC)	GR	RT	17922-65	500ML
for Fluorometric Analysis Purity: 96%(GC)	SP	RT	17934-15	500ML
for HPLC Purity: 96%(GC)	SP	RT	17929-11	1L
for Spectrum Purity: 96%(GC)	SP	RT	17925-35	500ML
for Residual Pesticide Analysis Purity: 96%(GC) Tested for 5,000X	SP	RT	04338-51	1L
for Dioxins Test Purity: 96%(GC)	SP	RT	17483-41	1L
for Water Analysis Purity: 96%(GC)	SP	RT	17935-34	200ML
			17935-05	500ML

Hexane 〈H2O<30ppm〉 [110-54-3]
CH3(CH2)4CH3=86.18

Purity: 96%(GC) Special Cap	GR	RT	04099-04	100ML
			04099-75	500ML

1-Hexanethiol [111-31-9]
CH3(CH2)5SH=118.24

	EP	RT	18159-42	25ML

Hexanoic Acid [n-Caproic Acid] [142-62-1]
CH3(CH2)4COOH=116.16

Purity: 90%(GC)	EP	RT	07025-22	25G
Purity: 99%(GC)	GR	RT	07026-12	25ML

1-Hexanol [111-27-3]
CH3(CH2)5OH=102.17

	GR	RT	18013-32	25ML
			18013-45	500ML

n-Hexanoyl Chloride [142-61-0]
CH3(CH2)4COCl=134.6

Purity: 95%(GC)	EP	A	07108-42	25G

trans-2-Hexenal [6728-26-3]
C6H10O=98.14

	EP	RT	07144-62	25ML

1-Hexene [592-41-6]
CH3(CH2)3CH:CH2=84.16

Purity: 98%(GC)	EP	RT	18036-42	25ML
			18036-55	500ML

Hexokinase from Bakers Yeast [9001-51-8]

Activity: 20u/mg solid or more Lyophilized powder	BC	F	18039-54	100MG

n-Hexylaldehyde [n-Capronaldehyde] [66-25-1]
CH3(CH2)4CHO=100.16

Purity: 95%(GC)	EP	RT	18029-42	25ML

n-Hexylamine [111-26-2]
CH3(CH2)5NH2=101.19

Purity: 98%(GC)	EP	RT	18018-82	25ML
			18018-95	500ML

n-Hexyl Bromide [111-25-1]
CH3(CH2)5Br=165.07

Purity: 98%(GC)	EP	RT	18023-02	25G

Hexylene Glycol [107-41-5]
CH3CH(OH)CH2C(CH3)2OH=118.17

Purity: 99%(GC)	GR	RT	18026-85	500ML

80v/v%-Hexylene Glycol Solution

for Protein Structural Analysis	SP	RT	05576-14	100ML

n-Hexyl Iodide [638-45-9]
CH3(CH2)5I=212.07

	CP	RT	18102-62	25G

Hinokitiol [499-44-5]
C10H12O2=164.20

Purity: 98%(GC)	GR	RT	18108-31	1G

Hippuric Acid [495-69-2]
C6H5CONHCH2COOH=179.17

Purity: 98%(T)	GR	RT	18109-92	25G

Hippuric Acid Sodium Salt [532-94-5]
C9H8NO3Na=201.15

Purity: 98%(T)	GR	RT	18110-52	25G

Hippuryl-L-histidyl-L-leucine, free base(Synthetic) [31373-65-6]
C21H27N5O5=429.47

	GR	F	18162-24	100MG

His-Detect In-Gel Stain

for Electrophoresis	SP	RT	08500-94	100ML
			08500-65	500ML

Histamine(free base) [51-45-6]
C5H9N3=111.15

Purity: 98%(HPLC)	GR	R	18111-71	1G

Histamine Dihydrochloride [56-92-8]
C5H9N3·2HCl=184.07

Purity: 98%(T)	GR	R	18112-61	1G
			18112-74	10G

L-Histidine(free base) [71-00-1]
C6H9N3O2=155.15

Purity: 98%(T)	GR	RT	18116-76	5G
			18116-92	25G
			18116-34	250G

L-Histidine Methyl Ester Dihydrochloride [7389-87-9]
C7H11N3O2·2HCl=242.1

	GR	R	18120-64	5G

L-Histidine Monohydrochloride Monohydrate [7048-02-4]
C6H9N3O2·HCl·H2O=209.63

Purity: 99%(T)	GR	RT	18119-62	25G
			18119-75	500G

HistoVT One(10x, pH 7.0)

for Immunochemistry Nuclease tested	SP	RT	06380-05	500ML

Holmium [7440-60-0]
Ho=164.93032

Purity: 99%	EP	RT	18123-21	1G

Holmium Chloride [14914-84-2]
HoCl3·6H2O=379.38

Purity: 99%(T)	EP	RT	18124-11	1G

Holmium Oxide [12055-62-8]
Ho2O3=377.86

Purity: 99.9%	EP	RT	18125-01	1G

L-Homoarginine Hydrochloride [1483-01-8]
C7H16N4O2·HCl=224.69

Purity: 98%(T)	GR	RT	18226-94	100MG
			18226-81	1G

DL-Homocysteine [454-29-5]
HSCH2CH2CH(NH2)COOH=135.19

Purity: 98%(T)	GR	R	18204-74	100MG
			18204-61	1G

DL-Homocystine [870-93-9]
[SCH2CH2CH(NH2)COOH]2=268.36

	GR	RT	18206-41	1G

L-Homoserine [672-15-1]
C4H9NO3=119.12

Purity: 98%(T)	GR	RT	18211-74	5G

Homovanillic Acid [4-Hydroxy-3-methoxyphenylacetic Acid] [306-08-1]
C9H10O4=182.17

Purity: 98%-102%(T)	GR	RT	18212-64	100MG
			18212-51	1G

Honokiol [35354-74-6]
C18H18O2=266.33

for Galenicals Test Purity: 98%(HPLC)	SP	R	18239-76	30MG

Humic Acid [1415-93-6]

		RT	18244-12	25G

Hyaluronic Acid Sodium Salt from Microorganism [9067-32-7]

	GR	R	18237-41	1G

Hyaluronidase from Bovine Testes [37326-33-3]

Activity: 400u/mg solid or more Lyophilized powder	BC	F	18240-36	100MG
			18240-81	1G
			18240-94	5G

Hybridization Solution

for Molecular Biology Nuclease tested	SP	RT	04376-64	100ML

Hydantoin [461-72-3]
C3H4N2O2=100.08

	GR	RT	18303-32	25G

Hydrazine Monohydrate [7803-57-8]
H2NNH2·H2O=50.06

Purity: 80%-82%(T) (80%)	EP	RT	18309-72	25G
			18309-85	500G
Purity: 97%(T) (100%)	EP	RT	18310-45	500G
Purity: 98%(T) (100%)	GR	RT	18330-72	25G
			18330-85	500G

Hydrazinium Sulfate [10034-93-2]
H2NNH2·H2SO4=130.12

Purity: 99%(T)	GR	RT	18314-92	25G
			18314-05	500G

Hydrobromic Acid(S.G.=1.48, 47%) [10035-10-6]

HBr=80.91

Concentration: 47-49%	EP	RT	18317-75	500G
Concentration: 47-49%	GR	RT	18318-52	25G
			18318-65	500G

Hydrochloric Acid(35%) [7647-01-0]

HCl=36.46

Concentration: 35-37%	EP	RT	18320-15	500ML
Concentration: 35-37%	GR	RT	18321-05	500ML
Concentration: 35-37% No Arsenic	GR	RT	18322-95	500ML
Concentration: 35-37% No Iron	GR	RT	18328-35	500ML
for Fine Analysis Concentration: 35-37%	UF	RT	18402-45	500ML
for Analysis of Poisonous Metal Concentration: 35-37%	SP	RT	18429-15	500ML
for Amino Acid Auto Analyzer Concentration: 35-37%	SP	RT	18401-55	500ML

Hydrochloric Acid(20%) (constant boiling) [7647-01-0]

for Amino Acid Auto Analyzer Concentration: 19-21%	SP	RT	18432-71	10X1ML

6mol/l-Hydrochloric Acid [7647-01-0]

		RT	37313-25	500ML

5mol/l-Hydrochloric Acid [7647-01-0]

		RT	37345-15	500ML

2mol/l-Hydrochloric Acid [7647-01-0]

		RT	37338-15	500ML

1mol/l-Hydrochloric Acid [7647-01-0]

		RT	37314-15	500ML
for Protein Structural Analysis	SP	R	05574-34	100ML

0.5mol/l-Hydrochloric Acid [7647-01-0]

		RT	37315-05	500ML

0.2mol/l-Hydrochloric Acid [7647-01-0]

		RT	37344-25	500ML

0.1mol/l-Hydrochloric Acid [7647-01-0]

		RT	37316-95	500ML

0.05mol/l-Hydrochloric Acid [7647-01-0]

		RT	37343-35	500ML

0.02mol/l-Hydrochloric Acid [7647-01-0]

		RT	37317-85	500ML

0.01mol/l-Hydrochloric Acid [7647-01-0]

		RT	37318-75	500ML

Hydrocortisone [50-23-7]

C21H30O5=362.46

	GR	RT	18403-51	1G
			18403-64	5G
for Hormone Analysis	SP	RT	18404-41	1MG

Hydrocortisone Acetate [50-03-3]

C23H32O6=404.50

Purity: 98%(HPLC)	GR	RT	18405-44	5G

Hydrogen Chloride Methanol Solution

Esterification reagent for GC Consentration: approx. 5%	SP	RT	18426-61	5X1ML

Hydrogen Hexachloroplatinate(IV) Hexahydrate [Platinum(IV) Chloride Acid Hexahydrate] [18497-13-7]

H2PtCl6·6H2O=517.91

Purity: 98.5%(W)	GR	R	28117-01	1G
			28117-72	25G

Hydrogen Tetrachloroaurate(III) Tetrahydrate [1303-50-0]

HAuCl4·4H2O=411.85

Purity: 99%(W)	GR	R	17302-01	1G

Hydroiodic Acid [10034-85-2]

HI=127.91

	GR	RT	18413-92	25G
			18413-05	500G

Hydroquinone [123-31-9]

C6H4(OH)2=110.11

Purity: 99%(T)	EP	RT	18414-95	500G
Purity: 99%(T)	GR	RT	18415-72	25G
			18415-85	500G

Hydroquinone Dimethyl Ether [150-78-7]

C6H4(OCH3)2=138.16

Purity: 98%(GC)	GR	RT	18418-42	25G

o-Hydroxyacetophenone [118-93-4]

HOC6H4COCH3=136.15

Purity: 95%(GC)	EP	RT	18423-62	25G

p-Hydroxyacetophenone [99-93-4]

HOC6H4COCH3=136.15

Purity: 98%(GC)	EP	RT	18425-42	25G

m-Hydroxybenzaldehyde [100-83-4]

HOC6H4CHO=122.12

Purity: 97%(T)	EP	RT	18505-92	25G

p-Hydroxybenzaldehyde [123-08-0]

HOC6H4CHO=122.12

Purity: 97%(T)	EP	RT	18506-82	25G
			18506-95	500G

m-Hydroxybenzoic Acid [99-06-9]

HOC6H4COOH=138.12

	GR	RT	18507-72	25G

p-Hydroxybenzoic Acid Sodium Salt [114-63-6]

HOC6H4COONa=160.1

Purity: 98%(T)	GR	RT	18510-12	25G

1-Hydroxybenzotriazole [HBT] [2592-95-2]

C6H4N3·OH=135.12

for Peptide Synthesis Purity: 98%(GC)	SP	RT	18513-82	25G
			18513-24	100G

m-Hydroxybenzyl Alcohol [620-24-6]

HOC6H4CH2OH=124.14

	EP	R	18524-84	10G

4-Hydroxy-2-butanone [590-90-9]

HOCH2CH2COCH3=88.11

Purity: 96%(GC)	EP	RT	18529-92	25ML

DL-3-Hydroxy-n-butyric Acid Sodium Salt [306-31-0]

C4H7O3Na=126.09

Purity: 98%(T)	GR	R	18601-51	1G

(E)-10-Hydroxy-2-decenoic Acid [14113-05-4]

C10H18O3=186.25

Purity: 98%(HPLC) Royal jelly component, Produced by Nagara Science Co., Ltd.	GR	R	04063-54	10MG
			04063-96	100MG

2-Hydroxyethyl Acrylate [818-61-1]

C5H8O3=116.12

Purity: 96%(GC)	EP	A	18608-65	500G

Hydroxyethyl Cellulose [9004-62-0]

	EP	RT	18610-02	25G
			18610-15	500G

N-Hydroxyethylethylenediamine-N,N',N'-triacetic Acid [150-39-0]

C10H18N2O7=278.26

	GR	RT	18611-92	25G

2-Hydroxyethyl Methacrylate [868-77-9]

CH2:C(CH3)COOCH2CH2OH=130.14

	EP	A	18615-52	25G
			18615-65	500G

N-(2-Hydroxyethyl)piperazine [103-76-4]				
C6H14N2O=130.19				
	GR	RT	18618-22	25G
2-Hydroxy-1-(2-hydroxy-4-sulfo-1-naphthylazo)-3-naphthoic Acid [3737-95-9]				
C21H14N2O7S=438.41				
	GR	RT	07029-11	1G
			07029-24	5G
5-Hydroxyindole-3-acetic Acid [54-16-0]				
HOC8H5NCH2COOH=191.18				
Purity: 97%(T)	CP	R	17476-54	100MG
β-Hydroxyisovalerylshikonin [7415-78-3]				
C21H24O7=388.41				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04059-24	10MG
Hydroxyl Ammonium Chloride [5470-11-1]				
H2NOH·HCl=69.49				
Purity: 98%(T)	GR	RT	18708-42	25G
			18708-55	500G
for Analysis of Poisonous Metal Purity: 98%(T)	SP	RT	18724-64	100G
Hydroxyl Ammonium Sulfate [10039-54-0]				
(H2NOH)2·H2SO4=164.14				
Purity: 98%(T)	GR	RT	18709-32	25G
Hydroxylapatite [1306-06-5]				
for Column Chromatography White crystalline powder Particle size: approx. 100-350mesh	SP	RT	18736-14	100G
for Column Chromatography White crystalline powder Particle size: approx. 100-200mesh Fast Flow Type	SP	RT	18737-04	100G
			18737-75	500G
4-Hydroxy-3-methoxycinnamic Acid [537-98-4]				
C10H10O4=194.18				
Purity: 98%(T)	GR	RT	18730-32	25G
5-(Hydroxymethyl)-2-furfural [67-47-0]				
C6H6O3=126.11				
Purity: 95%(GC)	EP	R	18725-41	1G
N-Hydroxyphthalimide [524-38-9]				
C6H4(CO)2NOH=163.13				
	EP	RT	18813-52	25G
for Peptide Synthesis	SP	RT	18814-42	25G
L-Hydroxyproline [trans-4-Hydroxy-L-proline] [51-35-4]				
C5H9NO3=131.13				
Purity: 99%(T)	GR	RT	18817-41	1G
			18817-54	5G
			18817-12	25G
(2-Hydroxypropyl)-β-cyclodextrin [128446-35-5]				
	EP	RT	18847-64	5G
			18847-22	25G
2-Hydroxypyridine [142-08-5]				
C5H4N(OH)=95.10				
	EP	RT	18821-42	25G
8-Hydroxyquinoline Sulfate [134-31-6]				
(C9H7NO)2·H2SO4=388.39				
Purity: 90%(T)	EP	RT	18912-52	25G
			18912-65	500G
8-Hydroxyquinoline-5-sulfonic Acid [84-88-8]				
C9H7NO4S·H2O=243.24				
Purity: 97%(T)	EP	RT	18913-42	25G
3α-Hydroxysteroid Dehydrogenase from Pseudomonas testosteroni [9028-56-2]				
	GR	R	18949-34	10UNITS
			18949-76	50UNITS

β-Hydroxysteroid Dehydrogenase from Pseudomonas testosteroni				
	GR	R	18950-94	10UNITS
			18950-36	50UNITS
N-Hydroxysuccinimide [6066-82-6]				
C4H5NO3=115.09				
Purity: 95%(T)	EP	RT	18948-02	25G
			18948-44	100G
for Peptide Synthesis Purity: 97%(T)	SP	A	18914-32	25G
4-Hydroxythiophenol [637-89-8]				
HOC6H4SH=126.18				
	EP	A	18944-42	25G
5-Hydroxytryptamine Hydrochloride [153-98-0]				
C10H12N2O·HCl=212.68				
Purity: 98%(T)	GR	R	18961-41	1G
5-Hydroxy-L-tryptophan [4350-09-8]				
C11H12N2O3·nH2O=220.22(Anh)				
Purity: 98%(T)	GR	R	18918-21	1G
			18918-34	5G
Hydroxyurea [127-07-1]				
HONHCONH2=76.05				
Purity: 95%(N)	CP	R	18947-41	1G
			18947-54	5G
Hygromycin B [31282-04-9]				
C20H37N3O13=527.52				
for Biochemical Research Purity: 90%(HPLC)	SP	R	07296-66	100MG
			07296-11	1G
			07296-24	5G
Hygromycin B Solution				
for Tissue Culture Cell culture tested Titer: 50mg/ml	SP	R	09287-84	20ML
Hypo-Alcohol Solution				
		RT	37123-15	500ML
Hypoxanthine [68-94-0]				
C5H4N4O=136.11				
Purity: 97%-102%(UV)	EP	RT	17487-01	1G

[I]

Ibuprofen [15687-27-1]				
C13H18O2=206.28				
Purity: 98%(T)	GR	RT	19034-61	1G
Imidazole [288-32-4]				
C3H4N2=68.08				
Purity: 99%(T)	GR	RT	19004-22	25G
			19004-35	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08787-22	25G
			08787-35	500G
Imidazole for Fluorometric [288-32-4]				
C3H4N2=68.08				
for Biochemical Research Purity: 99%(T)	SP	RT	19028-22	25G
			19028-64	100G
Iminodiacetic Acid [IDA] [142-73-4]				
HN(CH2COOH)2=133.10				
Purity: 98%(T)	GR	RT	19005-12	25G
			19005-25	500G
2,2'-Iminodiethanol [Diethanolamine] [111-42-2]				
NH(CH2CH2OH)2=105.14				
Purity: 98%(GC)	EP	RT	11920-65	500ML
Purity: 99%(GC)	GR	RT	11921-42	25ML
			11921-55	500ML
2,2'-Iminodiethanol Hydrochloride [14426-21-2]				
(HOCH2CH2)2NH·HCl=141.60				
Purity: 98%(T)	GR	RT	11922-32	25G
2-Iminothiolane Hydrochloride [4781-83-3]				
C4H8ClNS=137.63				
Bifunctional cross-linking reagent Purity: 99%(HPLC)	SP	R	19030-14	100MG
Imipramine Hydrochloride [113-52-0]				
C19H24N2·HCl=316.87				
Purity: 98%(T)	GR	RT	19041-74	5G
Immersion Oil for Microscopy				
	GR	RT	19020-02	25G
Indene [95-13-6]				
C9H8=116.16				
Purity: 85%(GC)	CP	RT	19037-02	25ML
Indigo [Indigotin] [482-89-3]				
C16H10N2O2=262.26				
Purity: 90%(Kjeldahl method)	EP	RT	19106-92	25G
Purity: 95%(Kjeldahl method)	GR	RT	19131-52	25G
Indigo Carmine [860-22-0]				
C16H8N2Na2O8S2=466.35				
Purity: 90%(UV)	EP	RT	19108-72	25G
Purity: 97.5%(UV)	GR	RT	19109-62	25G
5,5',7-Indigotrisulfonic Acid Tripotassium Salt [67627-18-3]				
C16H7K3N2O11S3=616.72				
for Ozon	SP	RT	19138-11	1G
Indium, drop [7440-74-6]				
In=114.818				
Purity: 99.9%	GR	RT	19142-54	5G
			19142-12	25G
Indium(III) Chloride [22519-64-8]				
InCl3·4H2O=293.24				
Purity: 95%(T)	EP	RT	19113-92	25G

Indium(III) Nitrate [13465-14-0]				
In(NO3)3·xH2O				
	EP	RT	19114-82	25G
Indium(III) Oxide [1312-43-2]				
In2O3=277.63				
Purity: 99.9%	EP	RT	19115-72	25G
Indole [120-72-9]				
C8H7N=117.15				
	GR	A	19118-71	1G
			19118-42	25G
3-Indoleacetic Acid [87-51-4]				
C8H6NCH2COOH=175.18				
Purity: 98%(T)	GR	A	19119-61	1G
3-Indolebutyric Acid [133-32-4]				
C8H6N(CH2)3COOH=203.24				
Purity: 98%(T)	GR	A	19126-61	1G
			19126-74	5G
2,3-Indolinedione [Isatin] [91-56-5]				
C8H5NO2=147.13				
Purity: 97.5%(N)	GR	RT	19601-05	500G
Indomethacin [53-86-1]				
C19H16ClNO4=357.79				
Purity: 98%(T)	GR	RT	19233-51	1G
			19233-64	5G
Indophenol [132-31-0]				
(CH3)2NC6H4N:C10H6:O=276.33				
	GR	RT	19205-34	5G
Indoxyl Sulfate Potassium Salt [2642-37-7]				
C8H6NOSO3K=251.30				
	GR	R	19208-04	100MG
Inosine [58-63-9]				
C10H12N4O5=268.23				
	GR	RT	07139-84	5G
			07139-42	25G
Inosine-5'-monophosphate Disodium Salt from Yeast [4691-65-0]				
	GR	R	06400-51	1G
			06400-64	5G
			06400-22	25G
myo-Inositol [Inosite] [87-89-8]				
C6H12O6=180.16				
Purity: 99%(GC)	GR	RT	19213-82	25G
			19213-95	500G
Inulin, from Dahlia Tubers [9005-80-5]				
(C6H10O5)n				
	GR	RT	19215-04	5G
			19215-62	25G
Iodine [7553-56-2]				
I=126.90447				
Purity: 99%(T)	EP	A	19219-35	500G
Purity: 99.8%(T)	GR	A	19220-82	25G
			19220-95	500G
0.5mol/l-Iodine Solution				
		RT	37327-55	500ML
0.05mol/l-Iodine Solution				
		RT	37328-45	500ML
0.01mol/l-Iodine Solution				
		RT	37329-35	500ML

0.005mol/l-Iodine Solution

		RT	37330-95	500ML

Iodine Monobromide [7789-33-5]

IBr=206.81

Purity: 95%(T)	EP	RT	19222-62	25G

Iodine Monochloride [7790-99-0]

ICl=162.36

Purity: 97%(T)	EP	RT	19223-52	25G

Iodine Trichloride [865-44-1]

ICl3=233.26

Purity: 97%(T)	EP	RT	19301-22	25G

Iodoacetamide [144-48-9]

CH2ICONH2=184.96

for SH Groups Analysis Purity: 98%(N)	SP	R	19302-54	5G

Iodoacetic Acid [64-69-7]

ICH2COOH=185.95

Purity: 98%(T)	EP	R	19303-02	25G
for SH Groups Analysis Purity: 99%(T)	SP	R	19341-31	5X1G

Iodoacetic Acid Sodium Salt [305-53-3]

ICH2COONa=207.93

for SH Groups Analysis Purity: 99%(T)	SP	R	19305-24	5G
			19305-82	25G

p-Iodoaniline [540-37-4]

IC6H4NH2=219.02

	EP	RT	19308-52	25G

p-Iodoanisole [696-62-8]

C7H7IO=234.03

	EP	RT	06987-62	25G

Iodobenzene [591-50-4]

C6H5I=204.01

Purity: 98%(GC)	GR	RT	19309-42	25G
			19309-55	500G

Iodobenzene Diacetate [3240-34-4]

C10H11IO4=322.10

	EP	RT	06958-84	10G

o-Iodobenzoic Acid [88-67-5]

IC6H4COOH=248.02

Purity: 98%(T)	GR	RT	19342-34	5G

Iodoform [75-47-8]

CHI3=393.73

Purity: 98%(T)	EP	RT	19318-22	25G

p-Iodonitrotetrazolium Violet [146-68-9]

C19H13N5O2ICl=505.7

	GR	R	19322-81	1G

1-Iodooctane [629-27-6]

C8H17I=240.13

	EP	RT	07063-22	25G

N-Iodosuccinimide [516-12-1]

C4H4NO2I=224.98

	EP	R	19331-74	5G

5-Iodouracil [696-07-1]

C4H3IN2O2=237.98

Purity: 95%(N)	EP	R	19436-14	5G

Ionomycin Calcium Salt from Streptomyces conglobatus [56092-82-1]

C41H70O9Ca=747.07

	CP	R	19446-71	1MG

Ionomycin, free acid, from Streptomyces conglobatus [56092-81-0]

C41H72O9=709.00

	CP	R	19444-91	1MG

Iridium [7439-88-5]

Ir=192.217

Purity: 99.9% Powder particle size: 250mesh or less	EP	RT	19409-61	1G

Iron, lump [7439-89-6]

Fe=55.845

Purity: 99.9% Lump	EP	RT	19414-65	500G

Iron, powder [7439-89-6]

Fe=55.845

Purity: 85%(T) Powder particle size: approx. 80mesh	CP	RT	19416-45	500G
Purity: 98%(T) Powder particle size: approx. 20-60mesh	GR	RT	19418-25	500G
Purity: 98%(T) Powder particle size: approx. 10-20mesh	GR	RT	19417-35	500G

Iron Reduced [7439-89-6]

Fe=55.845

Purity: 90%(T)	EP	RT	19421-65	500G
Purity: 95%(T)	GR	RT	19422-84	100G

Iron Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37514-24	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37549-84	100ML

Iron(III) Acetylacetonate [14024-18-1]

Fe(C5H7O2)3=353.17

Purity: 95%(T)	EP	RT	19424-22	25G

Iron(III) Chloride, Anhydrous [7705-08-0]

FeCl3=162.2

Purity: 97%(T)	EP	RT	19502-05	500G

Iron(III) Chloride Hexahydrate [10025-77-1]

FeCl3·6H2O=270.30

Purity: 97%(T)	EP	A	19432-25	500G
Purity: 99%(T)	GR	A	19433-02	25G
			19433-15	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	A	08783-04	5G

Iron(III) Chloride Solution [7705-08-0]

	CP	RT	19534-95	500G

Iron(II) Chloride Tetrahydrate [13478-10-9]

FeCl2·4H2O=198.81

Purity: 98%-102%(T)	EP	RT	19505-75	500G
Purity: 99%-102%(T)	GR	RT	19506-65	500G

Iron(III) Citrate n-Hydrate [2338-05-8]

FeC6H5O7·nH2O

	EP	RT	19507-42	25G
			19507-55	500G

Iron(III) Hydroxide [20344-49-4]

approx. FeO(OH)=88.85z

		RT	08449-65	500G

Iron(II) Lactate [5905-52-2]

Fe[CH3CH(OH)COO]2·3H2O=288.03

	CP	RT	19511-72	25G

Iron(III) Monosodium Ethylenediaminetetraacetate [15708-41-5]

C10H12N2O8FeNa·H2O=385.06

	GR	RT	15120-12	25G
			15120-25	500G

Iron(III) Nitrate Enneahydrate [7782-61-8]

Fe(NO3)3·9H2O=404.00

Purity: 98%(T)	EP	A	19513-65	500G
Purity: 99%(T)	GR	A	19514-55	500G

Iron(II) Oxalate [6047-25-2]				
FeC2O4·2H2O=179.89				
Purity: 95%-103%(T)	CP	RT	19517-25	500G
Iron(III) Oxide [1309-37-1]				
Fe2O3=159.69				
Purity: 95%(T)	CP	RT	19518-15	500G
Iron Oxide, black [1317-61-9]				
Fe3O4=231.53				
	CP	RT	19522-45	500G
Iron(III) Perchlorate n-Hydrate [15201-61-3]				
Fe(ClO4)3·nH2O				
	CP	A	19524-12	25G
Iron(III) Phosphate [31096-47-6]				
FePO4·xH2O				
	CP	A	19526-05	500G
Iron(II) Sulfate Heptahydrate [7782-63-0]				
FeSO4·7H2O=278.01				
Purity: 98%-102.5%(T)	EP	RT	19531-25	500G
Purity: 99%-102%(T)	GR	RT	19532-15	500G
Iron(III) Sulfate n-Hydrate [10028-22-5]				
Fe2(SO4)3·nH2O				
	EP	RT	19529-75	500G
	GR	RT	19530-35	500G
Iron(II) Sulfide [1317-37-9]				
FeS=87.91				
Purity: 50%(T)	CP	RT	19533-21	1KG
Isatoic Anhydride [118-48-9]				
C8H5NO3=163.13				
	EP	RT	19603-72	25G
D-Isoascorbic Acid [89-65-6]				
C6H8O6=176.12				
Purity: 98%(T)	GR	RT	03423-22	25G
Isobutyl Acetate [110-19-0]				
CH3COOCH2CH(CH3)2=116.16				
Purity: 98%(GC)	EP	RT	06025-65	500ML
Isobutylamine [78-81-9]				
(CH3)2CHCH2NH2=73.14				
Purity: 99%(GC)	GR	RT	06106-05	500ML
Isobutyl Bromide [78-77-3]				
(CH3)2CHCH2Br=137.02				
Purity: 97%(GC)	EP	RT	06126-32	25G
Isobutyl Chloride [513-36-0]				
(CH3)2CHCH2Cl=92.57				
Purity: 98%(GC)	GR	RT	06211-02	25ML
Isobutyl Chlorocarbonate [543-27-1]				
(CH3)2CHCH2CO2Cl=136.58				
Purity: 95%(GC)	EP	RT	06222-62	25G
3-Isobutyl-1-methylxanthine [28822-58-4]				
C10H14N4O2=222.24				
Purity: 98%(HPLC)	GR	R	19624-44	100MG
			19624-86	250MG
			19624-31	1G
Isobutyraldehyde [78-84-2]				
(CH3)2CHCHO=72.11				
Purity: 98%(GC)	EP	RT	06423-32	25ML
			06423-45	500ML

Isobutyric Acid [79-31-2]				
(CH3)2CHCOOH=88.11				
Purity: 98%(GC)	GR	RT	06429-72	25ML
			06429-85	500ML
Isobutyric Anhydride [97-72-3]				
[(CH3)2CHCO]2O=158.19				
Purity: 95%(GC)	EP	RT	06503-82	25ML
			06503-95	500ML
Isobutyryl Chloride [79-30-1]				
(CH3)2CHCOCl=106.55				
Purity: 97%(GC)	EP	A	06510-82	25G
Isobutyrylshikonin [52438-12-7]				
C20H22O6=358.39				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04058-34	10MG
DL-Isocitric Acid Trisodium Salt [1637-73-6]				
C6H5O7Na3·xH2O				
	GR	RT	19608-51	1G
			19608-64	5G
Isoflavone Aglycon Mixture A				
Purity: Total 95%(HPLC) Produced by Nagara Science Co., Ltd.		RT	05159-71	1G
Isoflavone Aglycon Mixture B				
Purity: Total 95%(HPLC) Produced by Nagara Science Co., Ltd.		RT	05160-31	1G
Isoflavone Glucoside Mixture A				
Purity: Total 95%(HPLC) Produced by Nagara Science Co., Ltd.		RT	05161-21	1G
Isoflavone Glucoside Mixture B				
Purity: Total 95%(HPLC) Produced by Nagara Science Co., Ltd.		RT	05162-11	1G
L-(+)-Isoleucine [73-32-5]				
C6H13NO2=131.17				
Purity: 99%(T)	GR	RT	20330-31	1G
			20330-02	25G
			20330-15	500G
Isomaltose [499-40-1]				
C12H22O11=342.30				
Purity: 95%(HPLC) Concentration: approx. 75%	EP	RT	19625-34	100MG
			19625-21	1G
Isonicotinic Acid [Pyridine-4-carboxylic Acid] [55-22-1]				
C5H4NCOOH=123.11				
Purity: 98%(T)	GR	RT	19615-22	25G
			19615-35	500G
α-Isonitrosopropiophenone [119-51-7]				
C9H9NO2=163.17				
	GR	RT	19618-34	5G
			19618-92	25G
Isopentane [78-78-4]				
(CH3)2CHCH2CH3=72.15				
Purity: 98%(GC)	EP	RT	26404-75	500ML
Purity: 99%(GC)	GR	RT	26405-52	25ML
			26405-65	500ML
N6-(2-Isopentenyl)adenine [2365-40-4]				
C10H13N5=203.24				
Purity: 98%(HPLC)	EP	R	02744-94	100MG
Isopentyl Nitrite [110-46-3]				
(CH3)2CHCH2CH2ONO=117.15				
Purity: 95%(GC)	EP	R	02901-82	25G
Isophorone [78-59-1]				
C9H14O=138.21				
Purity: 97%(GC)	CP	RT	19619-95	500ML

Isophthalic Acid [121-91-5]				
C6H4(COOH)2=166.13				
Purity: 95%(T)	EP	RT	19622-22	25G
			19622-35	500G
Isoprene [2-Methyl-1,3-butadiene] [78-79-5]				
CH2:C(CH3)CH:CH2=68.12				
Purity: 98%(GC)	EP	A	19702-72	25ML
			19702-85	500ML
Isopropenyl Acetate [108-22-5]				
CH3COOC(CH3):CH2=100.12				
Purity: 99%(GC)	GR	RT	29023-62	25ML
Isopropyl Acetate [108-21-4]				
CH3COOCH(CH3)2=102.13				
Purity: 99%(GC)	GR	RT	29106-95	500ML
N-Isopropylacrylamide [2210-25-5]				
C6H11NO=113.16				
	EP	RT	07089-02	25G
Isopropylamine [75-31-0]				
(CH3)2CHNH2=59.11				
Purity: 99%(GC)	GR	RT	29121-72	25ML
			29121-85	500ML
Isopropylamine Hydrochloride [15572-56-2]				
(CH3)2CHNH2·HCl=95.57				
	GR	RT	29123-52	25G
Isopropyl Bromide [75-26-3]				
(CH3)2CHBr=122.99				
Purity: 98%(GC)	GR	RT	29203-02	25G
			29203-15	500G
Isopropyl Iodide [75-30-9]				
(CH3)2CHI=169.99				
Purity: 98%(GC)	GR	RT	29306-62	25G
Isopropyl Myristate [110-27-0]				
C17H34O2=270.45				
Purity: 95%(GC)	EP	RT	29312-72	25ML
			29312-85	500ML
Isopropyl Palmitate [142-91-6]				
C19H38O2=298.50				
	EP	RT	29313-75	500G
Isopropyl-β-D-thiogalactopyranoside [IPTG], Dioxane free [367-93-1]				
C9H18O5S=238.30				
Purity: 98%(HPLC)	GR	R	19742-36	100MG
			19742-81	1G
			19742-94	10G
			19742-07	100G
for Molecular Biology Purity: 99%(HPLC) Nuclease and Protease tested	SP	R	06289-54	100MG
			06289-41	1G
100mmol/l-Isopropyl-β-D-thiogalactopyranoside [IPTG] Solution				
for Molecular Biology Water solution, Filtered by 0.22um	SP	F	07496-91	10X1ML
DL-Isoproterenol Hydrochloride [949-36-0]				
C11H17NO3·HCl=247.72				
Purity: 98%(T)	GR	RT	19703-04	5G
Isoquinoline [119-65-3]				
C9H7N=129.16				
	CP	RT	19744-32	25G
Isovaleraldehyde [590-86-3]				
(CH3)2CHCH2CHO=86.13				
	EP	RT	36012-82	25G

Isovaleric Acid [503-74-2]				
(CH3)2CHCH2COOH=102.13				
Purity: 98%(GC)	EP	RT	36019-12	25ML
			36019-25	500ML
Isovalerylshikonin [52387-14-1]				
C21H24O6=372.41				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04060-71	1MG
Itaconic Acid [97-65-4]				
CH2:C(COOH)CH2COOH=130.10				
Purity: 99%(T)	GR	RT	19714-35	500G

[J]

Japanese Acid Clay				
		RT	19725-95	500G
Japanese Active Clay				
		RT	06877-15	500G

[K]

Kanamycin Monosulfate [25389-94-0]				
C18H36N4O11·H2SO4=582.58				
Kanamycin A 95%, Kanamycin B 5% mixture	EP	RT	19839-31	1G
			19839-44	5G
for Tissue Culture Component: Knamycin A 95%, Knamycin B approx.5% mixture	SP	RT	08976-71	1G
			08976-84	5G
Kanamycin Sulfate [25389-94-0]				
C18H36N4O11·xH2SO4				
	EP	RT	19860-31	1G
			19860-44	5G
Kaolin [1332-58-7]				
Powder particle size: 350mesh or less		RT	19829-45	500G
Powder particle size: approx. 0.1-4um	EP	RT	19830-05	500G
Keratin				
		RT	09378-52	25G
Kerosene [Kerosine] [8008-20-6]				
	CP	RT	19810-65	500ML
2-Keto-n-butyric Acid [600-18-0]				
C2H5COCOOH=102.09				
Purity: 97%(T)	GR	R	19811-71	1G
2-Ketoglutaric Acid [328-50-7]				
HOOCCH2CH2COCOOH=146.10				
Purity: 99%(T)	GR	R	19817-82	25G
			19817-95	500G
2-Ketoglutaric Acid Monopotassium Salt [997-43-3]				
C5H5O5K=184.19				
	GR	R	19818-01	1G
2-Ketoglutaric Acid Monosodium Salt [22202-68-2]				
C5H5O5Na=168.08				
Purity: 98%(T)	GR	R	19819-91	1G
			19819-04	10G
Kinetin [525-79-1]				
C4H3OCH2NHC5H3N4=215.21				
Purity: 99%(T)	GR	R	19905-06	100MG
			19905-51	1G
Kojic Acid [501-30-4]				
C6H6O4=142.11				
Purity: 98%(T)	EP	RT	19907-02	25G

[L]

Lactic Acid [598-82-3]				
CH3CH(OH)COOH=90.08				
	EP	RT	20005-85	500G
	GR	RT	20006-62	25G
			20006-75	500G
D-(-)-Lactic Acid [10326-41-7]				
CH3CH(OH)COOH=90.08				
Purity: 90%	EP	F	20055-22	25MG
			20055-64	100MG
L-(+)-Lactic Acid [79-33-4]				
CH3CH(OH)COOH=90.08				
Purity: 98%(T)	GR	R	20054-61	1G
			20054-74	5G
L-Lactic Dehydrogenase from Rabbit Muscle [9001-60-9]				
Activity: 400-700u/mg protein Two-time crystallized,	BC	R	20057-44	5000UNITS
65% Ammonium Sulfate suspension, pH7.2, includes 1mM 2-Mercaptoethanol			20057-86	25000UNITS
β-Lactose [5965-66-2]				
C12H22O11=342.3				
			20041-92	25G
Lactose Monohydrate [5989-81-1]				
C12H22O11·H2O=360.31				
α-form	EP	RT	20013-75	500G
	GR	RT	20014-52	25G
			20014-65	500G
Laminarin [9008-22-4]				
		RT	20047-61	1G
			20047-74	5G
Lanthanum [7439-91-0]				
La=138.90547				
Purity: 99.9%	EP	RT	20056-12	25G
Lanthanum Acetate [917-70-4]				
La(CH3COO)3·1 1/2H2O=343.06				
Purity: 95%(T)	EP	RT	20021-52	25G
Lanthanum Carbonate [54451-24-0]				
La2(CO3)3·xH2O				
	CP	RT	20022-42	25G
			20022-55	500G
Lanthanum Chloride, Anhydrous [10099-58-8]				
LaCl3=245.26				
	EP	RT	20024-22	25G
Lanthanum Chloride Heptahydrate [10025-84-0]				
LaCl3·7H2O=371.37				
Purity: 95%(T)	EP	RT	20023-32	25G
			20023-45	500G
Lanthanum Fluoride [13709-38-1]				
LaF3=195.90				
	EP	RT	20025-12	25G
Lanthanum Nitrate [10277-43-7]				
La(NO3)3·6H2O=433.01				
Purity: 95%(T)	EP	RT	20026-15	500G
Purity: 99.9%	GR	RT	20033-02	25G
			20033-15	500G
Lanthanum Oxalate [537-03-1]				
La2(C2O4)3·9H2O=704.01				
	EP	RT	20101-02	25G

Lanthanum Oxide [1312-81-8]				
La2O3=325.81				
Purity: 99.99%	GR	RT	20131-12	25G
			20131-25	500G
LAS-C8 [p-n-Octylbenzenesulfonic Acid Sodium Salt] [6149-03-7]				
C8H17C6H4SO3Na=292.37				
for Water Analysis Purity: 99%(HPLC)	SP	RT	20147-51	1G
LAS-C9 [p-n-Nonylbenzenesulfonic Acid Sodium Salt]				
C9H19C6H4SO3Na=306.40				
for Water Analysis Purity: 99%(HPLC)	SP	RT	20148-41	1G
LAS-C10 [p-n-Decylbenzenesulfonic Acid Sodium Salt]				
C10H21C6H4SO3Na=320.42				
for Water Analysis Purity: 99%(HPLC)	SP	RT	20149-31	1G
LAS-C12 [p-n-Dodecylbenzenesulfonic Acid Sodium Salt] [2211-98-5]				
C12H25C6H4SO3Na=348.48				
for Water Analysis Purity: 99%(HPLC)	SP	RT	20151-81	1G
LAS-C14 [p-n-Tetradecylbenzenesulfonic Acid Sodium Salt]				
C14H29C6H4SO3Na=376.53				
for Water Analysis Purity: 99%(HPLC)	SP	RT	20153-61	1G
Lauric Acid [143-07-7]				
CH3(CH2)10COOH=200.32				
Purity: 95%(GC)	EP	RT	20107-55	500G
Purity: 99%(GC)	GR	RT	20108-32	25G
Lauric Acid Sodium Salt [629-25-4]				
CH3(CH2)10COONa=222.3				
Purity: 97%(T)	GR	RT	20109-22	25G
Lauroyl Peroxide [105-74-8]				
(C11H23CO)2O2=398.62				
Purity: 97%(T)	EP	RT	20115-32	25G
N-Lauroylsarcosine [97-78-9]				
C15H29NO3=271.40				
	EP	RT	20116-22	25G
N-Lauroylsarcosine Sodium Salt [137-16-6]				
C15H28NO3Na=293.38				
approx. 30% water solution		RT	20135-14	100G
C15H28NO3Na·H2O=311.39				
Purity: 95%(T)	EP	RT	20117-12	25G
			20117-25	500G
Laurylbenzenesulfonic Acid Sodium Salt [25155-30-0]				
CH3(CH2)11C6H4SO3Na=348.48				
Purity: 93%(T)	EP	RT	20123-22	25G
			20123-35	500G
Lauryl Bromide [143-15-7]				
CH3(CH2)11Br=249.23				
Purity: 97%(GC)	EP	RT	20124-12	25G
Lauryltrimethylammonium Bromide [1119-94-4]				
[C12H25N(CH3)3]Br=308.34				
Purity: 98%(T)	EP	RT	20132-44	10G
Lauryltrimethylammonium Chloride [112-00-5]				
[C12H25N(CH3)3]Cl=263.89				
Purity: 95%(T)	CP	RT	20134-82	25G
Lavender Oil [8000-28-0]				
	CP	RT	25610-82	25ML
Lawesson's Reagent [19172-47-5]				
C14H14O2P2S4=404.47				
	EP	RT	20146-32	25G
LB Agar, Lennox				
for Microorganism Culture Powder	SP	RT	20067-85	500G

LB Agar, Miller				
for Microorganism Culture Powder	SP	RT	20069-65	500G
			20069-94	2KG
LB Broth, Lennox				
for Microorganism Culture Powder	SP	RT	20066-95	500G
			20066-24	2KG
LB Broth, Miller				
for Microorganism Culture Powder	SP	RT	20068-75	500G
			20068-04	2KG
Lead, granular [7439-92-1]				
Pb=207.2				
	GR	RT	20235-75	500G
Lead, powder [7439-92-1]				
Pb=207.2				
Powder Particle size: 145mesh or less	CP	RT	20202-95	500G
Lead Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37532-84	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37550-44	100ML
Lead(IV) Acetate [Lead(IV) Tetraacetate] [546-67-8]				
(CH3COO)4Pb=443.38				
Purity: 85%(T)		A	20234-72	25G
Lead(II) Acetate Trihydrate [6080-56-4]				
Pb(CH3COO)2·3H2O=379.33				
Purity: 99.5%(T)	GR	RT	20206-42	25G
			20206-55	500G
Lead(II) Chloride [7758-95-4]				
PbCl2=278.11				
Purity: 99%(T)	GR	RT	20218-92	25G
Lead(IV) Dioxide [Lead Peroxid] [1309-60-0]				
PbO2=239.20				
Purity: 97%(T)	GR	RT	20307-51	1G
			20307-22	25G
di-Lead(II) Lead(IV) Oxide, red [Trilead Tetraoxide;tri-Lead tetra-Oxide] [1314-41-6]				
Pb3O4=685.6				
Purity: 97%(T)	GR	RT	20304-65	500G
Lead(II) Nitrate [10099-74-8]				
Pb(NO3)2=331.21				
Purity: 99.5%(T)	GR	RT	20230-12	25G
for Electro Microscopy Purity: 99.5%(T)	SP	RT	20231-02	25G
Lead(II) Oxide, yellow [1317-36-8]				
PbO=223.2				
Purity: 99.5%(T)	GR	RT	20302-72	25G
			20302-85	500G
Lead(II) Perchlorate [13453-62-8]				
Pb(ClO4)2·3H2O=460.15				
Purity: 95%(T)	CP	RT	20305-42	25G
Lead(II) Thiocyanate [592-87-0]				
Pb(SCN)2=323.37				
Purity: 98%(T)	EP	RT	20345-35	500G
Lecithin from Egg Yolk [8002-43-5]				
Phosphatidyl choline content: approx. 70%, Phospholipid content: 99% or more	EP	F	20342-52	25G
Lecithin from Soybean [8002-43-5]				
	CP	A	20323-15	500G
Purity: 60%(W) Powder	CP	A	20335-52	25G
			20335-65	500G
Lecithin, Hydrogenated, from Egg Yolk				
Phosphatidyl choline content: approx. 70%, Phospholipid content: 99% or more	EP	R	20341-04	100G

Lemon Oil [8008-56-8]				
	CP	RT	25611-72	25G
Lepidine [4-Methylquinoline] [491-35-0]				
C10H9N=143.19				
	GR	RT	20324-92	25ML
D-Leucine [328-38-1]				
(CH3)2CHCH2CH(NH2)COOH=131.17				
Purity: 98%(T)	GR	RT	20325-11	1G
L-Leucine [61-90-5]				
(CH3)2CHCH2CH(NH2)COOH=131.17				
	GR	RT	20327-46	5G
			20327-62	25G
			20327-75	500G
L-Leucineamide Hydrochloride [10466-61-2]				
C6H14N2O·HCl=166.65				
Purity: 99%(T)	GR	RT	20401-72	25G
L-Leucine-β-naphthylamide Hydrochloride [893-36-7]				
C16H20N2O·HCl=292.80				
Purity: 95%(T)	GR	R	20417-24	100MG
			20417-11	1G
Leuco Malachite Green [129-73-7]				
C23H26N2=330.47				
	GR	RT	06998-51	1G
Leupeptin Hemisulfate Monohydrate [103476-89-7]				
C20H38N6O4·1/2H2SO4·H2O=493.61				
		R	20454-34	5MG
			20454-76	10MG
			20454-92	25MG
Levamisole Hydrochloride [16595-80-5]				
C11H13ClN2S=240.75				
Purity: 99%(T)	GR	RT	20442-71	1G
Levulinic Acid [123-76-2]				
CH3COCH2CH2COOH=116.12				
Purity: 97%(T)	GR	A	20422-02	25G
			20422-15	500G
Lidocaine [137-58-6]				
C6H3(CH3)2NHCOCH2N(C2H5)2=234.34				
Purity: 99%(T)	GR	RT	20428-26	5G
			20428-42	25G
			20428-84	100G
Lignin [9005-53-2]				
	CP	RT	20453-02	25G
			20453-15	500G
Ligroin [8032-32-4]				
Fraction (75-120°C): 90% or more	EP	RT	06776-35	500ML
Fraction (80-110°C): 90% or more	GR	RT	06777-25	500ML
D-Limonene [5989-27-5]				
C10H16=136.23				
Purity: 95%(GC)	EP	RT	20503-42	25ML
			20503-55	500ML
D-Limonene				
for Histochemical Research	SP	RT	09480-21	1L
Linalool [78-70-6]				
C10H18O=154.25				
Purity: 98%(GC)	EP	RT	20505-22	25ML
Linolenic Acid [9,12,15-Octadecatrienoic Acid] [463-40-1]				
CH3(CH2CH:CH)3(CH2)7COOH=278.43				
Purity: 70%(GC)	CP	A	20526-52	25ML

Linolic Acid [cis,cis-9,12-Octadecadienoic Acid] [60-33-3]				
C18H32O2=280.45				
Purity: 90%(GC)	CP	R	20541-42	25ML
Purity: 99%(GC)	GR	F	20513-41	1G
Linseed Oil [8001-26-1]				
	CP	RT	25612-75	500G
Lipase from Candida cylindracea [9001-62-1]				
Lyophilized powder	GR	R	20533-94	5000UNITS
Lipase from Porcine Pancreas [9001-62-1]				
Activity: 100-499u/mg protein Crude product	BC	R	20552-02	25G
Lipoarabinomannan(LAM) from Mycobacterium tuberculosis Aoyama-B				
Liquid Clear	BC	F	02449-61	1ML
DL-α-Lipoic Acid [DL-Thioctic Acid] [1077-28-7]				
C8H14O2S2=206.33				
Purity: 98%(UV)	GR	A	20518-91	1G
			20518-04	5G
Lipopolysaccharide(LPS) from E.coli O157				
Powder Light-pale yellow	BC	R	20389-04	10MG
Lipoxidase from Soybean [9029-60-1]				
Activity: 100,000u/mg solid or more Lyophilized powder Salt free	BC	F	20551-54	100MG
Lithium [7439-93-2]				
Li=6.941				
	EP	RT	20601-94	100G
Lithium, stick [7439-93-2]				
Li=6.941				
Purity: 99.9% Stick, size: approx.10mmx30mm	GR	RT	20644-02	25G
Lithium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37501-84	100ML
Lithium Acetate Dihydrate [6108-17-4]				
$CH_3COOLi \cdot 2H_2O$=102.02				
	EP	RT	20604-22	25G
			20604-35	500G
for Amino Acid Auto Analyzer Purity: 98%(T)	SP	RT	20640-55	500G
Lithium Benzoate [553-54-8]				
C_6H_5COOLi=128.05				
Purity: 97%(T)	EP	RT	20610-32	25G
Lithium Borate, Anhydrous [12007-60-2]				
$Li_2B_4O_7$=169.12				
Purity: 95%(T)	EP	RT	20611-64	250G
Purity: 98%(T)	GR	RT	20637-02	25G
			20637-44	250G
Lithium Borofluoride, Anhydrous [14283-07-9]				
$LiBF_4$=93.75				
Purity: 98%(W)	EP	RT	20613-31	1G
			20613-02	25G
Lithium Bromide [23303-71-1]				
$LiBr \cdot H_2O$=104.86				
Purity: 98%(T)	EP	RT	20616-72	25G
			20616-85	500G
Lithium Carbonate [554-13-2]				
Li_2CO_3=73.89				
Purity: 98%(T)	EP	RT	20618-65	500G
Purity: 99%(T)	GR	RT	20619-42	25G
			20619-55	500G

Lithium Chloride, Anhydrous [7447-41-8]				
LiCl=42.39				
Purity: 98%(T)	EP	RT	20623-85	500G
Purity: 99%(T)	GR	RT	20624-62	25G
			20624-75	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	20645-92	25G
			20645-05	500G
10mol/l-Lithium Chloride Solution [7447-41-8]				
for Protein Structural Analysis	SP	R	05560-04	100ML
8mol/l-Lithium Chloride Solution [7447-41-8]				
for Molecular Biology Water solution, Nuclease tested	SP	RT	20077-84	5X10ML
Lithium Fluoride [7789-24-4]				
LiF=25.94				
Purity: 97%(T)	EP	RT	20630-72	25G
			20630-85	500G
Lithium Hydroxide Monohydrate [1310-66-3]				
$LiOH \cdot H_2O$=41.96				
Purity: 99%(T)	GR	RT	20635-22	25G
			20635-35	500G
for Amino Acid Auto Analyzer Purity: 99%(T)	SP	RT	20701-55	500G
Lithium Lactate [867-55-0]				
$LiC_3H_5O_3$=96.01				
Purity: 98%(T)	EP	RT	20703-22	25G
Lithium L-(+)-Lactate [27848-80-2]				
$LiC_3H_5O_3$=96.01				
Purity: 98%(T)	GR	R	20739-14	10G
			20739-56	100G
Lithium Lauryl Sulfate [2044-56-6]				
$C_{12}H_{25}OSO_3Li$=272.33				
for Molecular Biology Purity: 99% Nuclease and Protease tested	SP	RT	08923-22	25G
for Research of Insoluble Protein Purity: 99%	SP	RT	20737-34	5G
			20737-92	25G
Lithium Nitrate [7790-69-4]				
$LiNO_3$=68.95				
Purity: 98%(T)	GR	RT	20706-92	25G
			20706-05	500G
Lithium Perchlorate [13453-78-6]				
$LiClO_4 \cdot 3H_2O$=160.44				
Purity: 98%(T)	EP	RT	20708-72	25G
			20708-85	500G
Lithium Perchlorate, Anhydrous [7791-03-9]				
$LiClO_4$=106.39				
Purity: 97%(T)	EP	RT	20741-22	25G
Lithium Phosphate [10377-52-3]				
Li_3PO_4=115.79				
	EP	RT	20709-62	25G
			20709-75	500G
Lithium Sulfate Monohydrate [10102-25-7]				
$Li_2SO_4 \cdot H_2O$=127.96				
Purity: 99%(T)	GR	RT	20712-02	25G
			20712-15	500G
2mol/l-Lithium Sulfate Solution				
for Protein Structural Analysis	SP	R	05581-34	100ML
Lithocholic Acid [434-13-9]				
$C_{24}H_{40}O_3$=376.57				
	EP	RT	09174-54	5G
Litmus [1393-92-6]				
	GR	RT	20746-72	25G

Loffelr's Methylene Blue Solution				
	RT	37125-95		500ML
D-Luciferin Potassium Salt [115144-35-9]				
C11H7KN2O3S2=318.42				
	GR	F	20028-24	10MG
Lucifer Yellow CH [67769-47-5]				
C13H9Li2N5O9S2=457.25				
	CP	R	20758-22	25MG
Lucigenin [2315-97-1]				
C28H22N4O6=510.5				
Purity: 98%(HPLC)	GR	RT	20745-11	1G
Luminol [521-31-3]				
C8H7N3O2=177.16				
Purity: 95%(T)	GR	RT	20721-24	5G
			20721-82	25G
for Chemoluminometrical Assay	SP	R	20751-21	1G
			20751-34	5G
2,4-Lutidine [2,4-Dimethylpyridine] [108-47-4]				
(CH3)2C5H3N=107.15				
Purity: 98%(GC)	GR	RT	20756-42	25ML
2,6-Lutidine [2,6-Dimethylpyridine] [108-48-5]				
C7H9N=107.15				
Purity: 99%(GC)	GR	RT	20733-32	25ML
LUVEAK(R)-812 [13236-02-7]				
for Electro Microscopy	SP	RT	20829-34	200G
			20829-05	500G
LUVEAK(R)-815				
for Electro Microscopy	SP	RT	14422-05	500G
LUVEAK(R)-DDSA(Hardener) [25377-73-5]				
for Electro Microscopy	SP	RT	14423-95	500G
LUVEAK(R)-DMP-30(Accelerator) [90-72-2]				
C15H27N3O=265.39				
for Electro Microscopy	SP	RT	14425-62	25G
			14425-75	500G
LUVEAK(R)-MNA(Hardener) [25134-21-8]				
C10H10O3=178.18				
for Electro Microscopy	SP	RT	14424-85	500G
Lymphocyte Separation Solution				
Density: 1.077		R	20828-44	100ML
			20828-15	500ML
Density: 1.119		R	20839-04	100ML
DL-Lysine(free base) [70-54-2]				
H2N(CH2)4CH(NH2)COOH=146.19				
Purity: 97%(T)	GR	R	20840-64	5G
L-Lysine(free base) [56-87-1]				
C6H14N2O2·nH2O=146.19(Anh)				
Purity: 97%(T)	GR	R	20805-21	1G
			20805-34	5G
L-Lysine Monohydrochloride [657-27-2]				
H2N(CH2)4CH(NH2)COOH·HCl=182.65				
Purity: 99%(T)	GR	RT	20809-52	25G
			20809-65	500G
Lysozyme Chloride from Egg White [9066-59-5]				
	GR	R	20841-41	1G
			20841-54	5G

[M]

Magnesium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37505-44	100ML
Magnesium Acetate Tetrahydrate [16674-78-5]				
(CH3COO)2Mg·4H2O=214.45				
Purity: 99%(T)	GR	A	20821-85	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	A	20849-32	25G
			20849-45	500G
Magnesium Acetylacetonate [14024-56-7]				
Mg(C5H7O2)2=222.52				
	EP	RT	20901-22	25G
Magnesium Bromide [13446-53-2]				
MgBr2·6H2O=292.20				
Purity: 98%(T)	EP	RT	20903-02	25G
Magnesium Carbonate, Basic [39409-82-0]				
(MgCO3)4Mg(OH)2·xH2O				
	CP	RT	20904-05	500G
Magnesium Chloride, Dehydrate [7786-30-3]				
MgCl2=95.21				
Purity: 97%(T)		RT	20935-05	500G
Magnesium Chloride Hexahydrate [7791-18-6]				
MgCl2·6H2O=203.30				
	EP	A	20908-65	500G
			20908-94	20KG
Purity: 98%(T)	GR	A	20909-42	25G
			20909-55	500G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	A	20937-72	25G
1mol/l-Magnesium Chloride Solution, Sterile-filtered and Autoclaved [7791-18-6]				
for Molecular Biology Water solution, Nuclease tested	SP	RT	20942-34	5X10ML
0.5mol/l-Magnesium Chloride Solution				
for Protein Structural Analysis	SP	R	05591-04	100ML
0.05mol/l-Magnesium Chloride Solution				
		RT	95812-85	500ML
Magnesium Hydrogen Phosphate [7782-75-4]				
MgHPO4·3H2O=174.33				
	CP	RT	20931-45	500G
Magnesium Hydroxide [1309-42-8]				
Mg(OH)2=58.32				
Purity: 95%(T)	CP	RT	20914-75	500G
Magnesium Iodide				
MgI2·6H2O=386.21				
Purity: 95%(T)	CP	RT	20916-42	25G
Magnesium Nitrate Hexahydrate [13446-18-9]				
Mg(NO3)2·6H2O=256.41				
Purity: 98%(T)	EP	A	20918-35	500G
Purity: 99%(T)	GR	A	20919-12	25G
			20919-25	500G
Magnesium Oxide [1309-48-4]				
MgO=40.30				
Purity: 98%(T)	EP	RT	20921-75	500G
Purity: 99%(T)	GR	RT	20923-42	25G
			20923-84	250G

Magnesium Perchlorate [10034-81-8]				
Mg(ClO4)2=223.21				
for Elemental Analysis Purity: 83%(T) Granular, size: approx.10-24mesh	SP	RT	20928-34	50G
			20928-76	100G
			20928-05	500G
for Elemental Analysis Purity: 83%(T) Granular, size: approx.24-48mesh	SP	RT	20929-24	50G
			20929-66	100G
			20929-95	500G
Magnesium Silicate [39365-87-2]				
	EP	RT	21006-45	500G
Magnesium di-Sodium Ethylenediaminetetraacetate Tetrahydrate [14402-88-1]				
C10H12N2O8MgNa2·4H2O=430.56				
Purity: 98%(T)	GR	RT	15122-92	25G
Magnesium Stearate [557-04-0]				
approx. Mg(C17H35COO)2=591.24				
	EP	RT	21001-24	250G
Magnesium Sulfate, Anhydrous [7487-88-9]				
MgSO4=120.37				
	EP	RT	21032-95	500G
			21032-24	20KG
Magnesium Sulfate, Dehydrate [22189-08-8]				
MgSO4·xH2O				
	CP	RT	21004-65	500G
			21004-94	4KG
Magnesium Sulfate Heptahydrate [10034-99-8]				
MgSO4·7H2O=246.47				
Purity: 99%(T)	EP	RT	21002-85	500G
			21002-72	25KG
Purity: 99.5%(T)	GR	RT	21003-75	500G
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	06296-25	500G
2.5mol/l-Magnesium Sulfate Solution				
for Protein Structural Analysis	SP	R	05587-74	100ML
1mol/l-Magnesium Sulfate Solution, Sterile-filtered and Autoclaved				
for Molecular Biology Nuclease tested	SP	RT	20941-44	5X10ML
Magnolol [528-43-8]				
C18H18O2=266.33				
for Galenicals Test Purity: 98%(HPLC)	SP	R	21042-36	10MG
			21042-94	30MG
Malachite Green(Oxalate) [2437-29-8]				
(C23H24N2)2(C2H2O4)3=927.00				
Purity: 80%(W)	EP	RT	21015-12	25G
			21015-25	500G
Maleic Acid [110-16-7]				
HOOCCH:CHCOOH=116.07				
Purity: 98%(T)	EP	RT	21019-85	500G
Purity: 99%(T)	GR	RT	21020-32	25G
			21020-45	500G
Maleic Acid Disodium Salt [371-47-1]				
(CHCOONa)2=160.04				
Purity: 98%(T)	EP	RT	21021-22	25G
Maleic Acid Monosodium Salt [3105-55-3]				
C4H3O4Na·3H2O=192.1				
Purity: 99%(T)	GR	RT	21022-12	25G
Maleic Anhydride [108-31-6]				
(:CHCO)2O=98.06				
Purity: 98%(T)	EP	RT	21024-05	500G
Purity: 99%(T)	GR	RT	21025-95	500G

N-(m-Maleimidobenzoyloxy)succinimide [MBS] [58626-38-3]				
C15H10N2O6=314.25				
Bifunctional cross-linking reagent Purity: 96%(N)	SP	R	21035-94	100MG
D-(+)-Malic Acid [636-61-3]				
HOOCCH(OH)CH2COOH=134.09				
Purity: 98%(T)	GR	RT	21027-91	1G
DL-Malic Acid [617-48-1]				
HOOCCH(OH)CH2COOH=134.09				
Purity: 98%(T)	EP	RT	21028-65	500G
Purity: 99%(T)	GR	RT	21029-42	25G
			21029-55	500G
L-(-)-Malic Acid [97-67-6]				
HOOCCH(OH)CH2COOH=134.09				
Purity: 98%(T)	GR	RT	21030-44	5G
			21030-02	25G
DL-Malic Acid Disodium Salt [676-46-0]				
C4H4Na2O5·1/2H2O=187.06				
	GR	RT	21101-72	25G
			21101-85	500G
L-Malic Acid Monosodium Salt [3105-51-9]				
HOOCCH(OH)CH2COONa=156.07				
	GR	RT	21102-04	5G
Malonaldehyde Bis(dimethyl Acetal) [102-52-3]				
(CH3O)2CHCH2CH(OCH3)2=164.20				
Purity: 98%(GC)	EP	RT	21144-22	25G
Malonic Acid [141-82-2]				
CH2(COOH)2=104.06				
Purity: 98%(T)	EP	RT	21130-05	500G
Purity: 99%(T)	GR	RT	21106-22	25G
			21106-35	500G
Malonic Acid Disodium Salt Monohydrate [26522-85-0]				
CH2(COONa)2·H2O=166.04				
Purity: 97%(T)	EP	RT	21108-02	25G
3.4mol/l-Malonic Acid Disodium Salt Solution				
for Protein Structural Analysis	SP	R	05588-64	100ML
Malononitrile [109-77-3]				
NCCH2CN=66.06				
Purity: 98%(GC)	GR	RT	21131-82	25G
Malonyl Coenzyme A Lithium Salt [108347-84-8]				
Purity: 90%(HPLC)	CP	F	21150-74	10MG
6”-O-Malonyldaidzin [124590-31-4]				
C24H22O12=502.42				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04616-01	1MG
6”-O-Malonylgenistin [51011-05-3]				
C24H22O13=518.42				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04625-81	1MG
6”-O-Malonylglycitin [137705-39-6]				
C25H24O13=532.45				
Purity: 90%(HPLC) Produced by Nagara Science Co., Ltd.	EP	F	04624-91	1MG
Maltitol [585-88-6]				
C12H24O11=344.31				
	GR	R	21148-24	100MG
Maltoheptaose [34620-78-5]				
C42H72O36=1153				
Purity: 95%(HPLC)	GR	RT	21136-74	100MG
Maltohexaose [34620-77-4]				
C36H62O31=990.86				
Purity: 95%(HPLC)	GR	RT	21137-64	100MG

Maltose Monohydrate [6363-53-7]
C12H22O11·H2O=360.31

Purity: 95%(GC)	EP	RT	21115-02	25G
			21115-15	500G
Purity: 99%(GC)	GR	RT	21116-92	25G
			21116-05	500G
for Biochemical Research Purity: 99%(GC)	SP	RT	21117-82	25G
			21117-24	100G

Maltotetraose [34612-38-9]
C24H42O21=666.58

Purity: 97%(HPLC)	GR	RT	21138-54	100MG
			21138-41	1G

Maltotriose [1109-28-0]
C18H32O16=504.44

Purity: 97%(HPLC)	GR	R	21119-91	1G
			21119-04	5G

L-(+)-Mandelic Acid [L-Amygdalic Acid] [17199-29-0]
C6H5CH(OH)COOH=152.15

	GR	RT	21121-12	25G

Manganese, flake [7439-96-5]
Mn=54.938045

Purity: 99.9% Flake	EP	RT	21128-42	25G
			21128-55	500G
Purity: 99.99% Flake	GR	RT	21201-62	25G

Manganese, powder [7439-96-5]
Mn=54.938045

Purity: 99% Powder Particle size: approx.60-140mesh	CP	RT	21135-55	500G

Manganese Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37513-34	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37545-24	100ML

Manganese(II) Acetate Tetrahydrate [6156-78-1]
(CH3COO)2Mn·4H2O=245.09

Purity: 99%(T)	GR	A	21203-42	25G
			21203-55	500G

Manganese(II) Acetylacetonate [14024-58-9]
(CH3COCHCOCH3)2Mn·2H2O=289.18

	EP	RT	21204-32	25G

Manganese(III) Acetylacetonate [14284-89-0]
(CH3COCHCOCH3)3Mn=352.26

Purity: 95%-102%(T)	EP	RT	21205-22	25G

Manganese(II) Bromide Tetrahydrate [10031-20-6]
MnBr2·4H2O=286.81

	EP	RT	21233-65	500G

Manganese(II) Carbonate Hydrate [598-62-9]
MnCO3·xH2O

	GR	RT	21208-92	25G

Manganese(II) Chloride Tetrahydrate [13446-34-9]
MnCl2·4H2O=197.91

Purity: 98%(T)	EP	A	21210-55	500G
Purity: 99%(T)	GR	A	21211-32	25G
			21211-45	500G

Manganese(II) Nitrate Hexahydrate [17141-63-8]
Mn(NO3)2·6H2O=287.04

Purity: 98%(T)	GR	A	21223-95	500G

Manganese(IV) Oxide, granular [1313-13-9]
MnO2=86.94

	CP	RT	21214-15	500G

Manganese(IV) Oxide, powder [1313-13-9]
MnO2=86.94

Purity: 65%(T)	CP	RT	21213-25	500G
Purity: 99%(T)	GR	RT	21232-91	1G

Manganese(II) di-Sodium Ethylenediaminetetraacetate [15375-84-5]
C10H12N2O8MnNa2·nH2O=389.13(Anh)

	GR	RT	15123-82	25G

Manganese(II) Sulfate, Dehydrate [10034-96-5]
MnSO4·xH2O

	CP	RT	21230-95	500G

Manganese(II) Sulfate Pentahydrate [15244-36-7]
MnSO4·5H2O=241.08

Purity: 98%(T)	EP	A	21228-45	500G
Purity: 99%(T)	GR	A	21229-22	25G
			21229-35	500G

Mannan from Yeast [9036-88-8]

	CP	R	21338-34	100MG

D-(-)-Mannitol [69-65-8]
C6H14O6=182.17

	EP	RT	21302-55	500G
Purity: 99%(T)	GR	RT	21303-32	25G
			21303-45	500G

D-(+)-Mannose [3458-28-4]
C6H12O6=180.16

	GR	RT	21306-02	25G
			21306-15	500G

D-Mannose-6-phosphate Barium Salt [104872-94-8]

	GR	R	21309-14	100MG

Marble [471-34-1]

		RT	21326-55	500G

Margaric Acid [n-Heptadecanoic Acid] [506-12-7]
CH3(CH2)15COOH=270.45

Purity: 98%(GC)	GR	RT	21313-44	5G

May-Grunwald's Stain Buffer Solution

		RT	09543-14	100ML

May-Grunwald's Stain Solution

		RT	37126-14	100ML
			37126-85	500ML

Melamine [108-78-1]
C3H6N6=126.12

Purity: 99%(W)	EP	RT	21328-35	500G

Melanin [8049-97-6]

		R	21340-55	500MG

Melatonin [73-31-4]
CH3OC8H5NCH2CH2NHCOCH3=232.28

Purity: 98%(N)	GR	R	21324-04	100MG

Meldrum's Acid [2033-24-1]
C6H8O4=144.13

	EP	R	07066-92	25G

α-D-(+)-Melibiose [585-99-9]
C12H22O11·xH2O

Purity: 99%(HPLC)	GR	RT	21402-74	5G

MEM Non-Essential Amino Acids Solution(100x)

for Tissue Culture	SP	R	06344-14	20ML
			06344-56	100ML

MEM with Earle's Salts and L-Gln, liquid

for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	21442-25	500ML

M

MEM with Earle's Salts, L-Gln and Non-Essential Amino Acids, liquid				
for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	21443-15	500ML
α-MEM with L-Gln, Ribonucleosides and Deoxyribonucleosides, liquid				
for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	21444-05	500ML
α-MEM with L-Gln, without Ribonucleosides and Deoxyribonucleosides, liquid				
for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	21445-95	500ML
DL-Menthol [89-78-1]				
C10H20O=156.27				
	GR	RT	21422-72	25G
L-Menthol [2216-51-5]				
C10H20O=156.27				
Purity: 98%(GC)	GR	RT	21423-62	25G
			21423-75	500G
Mercaptoacetic Acid [Thioglycolic Acid] [68-11-1]				
HSCH2COOH=92.12				
Purity: 80%(T)	EP	A	33710-35	500G
Purity: 90%(T)	GR	R	33711-12	25G
2-Mercaptobenzothiazole [149-30-4]				
C7H5NS2=167.25				
Purity: 98%(T)	GR	RT	21414-82	25G
2-Mercaptoethanol [60-24-2]				
HSCH2CH2OH=78.13				
Purity: 98%(GC)	EP	RT	21417-52	25G
			21417-65	500G
MOLPAC Purity: 99%(GC) Content: 78.1g		RT	21420-21	1PACK
for Molecular Biology Purity: 99%(GC) Nuclease tested	SP	RT	21438-82	25G
for SH Groups Analysis Purity: 99%(GC)	SP	RT	21418-42	25G
			21418-84	100G
			21418-55	500G
2-Mercaptoethylamine Hydrochloride [Cysteamine Hydrochloride] [156-57-0]				
HSCH2CH2NH2·HCl=113.61				
Purity: 95%(T)	GR	R	21419-74	5G
			21419-32	25G
2-Mercaptopropionic Acid [79-42-5]				
CH3CH(SH)COOH=106.14				
Purity: 97%(GC)	GR	RT	21501-32	25G
3-Mercaptopropionic Acid [107-96-0]				
HSCH2CH2COOH=106.14				
Purity: 98%(GC)	GR	RT	21502-22	25G
			21502-35	500G
2-Mercaptopyridine [2637-34-5]				
C5H5NS=111.16				
	GR	A	21551-24	5G
2-Mercaptopyrimidine [1450-85-7]				
C4H4N2S=112.15				
	GR	R	21506-11	1G
MES [2-(N-Morpholino)ethanesulfonic Acid] [4432-31-9]				
C6H13NO4S·H2O=213.25				
Biotechnology Grade Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02442-44	100G
Good Buffer Purity: 99%(T)	SP	RT	21623-84	5G
			21623-42	25G
			21623-26	250G
1mol/l-MES Solution				
for Protein Structural Analysis	SP	R	05569-14	100ML
MES-Na [2-(N-Morpholino)ethanesulfonic Acid Sodium Salt] [71119-23-8]				
C6H12NO4SNa=217.22				
Good Buffer	SP	RT	21629-24	5G
			21629-82	25G

Mesitylene [108-67-8]				
C6H3(CH3)3=120.19				
Purity: 98%(GC)	GR	RT	21626-12	25ML
			21626-25	500ML
Mesityl Oxide [141-79-7]				
(CH3)2C:CHCOCH3=98.14				
Purity: 96%(GC)	GR	RT	21627-02	25ML
			21627-15	500ML
Metacresol Purple [2303-01-7]				
C21H18O5S=382.43				
	GR	RT	21701-41	1G
Metanil Yellow [587-98-4]				
C18H14N3NaO3S=375.38				
	GR	RT	21705-72	25G
Methacholine Chloride [62-51-1]				
C8H18NO2Cl=195.69				
Purity: 98%(T)	GR	R	21707-94	5G
Methacrolein [78-85-3]				
CH2:C(CH3)CHO=70.09				
		A	21740-02	25ML
Methacrylic Acid [79-41-4]				
CH2:C(CH3)COOH=86.09				
Purity: 98%(GC)	CP	A	21729-85	500ML
β-Methallyl Alcohol [513-42-8]				
CH2:C(CH3)CH2OH=72.11				
Purity: 98%(GC)	EP	RT	21712-14	5ML
β-Methallyl Chloride [563-47-3]				
CH2:C(CH3)CH2Cl=90.55				
Purity: 95%(GC)	EP	RT	21713-62	25ML
Methanesulfonic Acid [75-75-2]				
CH3SO3H=96.11				
Purity: 99%(T)	EP	RT	21714-52	25G
			21714-94	100G
			21714-65	500G
Methanol [67-56-1]				
CH3OH=32.04				
Purity: 99%(GC)	EP	RT	21914-45	500ML
Purity: 99.8%(GC)	GR	RT	21915-35	500ML
for Molecular Biology Purity: 99.8%(GC)	SP	RT	06068-44	100ML
			06068-15	500ML
for Fluorometric Analysis Purity: 99.8%(GC)	SP	RT	21933-95	500ML
for HPLC Purity: 99.8%(GC)	SP	RT	21929-81	1L
for Spectrum Purity: 99.8%(GC)	SP	RT	21923-25	500ML
for Residual Pesticide Analysis Tested for 5,000X	SP	RT	04339-41	1L
for Liquid scintillation Purity: 99.8%(GC)	SP	RT	22001-65	500ML
for Hormone Analysis Purity: 99.8%(GC)	SP	RT	21925-05	500ML
for Electronics Purity: 99.8%(GC)	SP	RT	21926-95	500ML
Methanol 〈H2O<50ppm〉 [67-56-1]				
CH3OH=32.04				
Purity: 99.8%(GC) Special Cap	GR	RT	04100-54	100ML
			04100-25	500ML
D-Methionine [348-67-4]				
CH3S(CH2)2CH(NH2)COOH=149.21				
Purity: 98%(T)	GR	RT	21717-51	1G
			21717-64	5G

DL-Methionine [59-51-8]
CH3S(CH2)2CH(NH2)COOH=149.21

Purity: 98%(T)	GR	RT	21718-12	25G
			21718-25	500G

L-Methionine [63-68-3]
CH3S(CH2)2CH(NH2)COOH=149.21

Purity: 98%(T)	GR	RT	21719-44	5G
			21719-02	25G
			21719-15	500G

L-Methioninesulfoximine [15985-39-4]
C5H12N2O3S=180.23

	GR	R	21730-74	100MG

p-Methoxyacetophenone [100-06-1]
CH3OC6H4COCH3=150.17

Purity: 95%(GC)	EP	RT	21726-02	25G

2-Methoxyethanol [109-86-4]
HOCH2CH2OCH3=76.09

Purity: 99%(GC)	GR	RT	15309-75	500ML
for Amino Acid Auto Analyzer Purity: 99%(GC)	SP	RT	15310-35	500ML

DL-3-Methoxy-4-hydroxymandelic Acid [2394-20-9]
C9H10O5=198.17

Purity: 98%(T)	GR	R	21803-11	1G

1-Methoxy-5-methylphenazinium Methyl Sulfate [1-Methoxy PMS] [65162-13-2]
C14H13N2O·CH3SO4=336.36

for Clinical Chemistry Research	SP	R	21821-84	100MG

2-Methoxyphenol [90-05-1]
CH3OC6H4OH=124.14

Purity: 98%(GC)	GR	RT	17350-42	25G

3-Methoxyphenol [150-19-6]
CH3OC6H4OH=124.14

	EP	RT	07091-52	25ML

4-Methoxyphenol [150-76-5]
CH3OC6H4OH=124.14

Purity: 98%(GC)	GR	RT	18421-82	25G
			18421-95	500G

4-Methoxyphenylacetic Acid [104-01-8]
C9H10O3=166.17

	EP	RT	09176-92	25G

N-Methylacetamide [79-16-3]
CH3CONHCH3=73.09

Purity: 99%(GC)	GR	RT	21813-52	25ML

Methyl Acetate [79-20-9]
CH3COOCH3=74.08

Purity: 98%(GC)	EP	RT	21902-95	500ML
Purity: 99%(GC)	GR	RT	21903-85	500ML

Methyl Acetoacetate [105-45-3]
CH3COCH2COOCH3=116.12

Purity: 95%(T)	EP	RT	21812-75	500G

2-Methylacetoacetic Acid Ethyl Ester [609-14-3]
C7H12O3=144.17

	EP	RT	06936-22	25ML

Methyl Acrylate [96-33-3]
CH2:CHCOOCH3=86.09

Purity: 99%(GC)	EP	A	21910-85	500ML

Methylal [109-87-5]
CH2(OCH3)2=76.09

Purity: 98%(GC)	GR	RT	21928-62	25ML

Methylamine [74-89-5]
CH3NH2=31.06

	CP	RT	22003-45	500ML

Methylamine Hydrochloride [593-51-1]
CH3NH2·HCl=67.52

Purity: 98%(T)	GR	A	22007-92	25G

Methyl p-Aminobenzoate [619-45-4]
H2NC6H4COOCH3=151.16

Purity: 98%(T)	EP	RT	22009-72	25G

2-(Methylamino)ethanol [109-83-1]
CH3NHCH2CH2OH=75.11

Purity: 98%(GC)	EP	RT	22010-45	500ML

p-Methylaminophenol Sulfate [55-55-0]
(HOC6H4NHCH3)2·H2SO4=344.38

Purity: 99%(T)	GR	RT	22012-12	25G
			22012-25	500G

N-Methylaniline [100-61-8]
C6H5NHCH3=107.15

Purity: 98%(GC)	GR	RT	22016-72	25ML

9-Methylanthracene [779-02-2]
C14H9CH3=192.26

Purity: 98%(HPLC)	GR	RT	22022-11	1G

NG-Methyl-L-arginine Monoacetate Salt [53308-83-1]
C7H16N4O2·C2H4O2=248.28

	GR	R	22040-84	100MG

N-Methyl-D-aspartic Acid [NMDA] [6384-92-5]
HOOCCH2CH(NHCH3)COOH=147.13

Purity: 98%(T)	GR	RT	22034-16	50MG
			22034-74	100MG

Methyl Benzoate [93-58-3]
C6H5COOCH3=136.15

Purity: 98%(GC)	GR	RT	22103-22	25ML
			22103-35	500ML

2-Methylbenzothiazole [120-75-2]
CH3C7H4NS=149.21

Purity: 98%(GC)	EP	RT	22106-92	25G

3-Methyl-2-benzothiazolinonehydrazone Hydrochloride Hydrate [38894-11-0]
C8H9N3S·HCl·nH2O=215.70(Anh)

for Water Analysis	SP	RT	09465-44	5G

p-Methylbenzyl Alcohol [589-18-4]
C8H10O=122.16

	EP	RT	22110-22	25G

N-Methylbenzylamine [103-67-3]
C6H5CH2NHCH3=121.18

Purity: 97%(GC)	GR	RT	22111-12	25ML

N-Methylbis(trifluoroacetamide) [685-27-8]
C5H3F6NO2=223.07

Acylation reagent for GC Purity: 98%(GC)	SP	R	22129-31	1ML

Methyl Bromoacetate [96-32-2]
BrCH2COOCH3=152.97

Purity: 95%(GC)	EP	RT	22120-92	25G

(S)-(-)-2-Methyl-1-butanol [1565-80-6]
C2H5CH(CH3)CH2OH=88.15

Purity: 95%(GC)	EP	RT	02711-72	25ML

2-Methyl-2-butanol [t-Amyl Alcohol] [75-85-4]
CH3CH2C(CH3)2OH=88.15

	GR	RT	02730-22	25ML
			02730-35	500ML

3-Methyl-1-butanol [Isoamyl Alcohol] [123-51-3]				
(CH3)2CH(CH2)2OH=88.15				
Purity: 95%(GC)	EP	RT	02714-55	500ML
Purity: 98%(GC)	GR	RT	02715-45	500ML
for Molecular Biology Purity: 98%(GC) Nuclease and Protease tested	SP	RT	06277-75	500ML
2-Methyl-2-butene [513-35-9]				
C5H10=70.13				
Purity: 98%(GC)	GR	R	22135-54	100ML
3-Methyl-2-buten-1-ol [556-82-1]				
C5H10O=86.13				
	GR	RT	06935-32	25ML
3-Methylbutyl Acetate [Isopentyl Acetate] [123-92-2]				
CH3COO(CH2)2CH(CH3)2=130.18				
Purity: 95%(GC)	EP	RT	02709-35	500ML
Purity: 98%(GC)	GR	RT	02710-82	25ML
			02710-95	500ML
Methyl n-Butyl Ketone [2-Hexanone] [591-78-6]				
CH3CO(CH2)3CH3=100.16				
Purity: 98%(GC)	EP	RT	22128-12	25ML
2-Methyl-3-butyn-2-ol [115-19-5]				
(CH3)2C(OH)C|CH=84.12				
	EP	RT	22204-02	25ML
α-Methyl-n-butyrylshikonin [92175-42-3]				
C21H24O6=372.41				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04061-61	1MG
Methyl Cellulose [9004-67-5]				
#15	CP	RT	22218-32	25G
#100	CP	RT	22221-72	25G
			22221-85	500G
#400	CP	RT	22222-62	25G
			22222-75	500G
#1500	CP	RT	22223-52	25G
			22223-65	500G
#4000	CP	RT	22224-42	25G
			22224-55	500G
Methyl Cinnamate [103-26-4]				
C10H10O2=162.19				
Purity: 99%(GC)	GR	RT	22342-92	25G
Methylcyclohexane [108-87-2]				
CH3C6H11=98.19				
Purity: 98%(GC)	GR	RT	22309-42	25ML
			22309-55	500ML
for Spectrum Purity: 99%(GC)	SP	RT	22332-64	100ML
2-Methylcyclohexanone [583-60-8]				
CH3C6H9O=112.17				
Purity: 95%(GC)	EP	RT	05173-42	25ML
Purity: 98%(GC)	GR	RT	22314-62	25ML
N-Methylcyclohexylamine [100-60-7]				
C6H11NHCH3=113.20				
Purity: 99%(GC)	GR	RT	22320-72	25G
3-O-Methyldopamine Hydrochloride [1477-68-5]				
C9H13NO2·HCl=203.67				
Purity: 98%(T)	GR	R	22346-94	100MG
N,N'-Methylenebisacrylamide [110-26-9]				
CH2(NHCOCH:CH2)2=154.17				
for Molecular Biology Purity: 99%(GC) Nuclease and Protease tested	SP	R	22407-52	25G
for Electrophoresis	SP	R	22402-02	25G

2,2'-Methylenebis(6-t-butyl-p-cresol) [119-47-1]				
CH2[C6H2(CH3)C(CH3)3OH]2=340.50				
Purity: 95%(GC)	CP	RT	22403-92	25G
Methylene Blue [7220-79-3]				
C16H18N3ClS·3H2O=373.90				
Purity: 98.5%(W)	GR	RT	22409-32	25G
Methylene Blue Dihydrate [7220-79-3]				
C16H18ClN3S·2H2O=355.88				
	EP	RT	22432-12	25G
N-Methylformamide [123-39-7]				
HCONHCH3=59.07				
Purity: 99%(GC)	GR	RT	22512-75	500G
N-Methylformanilide [93-61-8]				
C6H5N(CH3)CHO=135.16				
Purity: 99%(GC)	GR	RT	22513-52	25G
Methyl Formate [107-31-3]				
HCOOCH3=60.05				
Purity: 95%(GC)	EP	RT	22527-82	25G
2-Methylfuran [534-22-5]				
C5H6O=82.10				
Purity: 98%(GC)	GR	RT	22515-32	25ML
N-Methylglucamine [6284-40-8]				
HOCH2(CHOH)4CH2NHCH3=195.21				
Purity: 98%(GC)	GR	RT	22516-22	25G
3-O-Methyl-α-D-glucopyranose [13224-94-7]				
C7H14O6=194.18				
	GR	RT	22517-41	1G
Methyl-α-D-glucoside [97-30-3]				
C7H14O6=194.18				
	EP	RT	22518-02	25G
			22518-15	500G
Methyl Glyoxal [78-98-8]				
CH3COCHO=72.06				
	CP	RT	22522-74	100G
Methyl Green [7114-03-6]				
approx. C27H35N3BrCl·ZnCl2=653.26				
	EP	RT	22632-34	10G
Methyl Green Pyronine Stain Solution				
		RT	37162-34	100ML
			37162-05	500ML
Methyl p-Hydroxybenzoate [99-76-3]				
HOC6H4COOCH3=152.15				
Purity: 98%(T)	EP	RT	22619-82	25G
			22619-95	500G
O-Methylhydroxylamine Hydrochloride [593-56-6]				
CH5NO·HCl=83.52				
	EP	RT	06993-14	5G
			06993-72	25G
1-Methylimidazole [616-47-7]				
CH3C3H3N2=82.10				
Purity: 99%(GC)	GR	RT	22621-32	25G
			22621-74	100G
2-Methylindole [95-20-5]				
C9H9N=131.17				
	GR	A	22623-12	25G
Methyl Isobutyrate [547-63-7]				
(CH3)2CHCOOCH3=102.13				
	GR	RT	22206-82	25ML

Methyl Isopropyl Ketone [3-Methyl-2-butanone] [563-80-4]
C5H10O=86.13

Purity: 98%(GC)	GR	RT	23001-22	25ML
			23001-35	500ML

S-Methylisothiourea Sulfate [867-44-7]
(C2H6N2S)2·H2SO4=278.37

Purity: 98%(T)	GR	RT	22708-12	25G
			22708-25	500G

Methyl Ketomycolate from Mycobacterium tuberculosis Aoyama-B

	BC	R	01775-11	1MG

Methyl Linoleate [112-63-0]
C19H34O2=294.47

Purity: 95%(GC)	EP	RT	22713-32	25ML
Purity: 98%(GC)	GR	R	22714-51	1G

α-Methyl-D-mannoside [617-04-9]
C7H14O6=194.18

	GR	RT	22727-04	10G
			22727-46	100G

Methyl Margarate [Methyl Heptadecanoate] [1731-92-6]
CH3(CH2)15COOCH3=284.48

Purity: 98%(GC)	GR	R	22734-04	100MG

Methyl Methacrylate(monomer) [80-62-6]
CH2:C(CH3)COOCH3=100.12

Purity: 99%(GC)	EP	A	22725-95	500ML

Methyl Methacrylate(polymer) [9011-14-7]

	EP	RT	22726-85	500G

Methyl Methanesulfonate [66-27-3]
CH3OSO2CH3=110.13

Purity: 97%(GC)	EP	RT	22801-14	10G

N-Methylmorpholine [109-02-4]
CH3N(C2H4)2O=101.15

Purity: 99%(GC)	EP	RT	22805-32	25ML
			22805-45	500ML

Methyl α-Mycolate from Mycobacterium tuberculosis Aoyama-B

	BC	R	01776-01	1MG

Methyl Nicotinate [93-60-7]
C5H4NCOOCH3=137.14

Purity: 98%(GC)	GR	RT	22813-22	25G

2-Methyl-5-nitroaniline [99-55-8]
C7H8N2O2=152.15

Purity: 95%(GC)	EP	RT	22816-92	25G

Methyl Oleate [112-62-9]
C17H33COOCH3=296.49

Purity: 99%(GC)	GR	R	22825-01	1G

Methyl Orange [547-58-0]
C14H14N3NaO3S=327.34

	GR	RT	22901-62	25G

Methyl Orthoformate [149-73-5]
CH(OCH3)3=106.12

Purity: 98%(GC)	EP	RT	22926-65	500ML

Methyl Palmitate [112-39-0]
CH3(CH2)14COOCH3=270.45

Purity: 99%(GC)	GR	R	22906-41	1G

3-Methylpentane [96-14-0]
CH3CH2CH(CH3)CH2CH3=86.18

Purity: 99%(GC)	GR	RT	22910-42	25ML

4-Methyl-2-pentanone [Methyl Isobutyl Ketone] [108-10-1]
(CH3)2CHCH2COCH3=100.16

Purity: 98%(GC)	EP	RT	22125-55	500ML
Purity: 99.5%(GC)	GR	RT	22201-45	500ML
for Atomic Absorption Spectrometry Purity: 99%(GC)	SP	RT	22202-35	500ML

Methyl Phenylacetate [101-41-7]
C6H5CH2COOCH3=150.17

	GR	RT	22917-72	25G

3-Methyl-1-phenyl-5-pyrazolone [89-25-8]
C10H10N2O=174.20

	GR	RT	27310-52	25G
			27310-65	500G
for Water Analysis	SP	RT	27326-62	25G

N-Methylpiperazine [109-01-3]
C4H9N2CH3=100.16

	EP	RT	22920-12	25ML
			22920-25	500ML

1-Methylpiperidine [626-67-5]
C6H13N=99.17

	GR	RT	06959-32	25ML

2-Methyl-1-propanol [Isobutyl Alcohol] [78-83-1]
(CH3)2CHCH2OH=74.12

Purity: 98%(GC)	EP	RT	06020-15	500ML
Purity: 99%(GC)	GR	RT	06021-05	500ML

Methyl Propionate [554-12-1]
CH3CH2COOCH3=88.11

	EP	RT	22922-92	25G
			22922-05	500G

Methyl n-Propyl Ketone [2-Pentanone] [107-87-9]
CH3CH2CH2COCH3=86.13

Purity: 98%(GC)	EP	RT	22923-82	25ML

2-Methylpyrazine [109-08-0]
C5H6N2=94.11

Purity: 98%(GC)	GR	RT	23003-02	25G

4-Methylpyrazole [7554-65-6]
C4H6N2=82.10

	GR	R	23026-41	1G

N-Methyl-2-pyrrolidone [872-50-4]
C4H6N(CH3)O=99.13

Purity: 98%(GC)	EP	A	23006-85	500G
			23006-14	18KG
Purity: 99.5%(GC)	GR	A	23030-42	25G
			23030-55	500G
			23030-84	18KG
for Peptide Synthesis Purity: 99.5%(GC) Moisture content: under 100ppm, free amine: under 10ppm	SP	A	23033-41	1L
			23033-83	3L

Methyl Red [493-52-7]
C15H15N3O2=269.30

	GR	RT	23010-31	1G
			23010-02	25G

Methyl Salicylate [119-36-8]
HOC6H4COOCH3=152.15

Purity: 98%(GC)	EP	RT	23015-65	500ML

Methyl Stearate [112-61-8]
CH3(CH2)16COOCH3=298.50

Purity: 95%(GC)	EP	RT	23018-35	500ML
Purity: 99%(GC)	GR	R	23019-41	1G

M

α-Methylstyrene [98-83-9]
C6H5C(CH3):CH2=118.18

Purity: 98%(GC)	GR	A	23020-72	25ML
			23020-85	500ML

2-Methylthiophene [554-14-3]
C5H6S=98.17

Purity: 97%(GC)	EP	RT	20947-42	25G

3-Methylthiophene [616-44-4]
C5H6S=98.17

Purity: 98%(GC)	GR	RT	23109-32	25G

6-Methyl-2-thiouracil [56-04-2]
C5H6N2OS=142.18

Purity: 98%(N)	GR	RT	23138-52	25G

Methyl p-Toluenesulfonate [80-48-8]
CH3C6H4SO3CH3=186.23

Purity: 95%(GC)	EP	RT	23115-42	25G
			23115-55	500G

N-Methyl-N-trimethylsilyltrifluoroacetamide [24589-78-4]
CF3CON(CH3)Si(CH3)3=199.25

Silylation reagent for GC Purity: 97%(GC)	SP	R	23128-11	1ML

Methyltriphenylphosphonium Bromide [1779-49-3]
[CH3P(C6H5)3]Br=357.22

Purity: 98%(T)	EP	A	23134-92	25G

5-Methyl-DL-tryptophan [951-55-3]
C12H14N2O2=218.25

Purity: 98%(T)	GR	R	23123-74	100MG

4-Methylumbelliferone [7-Hydroxy-4-methylcoumarin] [90-33-5]
C10H8O3=176.17

Purity: 99%(T)	GR	RT	23130-74	10G

4-Methylumbelliferyl-N-acetyl-α-D-neuraminic Acid(4-MU-NANA) Ammonium Salt
C21H28N2O11=484.45

for Research of Sialic Acid	SP	F	23229-91	1MG
			23229-04	5MG

4-Methylumbelliferyl-α-D-galactoside
C16H18O8=338.31

Glycosidase Substrate	SP	R	23235-14	100MG

4-Methylumbelliferyl-β-D-galactoside [6160-78-7]
C16H18O8=338.31

Glycosidase Substrate	SP	R	23203-24	100MG
			23203-11	1G

4-Methylumbelliferyl-β-D-glucoside [18997-57-4]
C16H18O8=338.31

Glycosidase Substrate Purity: 99%(HPLC)	SP	R	23204-14	100MG

4-Methylumbelliferyl-β-D-glucuronide [6160-80-1]
C16H16O9·3H2O=406.34

Purity: 98%(HPLC)	GR	R	23240-34	100MG

4-Methylumbelliferyl Phosphate, free acid [3368-04-5]
C10H9O6P=256.15

	GR	F	23253-61	1G

Methyl Violet B [8004-87-3]

	GR	RT	23216-22	25G

Methyl Viologen Hydrate [1910-42-5]
[C5H4N(CH3)Cl]2·nH2O=257.16(Anh)

Purity: 98%(T)	GR	A	23246-74	100MG
			23246-61	1G

Methyl Yellow [60-11-7]
C14H15N3=225.29

	GR	RT	12814-64	10G

Metronidazole [443-48-1]
C6H9N3O3=171.15

Purity: 98%(T)	EP	R	23254-64	5G
			23254-22	25G

Micrococcus lysodeikticus, ATCC No.4698 for Lysozyme Assay

		F	23372-14	5G

Mineral Oil [8020-83-5]

for Molecular Biology Eye drop bottle Nuclease and Protease tested	SP	RT	23304-04	5ML
			23304-46	5X5ML
for Molecular Biology Nuclease and Protease tested	SP	RT	23306-84	100ML
for IR	SP	RT	23334-14	100ML
			23334-85	500ML

Mitomycin C Solution(1mg/ml)

for Tissue Culture Includes 10v/v% Ethanol and 90v/v% Ethylene Glycol, Sterilized by filtration	SP	F	20898-21	1ML

Molecular Sieves 3A 1/8 [308080-99-1]

Rod, Diameter: 3.2mm		RT	04177-45	500G

Molecular Sieves 3A 1/16 [308080-99-1]

Rod, Diameter: 1.6mm		RT	04170-15	500G

Molecular Sieves 3A, with indicator [308080-99-1]

Beads particle size: approx. 2mm Moisture indicator modified		RT	23355-44	250G

Molecular Sieves 3A, mixed indicator [308080-99-1]

Beads particle size: approx. 2mm Mixture of normal type and modified indicator type		RT	23356-05	500G

Molecular Sieves 3A [308080-99-1]

Powder Particle size: approx.10um or less		RT	04176-55	500G

Molecular Sieves 4A 1/8 [70955-01-0]

Rod, Diameter: 3.2mm		RT	04171-05	500G

Molecular Sieves 4A 1/16 [70955-01-0]

Rod, Diameter: 1.6mm		RT	04172-95	500G

Molecular Sieves 4A [70955-01-0]

Beads, size: approx.2mm		RT	04167-75	500G

Molecular Sieves 4A, with indicator [70955-01-0]

Beads, size: approx.2mm Moisture indicator modified		RT	23357-24	250G

Molecular Sieves 4A, mixed indicator [70955-01-0]

Beads, size: approx.2mm Mixture of normal type and modified indicator type		RT	23358-85	500G

Molecular Sieves 4A [70955-01-0]

Powder Particle size: approx.10um or less		RT	04168-65	500G

Molecular Sieves 5A 1/8 [69912-79-4]

Rod, Diameter: 3.2mm		RT	04173-85	500G

Molecular Sieves 5A 1/16 [69912-79-4]

Rod, Diameter: 1.6mm		RT	04174-75	500G

Molecular Sieves 13X 1/8 [63231-69-6]

Rod, Diameter: 3.2mm		RT	04166-85	500G

Molecular Sieves 13X 1/16 [63231-69-6]

Rod, Diameter: 1.6mm		RT	04175-65	500G

Molecular Sieves 13X [63231-69-6]

Beads, size: approx.2mm		RT	04169-55	500G

Molybdenum [7439-98-7]
Mo=95.96

Purity: 99.5% Powder	EP	RT	23316-12	25G
			23316-25	500G

Molybdenum Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37521-24	100ML

Molybdenum(VI) Oxide [1313-27-5]
MoO3=143.96

Purity: 99.5%(W)	GR	RT	23322-22	25G
			23322-35	500G

M

Molybdic Acid [7782-91-4]				
H2MoO4=161.97				
Purity: 95%(T)	EP	RT	23325-92	25G
12Molybdo(VI)phosphoric Acid n-Hydrate [Phosphomolybdic Acid] [51429-74-4]				
H3(PMo12O40)·nH2O				
	GR	RT	27615-72	25G
			27615-85	500G
Monoolein [111-03-5]				
C21H40O4=356.54				
Purity: approx.40%(GC)	CP	RT	23408-12	25G
Monostearin [123-94-4]				
C21H42O4=358.56				
Purity: 50%(GC)	CP	RT	23412-42	25G
			23412-55	500G
Purity: 98%(GC)	GR	R	23413-74	100MG
MOPS [3-(N-Morpholino)propanesulfonic Acid] [1132-61-2]				
C7H15NO4S=209.26				
Biotechnology Grade Purity: 99%(T) Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02441-54	100G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	23438-64	100G
			23438-35	500G
Good Buffer Purity: 99%(T)	SP	RT	23415-12	25G
			23415-54	100G
			23415-25	500G
MOPS Buffer Stock Solution(10x)(pH 7.0)				
for Molecular Biology Filtrated by 0.45um, Autoclave treated, Nuclease tested	SP	RT	23442-81	1L
MOPS-Na [3-(N-Morpholino)propanesulfonic Acid Sodium Salt] [71119-22-7]				
C7H14NO4SNa=231.25				
Good Buffer Purity: 99%(T)	SP	RT	23420-74	5G
			23420-32	25G
MOPSO [3-(N-Morpholino)-2-hydroxypropanesulfonic Acid] [68399-77-9]				
C7H15NO5S=225.26				
Good Buffer Purity: 99%(T)	SP	RT	23421-64	100G
Morin [480-16-0]				
C15H10O7·2H2O=338.27				
	GR	RT	23416-31	1G
Morpholine [110-91-8]				
C4H9NO=87.12				
Purity: 98%(GC)	GR	RT	23425-82	25ML
			23425-95	500ML
MTT [298-93-1]				
C18H16N5SBr=414.32				
Purity: 98%(T)	GR	R	23547-76	100MG
			23547-05	500MG
			23547-21	1G
			23547-34	5G
MTT Cell Count Kit				
for Cell Count Component: MTT Solution(5x2ml), Solubilizer(1x100ml), for 1,000times	SP	F	23506-80	1KIT
Murexide [3051-09-0]				
C8H8N6O6=284.19				
for Metal Colorimetric Determination	SP	RT	23511-71	1G
			23511-84	5G
Myoglobin from Horse Muscle [100684-32-0]				
Purity: 95%(EA) Salt-free	BC	F	23550-74	250MG
			23550-61	1G
Myricetin [529-44-2]				
C15H10O8=318.24				
	EP	RT	23548-24	10MG

Myristic Acid [544-63-8]				
CH3(CH2)12COOH=228.37				
Purity: 98%(T)	GR	RT	23517-82	25G
			23517-95	500G
Myristoyl Chloride [112-64-1]				
CH3(CH2)12COCl=246.82				
	EP	A	23539-02	25G
Myristyl Alcohol [112-72-1]				
CH3(CH2)13OH=214.39				
Purity: 98%(GC)	GR	RT	23525-72	25G

[N]

NADH Oxidase from Bacillus licheniformis [9032-21-7]				
	GR	F	23626-94	5UNITS
			23626-52	25UNITS
Nalidixic Acid [389-08-2]				
C12H12N2O3=232.24				
Purity: 98%(T)	GR	RT	23617-14	5G
Naphthacene [92-24-0]				
C18H12=228.29				
Purity: 98%(HPLC)	GR	RT	23603-84	100MG
1-Naphthaldehyde [66-77-3]				
C10H7CHO=156.18				
	EP	RT	08616-52	25ML
2-Naphthaldehyde [66-99-9]				
C10H7CHO=156.18				
Purity: 98%(T)	GR	RT	23605-64	10G
1-Naphthaleneacetic Acid [86-87-3]				
C10H7CH2COOH=186.21				
Purity: 99%(T)	EP	RT	23628-32	25G
			23628-45	500G
1-Naphthaleneacetic Acid Sodium Salt [61-31-4]				
C10H7CH2COONa=208.19				
Purity: 97%(T)	EP	RT	23627-84	5G
Naphthenic Acid [1338-24-5]				
	CP	RT	23712-25	500G
β-Naphthoflavone [5,6-Benzoflavone] [6051-87-2]				
C19H12O2=272.3				
Purity: 98%(GC)	GR	RT	23716-01	1G
1-Naphthol [90-15-3]				
C10H7OH=144.17				
Purity: 99%(GC)	GR	RT	23721-92	25G
			23721-05	500G
2-Naphthol [135-19-3]				
C10H7OH=144.17				
Purity: 97%(GC)	EP	RT	23722-95	500G
Purity: 99%(GC)	GR	RT	23723-72	25G
Naphthol AS-BI Phosphate Sodium Salt [530-79-0]				
C18H13BrNNa2O6P·nH2O=496.16(Anh)				
Crystalline	GR	F	23824-94	100MG
Naphthol AS-MX Phosphate, free acid [1596-56-1]				
C19H18NO5P=371.32				
Crystalline	GR	F	23821-24	100MG
p-Naphtholbenzein [α-Naphtholbenzein] [6948-88-5]				
C27H18O2=374.43				
	GR	RT	23817-94	5G
			23817-52	25G
Naphthol Green B [19381-50-1]				
(C10H5NO5SNa)3Fe=878.46				
	GR	RT	23818-42	25G
α-Naphtholphthalein [596-01-0]				
C28H18O4=418.44				
	GR	RT	23901-74	5G
α-Naphthoquinone [130-15-4]				
C10H6O2=158.15				
Purity: 98%(T)	GR	RT	23906-82	25G

Naphthoresorcinol [1,3-Dihydroxynaphthalene] [132-86-5]				
C10H6(OH)2=160.17				
Purity: 98%(GC)	EP	RT	23921-01	1G
L-3-(2-Naphthyl)alanine [58438-03-2]				
C13H13NO2=215.25				
		R	23907-14	100MG
1-Naphthyl Butyrate [3121-70-8]				
CH3(CH2)2COOC10H7=214.26				
Purity: 98%(GC)	GR	R	24002-24	250MG
			24002-11	1G
N-1-Naphthylethylenediamine Dihydrochloride [1465-25-4]				
C10H7NHCH2CH2NH2·2HCl=259.17				
for Nitrate Analysis Purity: 98%(T)	SP	RT	24030-41	1G
			24030-54	5G
2-Naphthyl-β-D-galactopyranoside Monohydrate [33993-25-8]				
C16H18O6·H2O=324.33				
Purity: 98%(HPLC)	GR	R	24037-84	100MG
1-Naphthyl Isocyanate [86-84-0]				
C10H7NCO=169.18				
	EP	A	24031-02	25ML
NBD Chloride [10199-89-0]				
C6H2ClN3O3=199.55				
for Fluorometric Analysis	SP	R	24113-61	1G
Neocuproine [2,9-Dimethyl-1,10-phenanthroline] [484-11-7]				
C14H12N2·1/2H2O=217.27				
	GR	RT	24115-54	5G
Neodymium Chloride [13477-89-9]				
NdCl3·6H2O=358.69				
Purity: 99%(T)	EP	RT	24127-62	25G
Neodymium Oxide [1313-97-9]				
Nd2O3=336.48				
Purity: 99.9%	EP	RT	24120-32	25G
Neomycin Sulfate [1405-10-3]				
C23H46N6O13·3H2SO4=908.88				
	EP	RT	24129-84	5G
			24129-42	25G
Neuraminidase from Arthrobacter ureafaciens, highly purified [9001-67-6]				
for Research of Sialic Acid	SP	R	24229-61	1UNIT
			24229-74	5UNITS
Neuraminidase Isozyme S from Arthrobacter ureafaciens				
for Research of Sialic Acid	SP	R	24238-41	1UNIT
			24238-54	5UNITS
Neutral Red [553-24-2]				
C15H17ClN4=288.78				
	GR	RT	24206-22	25G
Newman's Stain Solution				
		RT	37146-54	100ML
			37146-25	500ML
Nickel, beads [7440-02-0]				
Ni=58.6934				
Purity: 99.5%	EP	RT	24210-52	25G
Nickel Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37516-04	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37546-14	100ML
Nickel(II) Acetate Tetrahydrate [6018-89-9]				
Ni(CH3COO)2·4H2O=248.84				
	EP	A	04369-22	25G
			04369-64	100G

Nickel(II) Acetylacetonate [120156-44-7]				
(CH3COCHCOCH3)2Ni·xH2O				
	EP	RT	24215-02	25G
Nickel(II) Amidosulfate [Nickel(II) Sulfamate] [13770-89-3]				
Ni(NH2SO3)2·4H2O=322.93				
Purity: 95%(T)	CP	RT	24313-25	500G
Nickel(II) Carbonate Hydroxide [Nickel(II) Carbonate, Basic] [39380-74-0]				
approx. NiCO3·2Ni(OH)2·4H2O=211.41				
	EP	RT	24219-75	500G
Nickel(II) Chloride, Anhydrous [7718-54-9]				
NiCl2=129.60				
Purity: 95%(T)	EP	RT	24224-82	25G
Nickel(II) Chloride Hexahydrate [7791-20-0]				
NiCl2·6H2O=237.69				
Purity: 96%(T)	EP	RT	24222-15	500G
Purity: 98%(T)	GR	RT	24223-92	25G
			24223-05	500G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	08784-94	5G
Nickel(II) Fluoride [13940-83-5]				
NiF2·4H2O=168.75				
	CP	RT	24225-72	25G
			24227-65	500G
Nickel(II) Iodide n-Hydrate [7790-34-3]				
NiI2·nH2O				
Purity: 95%(T)	CP	RT	24228-42	25G
Nickel(II) Nitrate Hexahydrate [13478-00-7]				
Ni(NO3)2·6H2O=290.79				
Purity: 97%(T)	EP	A	24301-75	500G
Purity: 98%(T)	GR	A	24302-52	25G
			24302-65	500G
Nickel(II) Oxide [1313-99-1]				
NiO=74.69				
Purity: 97%(T)	EP	RT	24307-02	25G
Nickel(II) Sulfate Hexahydrate [10101-97-0]				
NiSO4·6H2O=262.85				
Purity: 98%-102%(T)	EP	A	24314-15	500G
Purity: 99%-102%(T)	GR	A	24315-92	25G
			24315-05	500G
for Molecular Biology Purity: 99%-102%(T) Nuclease and Protease tested	SP	A	08785-84	5G
Nicotinamide [98-92-0]				
C5H4NCONH2=122.12				
Purity: 98.5%(UV)	GR	RT	24317-72	25G
			24317-85	500G
β-Nicotinamide Adenine Dinucleotide [NAD;DPN] [53-84-9]				
C21H27N7O14P2·nH2O=663.43(Anh)				
Purity: 95%(HPLC) from Yeast	EP	F	24334-97	250MG
			24334-71	1G
			24334-84	5G
Purity: 98%(HPLC)	GR	F	24338-86	100MG
			24338-57	250MG
			24338-15	500MG
			24338-31	1G
			24338-44	5G

β-Nicotinamide Adenine Dinucleotide Disodium Salt(Reduced Form) [NADH;DPNH] [606-68-8]				
C21H27N7Na2O14P2·nH2O=709.40(Anh)				
Purity: 90%(HPLC)	CP	R	24335-74	100MG
			24335-16	250MG
			24335-45	500MG
			24335-61	1G
β-Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt [NADP;TPN] [1184-16-3]				
C21H27N7NaO17P3·nH2O=765.39(Anh)				
Purity: 95%(HPLC)	EP	F	24336-64	100MG
			24336-06	250MG
			24336-51	1G
β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt(Reduced Form) [NADPH;TPNH] [2646-71-1]				
C21H26N7Na4O17P3·nH2O=833.35(Anh)				
Purity: 90%(HPLC)	CP	F	24340-52	25MG
			24340-94	50MG
			24340-36	100MG
			24340-65	500MG
			24340-81	1G
Nicotine [54-11-5]				
C5H4NC4H7NCH3=162.23				
Purity: 95%(GC)	CP	RT	24332-62	25ML
Nicotine Tartrate Dihydrate [65-31-6]				
C10H14N2·2C4H6O6·2H2O=498.44				
Purity: 95%(T)	EP	RT	24303-84	10G
Nicotinic Acid [59-67-6]				
C5H4NCOOH=123.11				
Purity: 98%(T)	GR	RT	24326-52	25G
Nifedipine [21829-25-4]				
C17H18N2O6=346.33				
Purity: 98%(HPLC)	GR	R	24438-21	1G
Nigrosine(alcohol soluble) [11099-03-9]				
	CP	RT	24404-22	25G
Nigrosine(water soluble) [8005-03-6]				
	CP	RT	24403-32	25G
Ninhydrin [485-47-2]				
C9H6O4=178.14				
Purity: 98%(T)	GR	RT	24409-01	1G
			24409-14	5G
			24409-72	25G
for Amino Acid Auto Analyzer Purity: 98%(T)	SP	RT	24410-32	25G
			24410-74	100G
Niobium [7440-03-1]				
Nb=92.90638				
Purity: 99% Powder	EP	RT	24425-81	1G
Niobium(V) Oxide [1313-96-8]				
Nb2O5=265.81				
Purity: 99.5%	EP	RT	24426-42	25G
Nitric Acid(S.G.=1.38, 60%) [7697-37-2]				
HNO3=63.01				
	EP	RT	24412-25	500ML
	GR	RT	24413-15	500ML
for Fine Analysis	UF	RT	24417-75	500ML
for Electronics	SP	RT	24416-85	500ML
for Analysis of Poisonous Metal	SP	RT	24430-85	500ML

Nitric Acid(S.G.=1.42, 70%) [7697-37-2]
HNO3=63.01

	EP	RT	24419-55	500ML
	GR	RT	24420-15	500ML
for Electronics	SP	RT	24421-05	500ML

3w/v%-Nitric Acid Ethanol Solution

		RT	08007-45	500ML

1mol/l-Nitric Acid [7697-37-2]

		RT	37319-65	500ML

0.1mol/l-Nitric Acid [7697-37-2]

		RT	37320-25	500ML

Nitrilotriacetic Acid [NTA] [139-13-9]
N(CH2COOH)3=191.14

Purity: 98%(T)	GR	RT	24501-42	25G
			24501-55	500G

Nitrilotriacetic Acid Disodium Salt [15467-20-6]
HOOCCH2N(CH2COONa)2=235.10

	GR	RT	24502-32	25G

o-Nitroacetophenone [577-59-3]
NO2C6H4COCH3=165.15

Purity: 95%(GC)	EP	RT	24535-54	5G

p-Nitroacetophenone [100-19-6]
NO2C6H4COCH3=165.15

Purity: 97%(GC)	EP	RT	24536-02	25G

o-Nitroaniline [88-74-4]
NO2C6H4NH2=138.12

Purity: 98%(GC)	GR	RT	24513-92	25G

p-Nitroaniline [100-01-6]
NO2C6H4NH2=138.12

Purity: 99%(GC)	GR	RT	24517-52	25G

NG-Nitro-L-arginine Methyl Ester Hydrochloride [51298-62-5]
C7H15N5O4·HCl=269.69

Purity: 98%(T)	GR	R	24540-61	1G
			24540-74	10G

o-Nitrobenzaldehyde [552-89-6]
NO2C6H4CHO=151.12

Purity: 99%(GC)	GR	RT	24603-54	5G
			24603-12	25G

m-Nitrobenzaldehyde [99-61-6]
NO2C6H4CHO=151.12

Purity: 98%(GC)	GR	RT	24604-02	25G

p-Nitrobenzaldehyde [555-16-8]
NO2C6H4CHO=151.12

	EP	RT	06986-72	25G

Nitrobenzene [98-95-3]
C6H5NO2=123.11

Purity: 99%(GC)	EP	RT	24609-65	500ML
Purity: 99.5%(GC)	GR	RT	24610-25	500ML

o-Nitrobenzenesulfonyl Chloride [1694-92-4]
C6H4ClNO4S=221.62

	CP	A	24634-12	25G

m-Nitrobenzoic Acid [121-92-6]
NO2C6H4COOH=167.12

	GR	RT	24627-12	25G

p-Nitrobenzoic Acid [62-23-7]
NO2C6H4COOH=167.12

Purity: 99%(T)	GR	RT	24701-22	25G

p-Nitrobenzoyl Chloride [122-04-3]
NO2C6H4COCl=185.56

Purity: 98%(T)	GR	A	24742-92	25G

m-Nitrobenzyl Alcohol [619-25-0]
NO2C6H4CH2OH=153.14

Purity: 98%(GC)	EP	RT	24712-82	25G

p-Nitrobenzyl Alcohol [619-73-8]
NO2C6H4CH2OH=153.14

Purity: 98%(GC)	EP	RT	24713-14	10G

p-Nitrobenzyl Bromide [100-11-8]
NO2C6H4CH2Br=216.03

	CP	A	23651-12	25G

4-(p-Nitrobenzyl)pyridine [1083-48-3]
NO2C6H4CH2C5H4N=214.22

Purity: 95%(T)	EP	RT	24719-41	1G

Nitro Blue Tetrazolium [298-83-9]
C40H30Cl2N10O6=817.64

	GR	R	24720-56	100MG
			24720-01	1G
			24720-14	5G

o-Nitrobromobenzene [577-19-5]
BrC6H4NO2=202.01

Purity: 98%(GC)	GR	RT	24722-52	25G

Nitrocellulose(1/2 sec.)

	CP	A	24728-34	250G

Nitromethane [75-52-5]
CH3NO2=61.04

Purity: 95%(GC)	EP	RT	24908-45	500ML
Purity: 98%(GC)	GR	RT	24909-22	25ML
			24909-35	500ML
for Spectrum Purity: 98%(GC)	SP	RT	24912-75	500ML

1-Nitronaphthalene [86-57-7]
C10H7NO2=173.17

Purity: 98%(GC)	EP	RT	24914-42	25G

o-Nitrophenol [88-75-5]
NO2C6H4OH=139.11

	GR	RT	24919-92	25G

p-Nitrophenol [100-02-7]
NO2C6H4OH=139.11

Purity: 99%(GC)	GR	RT	24921-42	25G
			24921-55	500G

p-Nitrophenyl-2-acetamido-2-deoxy-β-D-glucopyranoside [3459-18-5]
C14H18N2O8=342.3

Glycosidase Substrate	SP	R	24937-94	100MG
			24937-81	1G

p-Nitrophenyl Acetate [830-03-5]
CH3COOC6H4NO2=181.15

Purity: 98%(T)	GR	R	24928-72	25G

p-Nitrophenyl Butyrate [2635-84-9]
C10H11NO4=209.20

	GR	R	24946-61	1G

o-Nitrophenyl-β-D-galactopyranoside [369-07-3]
C12H15NO8=301.25

Glycosidase Substrate	SP	R	25027-84	100MG
			25027-71	1G

p-Nitrophenyl-α-D-galactopyranoside [7493-95-0]
C12H15NO8=301.25

Glycosidase Substrate	SP	R	25026-81	1G

N

p-Nitrophenyl-β-D-galactopyranoside [3150-24-1]				
C12H15NO8=301.25				
Glycosidase Substrate	SP	R	25031-14	100MG
			25031-01	1G
p-Nitrophenyl-α-D-glucopyranoside [3767-28-0]				
C12H15NO8=301.25				
Glycosidase Substrate	SP	R	25032-04	100MG
			25032-91	1G
p-Nitrophenyl-β-D-glucopyranoside [2492-87-7]				
C12H15NO8=301.25				
Glycosidase Substrate	SP	R	25028-74	100MG
			25028-61	1G
p-Nitrophenyl-β-D-glucuronide [10344-94-2]				
C12H13NO9=315.23				
	GR	R	25008-34	100MG
			25008-21	1G
p-Nitrophenyl Hexanoate [p-Nitrophenyl Caproate] [956-75-2]				
CH3(CH2)4COOC6H4NO2=237.25				
	GR	R	24948-41	1G
p-Nitrophenyl Laurate [1956-11-2]				
C18H27NO4=321.41				
Purity: 98%(GC)	GR	R	25050-51	1G
p-Nitrophenylphosphoric Acid Disodium Salt [4264-83-9]				
NO2C6H4PO4Na2·6H2O=371.14				
Purity: 97%(T)	GR	R	25019-81	1G
			25019-94	5G
			25019-52	25G
			25019-65	500G
p-Nitrophenyl Phosphorodichloridate [777-52-6]				
NO2C6H4OP(O)Cl2=255.98				
	EP	R	25046-34	5G
p-Nitrophenyl-β-D-xylopyranoside [2001-96-9]				
C11H13NO7=271.22				
Glycosidase Substrate	SP	R	25036-64	100MG
1-Nitropropane [108-03-2]				
CH3CH2CH2NO2=89.09				
Purity: 95%(GC)	EP	RT	25105-12	25G
			25105-25	500G
2-Nitropropane [79-46-9]				
CH3CH(NO2)CH3=89.09				
Purity: 95%(GC)	EP	RT	25106-02	25G
NOC 5 [146724-82-5]				
C6H16N4O2=176.22				
Purity: 90%(HPLC) White powder	GR	F	23656-04	10MG
NOC 7 [146724-84-7]				
C5H14N4O2=162.19				
Purity: 90%(HPLC) White powder	GR	F	23657-94	10MG
1-Nonadecanol [1454-84-8]				
CH3(CH2)18OH=284.52				
	GR	RT	25207-24	5G
Nonamethylene Glycol [3937-56-2]				
HO(CH2)9OH=160.25				
	GR	RT	25210-22	25G
n-Nonane [111-84-2]				
CH3(CH2)7CH3=128.26				
Purity: 98%(GC)	GR	RT	25211-12	25ML

1-Nonanol [143-08-8]				
CH3(CH2)8OH=144.25				
Purity: 98%(GC)	GR	RT	25224-52	25ML
Nonidet(R) P-40 [9016-45-9]				
	CP	RT	25223-04	100ML
			25223-75	500ML
for Molecular Biology Nuclease tested	SP	RT	23640-94	100ML
			23640-65	500ML
NOR 3 [163180-49-2]				
C8H13N3O4=215.21				
Purity: 98%(HPLC) White crystalline powder	GR	F	23654-24	10MG
L-Noradrenaline [51-41-2]				
(HO)2C6H3CH(OH)CH2NH2=169.18				
Purity: 98%(T)	GR	R	25304-31	1G
2-Norbornene [Norbornylene] [498-66-8]				
C7H10=94.15				
Purity: 98%(GC)	EP	RT	25332-32	25G
Nordihydrocapsaicin [28789-35-7]				
C17H27NO3=293.40				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	05085-31	1MG
Novobiocin Sodium Salt [1476-53-5]				
C31H35N2NaO11=634.61				
	EP	R	25350-21	1G
Nucleic Acid Loading Dye Markers, DEPC treated, Nuclease tested				
for Nucleic Acid Electorphoresis	SP	RT	25354-81	1ML
			25354-94	5ML
Nutrose [Casein Sodium] [9005-46-3]				
	CP	RT	25328-02	25G

[O]

n-Octadecane [593-45-3]				
CH3(CH2)16CH3=254.49				
Purity: 98%(GC)	GR	RT	25405-82	25G
n-Octadecyltriethoxysilane [7399-00-0]				
CH3(CH2)17Si(OC2H5)3=416.75				
	CP	RT	25428-92	25G
Octamethylene Glycol [629-41-4]				
HO(CH2)8OH=146.23				
Purity: 98%(GC)	GR	RT	25410-44	5G
n-Octane [111-65-9]				
CH3(CH2)6CH3=114.23				
Purity: 98%(GC)	GR	RT	25412-82	25ML
			25412-95	500ML
1-Octanethiol [111-88-6]				
CH3(CH2)7SH=146.29				
	EP	RT	25519-02	25ML
Octanoic Acid [n-Caprylic Acid] [124-07-2]				
CH3(CH2)6COOH=144.21				
Purity: 95%(GC)	EP	RT	07110-92	25G
			07110-05	500G
Purity: 99%(GC)	GR	RT	07111-82	25ML
for Amino Acid Auto Analyzer Purity: 98%(GC)	SP	RT	07112-72	25G
1-Octanol [n-Capryl Alcohol] [111-87-5]				
CH3(CH2)7OH=130.23				
Purity: 97%(GC)	EP	RT	25505-85	500ML
Purity: 98%(GC)	GR	RT	25506-62	25ML
			25506-75	500ML
for Partition Coefficient Analysis Purity: 99.5%(GC)	SP	RT	25430-55	500ML
			25430-71	1L
2-Octanol [123-96-6]				
CH3(CH2)5CH(OH)CH3=130.23				
Purity: 98%(GC)	GR	RT	25531-22	25ML
			25531-35	500ML
n-Octanoyl Chloride [111-64-8]				
CH3(CH2)6COCl=162.66				
Purity: 98%(GC)	CP	A	07126-02	25G
1-Octene [111-66-0]				
CH3(CH2)5CH:CH2=112.21				
Purity: 95%(GC)	EP	RT	25501-25	500ML
n-Octylaldehyde [124-13-0]				
CH3(CH2)6CHO=128.21				
	EP	RT	25533-02	25ML
n-Octylamine [111-86-4]				
CH3(CH2)7NH2=129.24				
Purity: 98%(GC)	GR	RT	25512-72	25ML
			25512-85	500ML
n-Octylbenzene [2189-60-8]				
CH3(CH2)7C6H5=190.32				
	EP	RT	25515-84	10G
n-Octyl Bromide [111-83-1]				
CH3(CH2)7Br=193.12				
Purity: 98%(GC)	GR	RT	25516-32	25G
			25516-45	500G

n-Octyl Chloride [111-85-3]				
CH3(CH2)7Cl=148.67				
Purity: 98%(GC)	GR	RT	25539-55	500ML
1-O-n-Octyl-β-D-glucopyranoside [29836-26-8]				
C14H28O6=292.37				
for Research of Insoluble Protein Purity: 98%(HPLC)	SP	R	25535-11	1G
			25535-24	5G
			25535-82	25G
n-Octyl-β-D-thioglucopyranoside [n-Octyl-β-D-thioglucoside] [85618-21-9]				
C14H28O5S=308.43				
for Research of Insoluble Protein Purity: 98%(GC) CMC: 9mM	SP	R	25543-01	1G
			25543-14	5G
Oil Red O [1320-06-5]				
C26H24N4O=408.50				
	GR	RT	25633-92	25G
Oleic Acid [112-80-1]				
CH3(CH2)7CH:CH(CH2)7COOH=282.46				
	EP	RT	25629-04	100ML
			25629-75	500ML
Purity: 99%(GC)	GR	R	25630-51	1G
			25630-64	5G
Oleic Acid Potassium Salt [143-18-0]				
C17H33COOK=320.55				
	CP	RT	25729-52	25G
Oleic Acid Sodium Salt [143-19-1]				
C17H33COONa=304.44				
Purity: 98%(T)	EP	RT	25702-82	25G
Oleyl Alcohol [143-28-2]				
CH3(CH2)7CH:CH(CH2)7CH2OH=268.48				
	EP	RT	25703-85	500G
Oligomycin from Streptomyces diastatochromogenes [1404-19-9]				
		F	25745-32	25MG
Olive Oil [8001-25-0]				
	CP	RT	25613-65	500G
for Clinical Chemistry Research (Low acidity)	SP	RT	25632-44	100ML
			25632-15	500ML
Orange 1 [523-44-4]				
C16H11N2O4NaS=350.32				
	GR	RT	25709-12	25G
Orange 2 [633-96-5]				
C16H11N2NaO4S=350.32				
	GR	RT	25733-82	25G
Orange G [1936-15-8]				
C16H10N2Na2O7S2=452.37				
	EP	RT	25401-22	25G
Orange Oil [8008-57-9]				
	CP	RT	25615-32	25G
Orcein(Synthetic) [1400-62-0]				
	EP	RT	25712-81	1G
Orcin Monohydrate [6153-39-5]				
CH3C6H3(OH)2·H2O=142.15				
Purity: 96%(T)	GR	RT	25730-54	5G
			25730-12	25G
L-Ornithine Monohydrochloride [3184-13-2]				
C5H12N2O2·HCl=168.62				
	GR	RT	25718-34	5G
			25718-92	25G

Orthanilic Acid [o-Aminobenzenesulfonic Acid] [88-21-1]				
H2NC6H4SO3H=173.19				
for Clinical Chemistry Research Purity: 98%(T)	SP	R	25735-04	5G
Osmium(III) Chloride [13444-93-4]				
OsCl3·3H2O=350.63				
	GR	R	25803-91	1G
Osmium(VIII) Oxide [Osmic Acid] [20816-12-0]				
OsO4=254.23				
for Electro Microscopy Purity: 98%(T)	SP	R	25727-01	1G
for Electro Microscopy 4% in Water, Ampule	SP	R	25728-04	2ML
for Electro Microscopy 2% in Water, Ampule	SP	R	25746-64	5ML
			25746-06	5X5ML
Oxalacetic Acid [328-42-7]				
HOOCCH2COCOOH=132.07				
Purity: 98%(T)	GR	R	25804-81	1G
			25804-94	5G
Oxalic Acid, Anhydrous [144-62-7]				
(COOH)2=90.03				
Purity: 97%(T)	EP	RT	25809-15	500G
Oxalic Acid Dihydrate [6153-56-6]				
HOOCCOOH·2H2O=126.07				
Purity: 99.0%-100.2%(T)	EP	RT	25805-55	500G
Purity: 99.5%-100.2%(T)	GR	RT	25806-74	100G
			25806-45	500G
0.5mol/l-Oxalic Acid Solution				
		RT	37308-05	500ML
0.1mol/l-Oxalic Acid Solution				
		RT	95868-75	500ML
0.05mol/l-Oxalic Acid Solution				
		RT	37309-95	500ML
Oxalyl Chloride [79-37-8]				
ClCOCOCl=126.93				
Purity: 98%(GC)	GR	A	25812-42	25G
Oxamic Acid Sodium Salt [565-73-1]				
C2H2NO3Na=111.03				
Purity: 98%(T)	GR	RT	25823-31	1G
2-Oxazolidone [497-25-6]				
C3H5NO2=87.08				
	EP	RT	07062-32	25G
Oxytetracycline Hydrochloride [2058-46-0]				
C22H24N2O9·HCl=496.89				
Purity: 95%(HPLC)	GR	RT	25830-44	5G
			25830-02	25G

O

[P]

Paeoniflorin [23180-57-6]				
C23H28O11=480.46				
for Galenicals Test Purity: 98%(HPLC)	SP	R	25941-36	10MG
			25941-94	30MG
Paeonol [552-41-0]				
C9H10O3=166.17				
for Galenicals Test Purity: 98%(HPLC)	SP	R	25942-26	10MG
			25942-84	30MG
Palladium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37522-14	100ML
Palladium(II) Acetate [3375-31-3]				
(CH3CO2)2Pd=224.51				
Purity: 97%(T)	EP	RT	25932-01	1G
Palladium(II) Acetylacetonate [14024-61-4]				
(CH3COCHCOCH3)2Pd=304.64				
	EP	RT	25931-11	1G
Palladium(II) Ammonium Chloride [Ammonium Tetrachloropalladate(II)] [13820-40-1]				
(NH4)2PdCl4=284.31				
	GR	RT	25907-41	1G
Palladium Black [7440-05-3]				
Pd=106.42				
	EP	RT	25908-31	1G
Palladium(II) Bromide [13444-94-5]				
PdBr2=266.23				
	EP	RT	25909-21	1G
Palladium Carbon				
(10%)	EP	RT	25928-84	5G
			25928-42	25G
Palladium(II) Chloride [7647-10-1]				
PdCl2=177.33				
Purity: 99%(T)	GR	RT	25911-71	1G
			25911-42	25G
Palladium(II) Nitrate [10102-05-3]				
Pd(NO3)2=230.43				
	EP	RT	25912-61	1G
Palladium(II) Sodium Chloride [Sodium Tetrachloropalladate(II)] [13820-53-6]				
Na2PdCl4=294.21				
Purity: 95%(T)	EP	RT	25914-41	1G
Palmitic Acid [57-10-3]				
CH3(CH2)14COOH=256.42				
Purity: 95%(GC)	EP	RT	25917-95	500G
Purity: 95%(GC)	GR	RT	25918-72	25G
			25918-85	500G
Palmitic Acid Sodium Salt [408-35-5]				
CH3(CH2)14COONa=278.41				
Purity: 95%(T)	EP	RT	25919-62	25G
Palmitoleic Acid [373-49-9]				
CH3(CH2)5CH:CH(CH2)7COOH=254.41				
Purity: 99%(GC)	GR	R	25921-54	100MG
Palmitoyl-DL-carnitine Hydrochloride [6865-14-1]				
C23H45NO4·HCl=436.07				
	GR	F	25916-34	100MG
Palmitoyl Chloride [112-67-4]				
CH3(CH2)14COCl=274.87				
	CP	A	25922-15	500G

P

Palmitoyl Coenzyme A Potassium Salt [1763-10-6]				
C37H64K2N7O17P3S=1082.12				
	CP	F	25920-64	5MG
Pancreatin [8049-47-6]				
	CP	R	25930-34	100G
D-Pantothenic Acid Calcium Salt [137-08-6]				
(C9H16NO5)2Ca=476.53				
Purity: 98%(T)	GR	RT	26003-12	25G
D-Pantothenic Acid Sodium Salt [867-81-2]				
C9H16NO5Na=241.22				
Purity: 98%(T)	GR	RT	26004-44	5G
			26004-02	25G
Papain from Papaya Latex [9001-73-4]				
Activity: 5u/mg solid Lyophilized powder Two-time crystallized	BC	F	26036-92	25MG
			26036-34	100MG
Activity: 16-40u/mg protein Two-time crystallized 0.05M sodium acetate buffer suspension pH4.5	BC	R	26035-02	25MG
			26035-44	100MG
Papaverine Hydrochloride [61-25-6]				
C20H21NO4·HCl=375.85				
Purity: 98.0%(T)	GR	RT	26018-74	5G
Paraffin [8002-74-2]				
mp42-44°C Clumps in glass bottle	CP	RT	26020-95	500G
mp44-46°C Clumps in glass bottle	CP	RT	26021-85	500G
mp46-48°C Clumps in glass bottle	CP	RT	26022-75	500G
mp48-50°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26023-65	500G
mp52-54°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26029-05	500G
mp56-58°C Granular	CP	RT	26111-05	500G
mp56-58°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26030-65	500G
mp60-62°C Granular	CP	RT	26109-55	500G
mp60-62°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26138-75	500G
mp62-64°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26139-65	500G
mp68-70°C Granular	CP	RT	26112-95	500G
mp68-70°C Plate size: approx. 12 x 17 x 3cm	CP	RT	26141-15	500G
mp56-58°C Plate size: approx. 12 x 17 x 3cm for Tissue embedding	SP	A	26031-55	500G
Paraffin Liquid [8012-95-1]				
	EP	RT	26114-75	500ML
			26114-04	15KG
for Tissue Culture	SP	RT	26137-85	500ML
for IR	SP	RT	26133-54	100ML
for Amino Acid Auto Analyzer	SP	RT	26117-45	500ML
Paraffin Liquid, light [8012-95-1]				
	GR	RT	26132-35	500ML
			26132-64	16KG
for Tissue Culture	SP	RT	26144-85	500ML
Paraffin Liquid, Low Viscosity Type [8012-95-1]				
	GR	RT	25990-25	500ML
Paraffin Liquid, High Viscosity Type [8012-95-1]				
	GR	RT	25991-15	500ML
Paraformaldehyde, granular [30525-89-4]				
(CH2O)n				
Purity: 90%(T) Granular	CP	RT	02890-45	500G
Paraformaldehyde, powder [30525-89-4]				
(CH2O)n				
Purity: 95%(T) Powder	EP	RT	26123-55	500G
for Electro Microscopy Purity: 95%(T) Powder	SP	RT	26126-54	100G
			26126-25	500G

4%-Paraformaldehyde Phosphate Buffer Solution				
for Histochemical Research	SP	R	09154-14	5X10ML
			09154-85	500ML
PARAHISTO mp 56-58°C [8002-74-2]				
for Tissue Tablet	SP	A	26142-21	1KG
Paraldehyde [123-63-7]				
(CH3CHO)3=132.16				
	EP	RT	26128-92	25G
			26128-05	500G
Pararosaniline Hydrochloride [569-61-9]				
C19H17N3·HCl=323.82				
	GR	RT	26205-14	10G
Pargyline Hydrochloride [306-07-0]				
C6H5CH2N(CH3)CH2C | CH·HCl=195.69				
Purity: 98%(T)	GR	R	26229-14	100MG
Peanut Oil [8002-03-7]				
	CP	RT	25617-25	500G
Pectin from Citrus [9000-69-5]				
	CP	RT	26234-92	25G
			26234-05	500G
	GR	RT	26235-82	25G
Pelargonaldehyde [n-Nonylaldehyde] [124-19-6]				
CH3(CH2)7CHO=142.24				
Purity: 95%(GC)	EP	RT	26213-62	25ML
Pelargonic Acid [112-05-0]				
CH3(CH2)7COOH=158.24				
Purity: 98%(GC)	GR	RT	26215-42	25G
DL-Penicillamine [52-66-4]				
C5H11NO2S=149.21				
Purity: 98%(T)	GR	R	26218-41	1G
Penicillin G Potassium Salt [113-98-4]				
C16H17KN2O4S=372.48				
	GR	RT	26239-84	5G
			26239-42	25G
Penicillin-Streptomycin-Glutamine Mixed Solution				
for Tissue Culture Sterilization test, Mycoplasma and Endotoxin tested	SP	F	06168-34	100ML
Penicillin-Streptomycin Mixed Solution				
for Tissue Culture Colorless liquid Component: Penicillin 10,000u/ml, Streptomycin 10,000ug/ml Sterilized by filtration	SP	F	26253-84	100ML
Penicillin-Streptomycin Mixed Solution(Stabilized)				
for Tissue Culture Sterilized by filtration	SP	F	09367-34	100ML
Penicillin-Streptomycin Mixed Solution				
for Tissue Culture Colorless liquid Component: Penicillin 5,000u/ml, Streptomycin 5,000ug/ml Sterilized by filtration	SP	F	26252-94	100ML
n-Pentadecane [629-62-9]				
CH3(CH2)13CH3=212.41				
Purity: 99%(GC)	GR	RT	26302-92	25ML
n-Pentadecanoic Acid [1002-84-2]				
CH3(CH2)13COOH=242.40				
Purity: 98%(GC)	GR	RT	26304-14	5G
Pentaethylenehexamine [4067-16-7]				
NH2(CH2CH2NH)4CH2CH2NH2=232.37				
Purity: 80%(N)	CP	RT	26315-45	500G
2,3,4,5,6-Pentafluorobenzaldehyde [653-37-2]				
C6F5CHO=196.07				
	EP	A	26330-64	5G
O-(2,3,4,5,6-Pentafluorobenzyl)hydroxylamine Hydrochloride [57981-02-9]				
C6F5CH2ONH2·HCl=249.57				
Purity: 98%(T)	EP	RT	26336-04	250MG

Pentafluoropropionic Acid [422-64-0]				
CF3CF2COOH=164.03				
	EP	RT	26602-62	25G
Pentamethylene Glycol [1,5-Pentanediol] [111-29-5]				
HO(CH2)5OH=104.15				
Purity: 95%(GC)	EP	RT	26338-42	25G
			26338-55	500G
Pentane [109-66-0]				
C5H12=72.15				
Purity: 97%(GC)	EP	RT	26323-35	500ML
Purity: 99%(GC)	GR	RT	26401-92	25ML
			26401-05	500ML
1-Pentanol [71-41-0]				
CH3(CH2)4OH=88.15				
Purity: 97%(GC)	EP	RT	02712-75	500ML
Purity: 98%(GC)	GR	RT	02713-52	25ML
			02713-65	500ML
2-Pentanol [s-n-Amyl Alcohol] [6032-29-7]				
CH3(CH2)2CH(OH)CH3=88.15				
Purity: 98%(GC)	EP	RT	02736-62	25ML
3-Pentanol [584-02-1]				
CH3CH2CH(OH)CH2CH3=88.15				
Purity: 98%(GC)	GR	RT	02717-12	25ML
1-Pentene [109-67-1]				
CH3CH2CH2CH:CH2=70.13				
Purity: 98%(GC)	GR	RT	26410-72	25ML
4-Penten-1-ol [821-09-0]				
C5H10O=86.13				
	GR	RT	07090-62	25ML
Pentoxifylline [6493-05-6]				
C13H18N4O3=278.31				
Purity: 97%(T)	EP	RT	26437-84	10G
n-Pentyl Acetate [628-63-7]				
CH3COO(CH2)4CH3=130.18				
Purity: 98%(GC)	GR	RT	02708-32	25ML
			02708-45	500ML
Pepsin(1:10,000) [9001-75-6]				
	GR	A	26414-32	25G
			26414-45	500G
Pepsin(1:50,000) from Porcine Stomach Mucosa [9001-75-6]				
Activity: 2,500u/mg solid Lyophilized powder Two-time crystallized Salt free	BC	F	26438-61	1G
			26438-74	5G
Pepsin from Porcine Stomach Mucosa [9001-75-6]				
Activity: 3,000-5,000u/mg solid Lyophilized powder Salt free	BC	F	26439-64	250MG
			26439-51	1G
Pepstatin A [26305-03-3]				
C34H63N5O9=685.89				
Purity: 75%(HPLC) from Microbial Source	GR	R	26436-52	25MG
Peptone, Casein [73049-73-7]				
for Microorganism Culture Powder	SP	RT	26440-95	500G
Peptone, Meat				
for Microorganism Culture Powder	SP	RT	26442-75	500G
Peptone, Soy				
for Microorganism Culture Powder	SP	RT	26443-65	500G

Perchloric Acid(60%) [7601-90-3]				
HClO4=100.46				
	GR	RT	26502-85	500G
for Fine Analysis	UF	RT	26508-25	500G
for Biochemical Research	SP	RT	26507-35	500G
for Analysis of Poisonous Metal	SP	RT	26519-85	500G
Perchloric Acid(70%) [7601-90-3]				
HClO4=100.46				
	GR	RT	26503-75	500G
0.1mol/l-Perchloric Acid-Acetic Acid Solution [7601-90-3]				
		RT	37340-65	500ML
Periodic Acid Dihydrate [10450-60-9]				
HIO4·2H2O=227.94				
Purity: 98.5%(T)	GR	RT	26605-32	25G
			26605-45	500G
Peroxidase Stain DAB Kit(Brown Stain)				
for Immunochemistry Component: Staining stock solution(10ml), Buffer solution(10ml), Substrate reagent(10ml)	SP	R	25985-50	1KIT
Peroxidase Stain DAB Kit(Dark gray Stain)				
for Immunochemistry Component: Staining stock solution(10ml), Buffer solution(10ml), Substrate reagent(10ml)	SP	R	25986-40	1KIT
Peroxidase Stain Kit for Immuno-blotting, Nuclease tested				
for Immunochemistry Component: Staining stock solution(10ml), Buffer solution(200ml)	SP	F	26652-70	1KIT
Peru Balsam [8007-00-9]				
	EP	RT	26613-22	25G
Petroleum Benzine [8030-30-6]				
	EP	RT	26615-15	500ML
	GR	RT	26616-05	500ML
Petroleum Ether [8032-32-4]				
Fraction (30-70°C): 90% or more	EP	RT	26618-85	500ML
Fraction (30-60°C): 90% or more	GR	RT	26619-75	500ML
Fraction (60-70°C): 98% or more	GR	RT	26620-35	500ML
Phenacetin [p-Acetophenetidine] [62-44-2]				
CH3CONHC6H4OC2H5=179.22				
Purity: 98%(T)	EP	RT	26622-02	25G
Phenanthrene [85-01-8]				
C14H10=178.23				
Purity: 98%(GC)	GR	RT	26705-22	25G
1,10-Phenanthroline Monohydrate [5144-89-8]				
C12H8N2·H2O=198.22				
Purity: 99%(T)	GR	RT	26707-31	1G
			26707-44	5G
			26707-02	25G
for Metal Colorimetric Determination Purity: 99%(T)	SP	RT	26708-34	5G
1,10-Phenanthrolinium Chloride Monohydrate [3829-86-5]				
C12H9ClN2·H2O=234.68				
Purity: 99%(T)	GR	RT	26709-11	1G
			26709-24	5G
			26709-82	25G
Phenazine Ethosulfate [10510-77-7]				
C16H18N2O4S				
Purity: 98%(N)	GR	R	26711-61	1G
Phenazine Methosulfate [299-11-6]				
C12H8N2·(CH3)2SO4=306.34				
Purity: 98%(N)	GR	R	26712-51	1G
			26712-64	5G
Phenethylamine [64-04-0]				
C6H5CH2CH2NH2=121.18				
Purity: 98%(GC)	EP	RT	27125-92	25ML

P

Phenethylamine Hydrochloride [156-28-5]				
C6H5CH2CH2NH2·HCl=157.64				
Purity: 98%(T)	GR	RT	27119-82	25G
Phenethyl Bromide [103-63-9]				
C6H5CH2CH2Br=185.06				
	EP	RT	04284-22	25G
p-Phenetidine [156-43-4]				
C8H11NO=137.18				
Purity: 97%(GC)	EP	RT	26714-02	25G
Phenol [108-95-2]				
C6H5OH=94.11				
Purity: 98%(GC)	EP	RT	26718-75	500G
Purity: 99%(GC)	GR	RT	26719-65	500G
for Nucleic Acid Extraction Purity: 99.5%(GC) Granular	SP	R	26728-74	100G
			26728-45	500G
for Column Chromatography Purity: 99.5%(GC)	SP	RT	26720-25	500G
for Amino Acid Auto Analyzer Purity: 99.5%(GC)	SP	RT	26721-15	500G
Phenol, Saturated with Citrate Buffer				
for Nucleic Acid Extraction Phenol content: approx. 74w/w%, pH4.3	SP	R	25968-64	100ML
Phenol, Saturated with TE Buffer				
for Nucleic Acid Extraction Stabilizer: approx. 0.1w/w% 8-quinolinol Phenol content: approx. 69w/w%, pH7.9	SP	R	26829-54	100ML
			26829-96	400ML
for Nucleic Acid Extraction Phenol content: approx. 70w/w%, pH6.6, includes a buffer for adjusting pH7.9	SP	R	25969-54	100ML
			25969-96	400ML
Phenol:Chloroform 5:1 Mixed				
for Nucleic Acid Extraction Component: 125:24:1 mixture of Buffer-Saturated Phenol, Chloroform,	SP	R	26729-64	100ML
and Isoamyl Alcohol Phenol content: approx. 57w/w%, Chloroform content: approx. 20ww%, pH4.5			26729-06	400ML
Phenol:Chloroform:Isoamyl Alcohol 25:24:1 Mixed, pH5.2				
for Nucleic Acid Extraction Phenol content: approx. 33w/w%	SP	R	26058-54	100ML
			26058-96	400ML
Phenol:Chloroform:Isoamyl Alcohol 25:24:1 Mixed, pH6.7				
for Nucleic Acid Extraction Phenol content: approx. 33w/w%	SP	R	25967-74	100ML
			25967-16	400ML
Phenol:Chloroform:Isoamyl Alcohol 25:24:1 Mixed, pH7.9				
for Nucleic Acid Extraction Phenol content: approx. 33w/w%	SP	R	25970-14	100ML
			25970-56	400ML
Phenolphthalein [77-09-8]				
C20H14O4=318.32				
Purity: 98%(T)	GR	RT	26724-72	25G
			26724-85	500G
1w/v%-Phenolphthalein Solution				
		RT	37265-94	100ML
			37265-65	500ML
0.1w/v%-Phenolphthalein Solution				
		RT	37264-04	100ML
			37264-75	500ML
0.04w/v%-Phenolphthalein Solution				
		RT	37266-84	100ML
			37266-55	500ML
Phenol Reagent Solution [Folin-Ciocalteu's Reagent Solution]				
		RT	37205-74	100ML
			37205-45	500ML
Phenol Red [143-74-8]				
C19H14O5S=354.38				
	GR	RT	26807-21	1G
			26807-92	25G

p-Phenolsulfonic Acid [98-67-9]				
HOC6H4SO3H=174.17				
Purity: 80%(T)	EP	RT	26810-32	25G
p-Phenolsulfonic Acid Sodium Salt [10580-19-5]				
HOC6H4SO3Na·2H2O=232.19				
	CP	RT	26824-62	25G
Phenothiazine [92-84-2]				
C12H9NS=199.27				
Purity: 97%(N)	EP	RT	26815-82	25G
Phenylacetaldehyde [122-78-1]				
C8H8O=120.15				
Purity: 85%(T)	CP	R	26826-84	100ML
Phenyl Acetate [122-79-2]				
CH3COOC6H5=136.15				
Purity: 98%(GC)	GR	RT	26820-02	25G
Phenylacetylene [Ethynylbenzene] [536-74-3]				
C6H5C|CH=102.13				
Purity: 98%(GC)	GR	RT	26822-82	25ML
D-Phenylalanine [673-06-3]				
C6H5CH2CH(NH2)COOH=165.19				
Purity: 99%(T)	GR	RT	26908-01	1G
			26908-14	5G
			26908-72	25G
DL-Phenylalanine [150-30-1]				
C6H5CH2CH(NH2)COOH=165.19				
Purity: 98%(T)	GR	RT	26909-04	5G
			26909-62	25G
L-(-)-Phenylalanine [63-91-2]				
C6H5CH2CH(NH2)COOH=165.19				
Purity: 99%(T)	GR	RT	26910-64	5G
			26910-22	25G
			26910-35	500G
L-Phenylalanine Methyl Ester Hydrochloride [7524-50-7]				
C6H5CH2CH(NH2)CO2CH3·HCl=215.68				
Purity: 98%(T)	GR	R	26920-21	1G
N-Phenylanthranilic Acid [91-40-7]				
C6H5NHC6H4COOH=213.23				
Purity: 98%(T)	GR	RT	26913-34	5G
Phenylarsonic Acid [98-05-5]				
C6H5AsO(OH)2=202.04				
	GR	RT	26916-62	25G
Phenyl Benzoate [93-99-2]				
C6H5COOC6H5=198.22				
Purity: 99%(GC)	GR	RT	27007-42	25G
Phenylboric Acid [Benzeneboronic Acid] [98-80-6]				
C6H5B(OH)2=121.93				
	EP	R	04033-44	10G
4-Phenyl-n-butyric Acid [1821-12-1]				
C10H12O2=164.2				
	GR	RT	27012-04	10G
Phenyl Chlorocarbonate [1885-14-9]				
ClCOOC6H5=156.57				
Purity: 96%(T)	EP	RT	27016-22	25ML
o-Phenylenediamine [95-54-5]				
H2NC6H4NH2=108.14				
Purity: 97%(GC)	EP	RT	27102-82	25G
for Water Analysis Purity: 97%(GC)	SP	RT	27126-82	25G
for Clinical Chemistry Research Purity: 99%(GC)	SP	R	27137-71	5X1G

m-Phenylenediamine [108-45-2]				
Purity: 95%(GC)	EP	R	27104-62	25G
p-Phenylenediamine [106-50-3]				
H2NC6H4NH2=108.14				
Purity: 97%(GC)	EP	RT	27106-42	25G
o-Phenylenediamine Dihydrochloride [615-28-1]				
H2NC6H4NH2·2HCl=181.06				
for Clinical Chemistry Research Purity: 98%(T)	SP	R	27138-61	5X1G
1-Phenyl-1,2-ethanediol [93-56-1]				
HOCH2CH(C6H5)OH=138.16				
	EP	A	32327-92	25G
DL-1-Phenylethanol [98-85-1]				
C6H5CH(CH3)OH=122.16				
Purity: 98%(GC)	EP	RT	27114-32	25G
2-Phenylethanol [60-12-8]				
C6H5CH2CH2OH=122.16				
Purity: 98%(GC)	GR	RT	27115-22	25G
			27115-35	500G
DL-1-Phenylethylamine [618-36-0]				
C6H5CH(CH3)NH2=121.18				
Purity: 98%(GC)	GR	RT	27127-72	25ML
1-Phenylethyl Bromide [1-Bromoethylbenzene] [585-71-7]				
CH3CH(C6H5)Br=185.06				
	EP	RT	27128-62	25G
Phenylglycidyl Ether [122-60-1]				
C6H5OC3H5O=150.17				
Purity: 98%(GC)	EP	RT	27225-95	500G
Phenylhydrazine [100-63-0]				
C6H5NHNH2=108.14				
Purity: 99%(T)	GR	RT	27212-84	500ML
Phenylhydrazinium Chloride [59-88-1]				
C6H5NHNH2·HCl=144.60				
Purity: 98.5%(T)	GR	A	27213-32	25G
Phenylhydrazinium Sulfate [52033-74-6]				
(C6H5NHNH2)2·H2SO4=314.36				
	GR	RT	27216-02	25G
2-Phenylimidazole [670-96-2]				
C9H8N2=144.17				
	EP	RT	27228-52	25G
Phenyl Isothiocyanate [103-72-0]				
C6H5NCS=135.19				
for Amino Acid Sequence Analysis Purity: 99%(GC)	SP	A	27333-04	5ML
DL-β-Phenyllactic Acid [828-01-3]				
C9H10O3=166.17				
Purity: 95%(T)	EP	RT	27338-41	1G
Phenylmethylsulfonyl Fluoride [PMSF] [329-98-6]				
C6H5CH2SO2F=174.19				
Purity: 99%(GC)	GR	RT	27327-81	1G
			27327-94	5G
			27327-52	25G
			27327-36	100G
for Molecular Biology Purity: 99%(GC) Nuclease and Protease tested	SP	RT	06297-31	1G
			06297-02	25G
N-Phenyl-2-naphthylamine [135-88-6]				
C6H5NHC10H7=219.28				
	EP	RT	27314-12	25G

o-Phenylphenol [90-43-7]				
C6H5C6H4OH=170.21				
Purity: 98%(GC)	EP	RT	27318-72	25G
p-Phenylphenol [92-69-3]				
C6H5C6H4OH=170.21				
	GR	RT	27330-05	500G
Phenylphosphoric Acid Disodium Salt [3279-54-7]				
C6H5Na2PO4·2H2O=254.09				
Purity: 98%(T)	GR	RT	27404-74	5G
3-Phenyl-1-propanol [122-97-4]				
C6H5CH2CH2CH2OH=136.19				
Purity: 98%(GC)	GR	RT	27431-72	25G
3-Phenylpropionaldehyde [104-53-0]				
C6H5CH2CH2CHO=134.18				
Purity: 90%(GC)	CP	RT	27445-02	25G
(S)-(+)-2-Phenylpropionic Acid [7782-24-3]				
CH3CH(C6H5)COOH=150.17				
Purity: 98%(GC)	GR	RT	27443-64	10G
3-Phenylpropionic Acid [501-52-0]				
C6H5CH2CH2COOH=150.17				
	EP	RT	27416-82	25G
3-Phenylpropyl Bromide [637-59-2]				
C9H11Br=199.09				
	EP	RT	07077-52	25G
2-Phenylpyridine [1008-89-5]				
C11H9N=155.20				
Purity: 98%(GC)	CP	RT	27453-34	10G
Phenylpyruvic Acid Sodium Salt [114-76-1]				
C9H7NaO3·nH2O=186.14(Anh)				
Purity: 95%(T)	EP	R	27451-41	1G
Phenyl Salicylate [118-55-8]				
HOC6H4COOC6H5=214.22				
Purity: 98%(T)	GR	RT	27423-82	25G
			27423-95	500G
N-Phenylthiourea [103-85-5]				
C6H5NHCSNH2=152.22				
Purity: 98%(N)	GR	RT	27429-22	25G
Phenyltrimethylammonium Bromide [16056-11-4]				
C6H5(Br)N(CH3)3=216.12				
Purity: 98%(T)	GR	A	27504-22	25G
Phloroglucinol [Phloroglucin] [6099-90-7]				
C6H3(OH)3=126.11				
	GR	RT	27526-42	25G
Phloxine B [18472-87-2]				
C20H2Br4Cl4Na2O5=829.63				
	GR	RT	27514-92	25G
Phorbol 12-Myristate 13-Acetate [16561-29-8]				
C36H56O8=616.83				
Purity: 98%(HPLC)	GR	F	27547-14	5MG
Phosphatase Inhibitor Cocktail				
for Biochemical Research Component: Imidazole, tetra-Sodium Ethylenediaminetetraacetate, Sodium Orthovanadate (V), β-Glycerophosphoric Acid Disodium Salt, Sodium (+)-Tartrate Dihydrate, Sodium Fluoride, Disodium Molybdate(VI) Dihydrate	SP	R	07574-61	1ML
Phosphatase Inhibitor Cocktail(EDTA free)				
for Biochemical Research Component: Imidazole, Sodium Orthovanadate (V), β-Glycerophosphoric Acid Disodium Salt, Sodium (+)-Tartrate Dihydrate, Sodium Fluoride, Disodium Molybdate(VI) Dihydrate	SP	R	07575-51	1ML
Phosphate Buffered Saline(10x)(pH 7.4)				
Filtrated(0.45um)		RT	27575-31	1L

Phosphate Buffered Saline(10x)(pH 7.4), DEPC treated, Nuclease tested				
for Molecular Biology Filtrated by 0.45um Nuclease tested	SP	RT	27576-21	1L
0.1mol/l-Phosphate Buffer Solution				
(pH 6.0)		RT	37258-65	500ML
(pH 6.4)		RT	37239-15	500ML
(pH 6.8)		RT	37241-65	500ML
(pH 7.0)		RT	37242-55	500ML
(pH 7.2)		RT	37243-45	500ML
(pH 7.4)		RT	37244-35	500ML
(pH 7.6)		RT	37245-25	500ML
1/15mol/l-Phosphate Buffer Solution				
(pH 6.4)		RT	37246-15	500ML
(pH 6.8)		RT	37248-95	500ML
(pH 7.0)		RT	37249-85	500ML
(pH 7.2)		RT	37250-45	500ML
(pH 7.4)		RT	37251-35	500ML
(pH 7.6)		RT	37252-25	500ML
50mmol/l-Phosphate Buffer Solution(pH 2.5)				
for Capillary Electrophoresis Sterilized by filtration	SP	RT	25971-04	2X100ML
Phosphate Buffer Solution(pH 2.5)(5x)				
for HPLC Concentration: 100mmol/l (Stock solution), Optimized for analysis at concentration of 20mmol/l (The same conditon as COSMOSIL Chromatogram Index)	SP	RT	08969-71	1L
Phosphate Buffer Solution(pH 6.8)(10x)				
		RT	08594-97	5L
			08594-26	20L
Phosphate Buffer Solution(pH 7.0)(5x)				
for HPLC Concentration: 100mmol/l (Stock solution), Optimized for analysis at concentration of 20mmol/l (The same conditon as COSMOSIL Chromatogram Index)	SP	RT	08968-81	1L
Phosphate Buffer Solution(pH 7.4)(10x)				
		RT	94222-61	1L
L-α-Phosphatidyl Choline from Egg Yolk [8002-43-5]				
Purity: 98%(TLC)	GR	F	27554-14	100MG
			27554-01	1G
L-α-Phosphatidylinositol Sodium Salt from Soybean				
Purity: 98%(TLC)	GR	F	27658-64	10MG
			27658-22	25MG
Phosphinic Acid [Hypophosphorous Acid] [6303-21-5]				
H3PO2=66.00				
Concentration: 50%	CP	RT	18924-15	500G
Concentration: 50%	GR	RT	18927-14	100ML
Phosphocreatine Disodium Salt [922-32-7]				
C4H8N3Na2O5P·4H2O=327.14				
Purity: 98%(T)	GR	R	27604-41	1G
			27604-12	25G
Phosphoenolpyruvic Acid Monopotassium Salt [PEP, Monopotassium Salt] [4265-07-0]				
C3H4O6PK=206.13				
for Protein Expression Analysis	SP	R	02852-61	1G
Phosphoglucose Isomerase from Bakers Yeast [9001-41-6]				
Activity: 400-800u/mg protein 2.6M in Ammoniun Sulfate suspension	BC	R	27656-84	1000UNITS
Phosphonic Acid [Phosphorous Acid] [13598-36-2]				
H3PO3=82				
Purity: 98%(T)	GR	A	27707-72	25G
			27707-85	500G
Phosphoramidon from Microbial Source				
C23H32N3O10P·2Na·2H2O=623.5				
Powder Inhibitory activity: 1.0ug/ml or less	BC	F	27653-14	10MG

Phosphoric Acid, Ortho [7664-38-2]				
H3PO4=98.00				
Purity: 85%(T)	GR	RT	27618-55	500ML
for HPLC	SP	RT	08964-92	25ML
Phosphoric Acid, Poly [8017-16-1]				
Purity: approx.75% (as diphosphorus pentoxide)	CP	RT	27704-15	500G
Phosphorus, Red [7723-14-0]				
P=30.973762				
	EP	RT	27721-85	500G
Purity: 99.999% Lump Particle size: 0.5-2mm	GR	RT	27733-22	25G
Phosphorus(V) Oxide [1314-56-3]				
P2O5=141.94				
Purity: 97%(T)	EP	RT	27716-65	500G
Purity: 98%(T)	GR	RT	27717-55	500G
Purity: 99.999%	GR	RT	27735-02	25G
Phosphorus Tribromide [7789-60-8]				
PBr3=270.69				
		A	27703-12	25G
MOLPAC Content: 27.1g		A	27724-71	1PACK
O-Phosphorylethanolamine [1071-23-4]				
H2NCH2CH2OPO3H2=141.06				
Purity: 98%(T)	GR	R	27803-31	1G
O-Phospho-L-serine [407-41-0]				
C3H8NO6P=185.07				
	EP	RT	27833-41	1G

[pH Standard Solution]

Phosphate pH Standard Equimolal Solution				
		RT	37275-64	250ML
Phthalate pH Standard Solution				
		RT	37274-74	250ML
Tetraborate pH Standard Solution				
		RT	37276-54	250ML
Standard Buffer Solution				
(pH 1.68)		RT	37227-65	500ML
(pH 4.01)		RT	37219-04	50ML
			37219-75	500ML
(pH 6.86)		RT	37220-64	50ML
			37220-35	500ML
(pH 9.18)		RT	37221-54	50ML
			37221-25	500ML
(pH 10.02)		RT	37228-55	500ML
o-Phthalaldehyde [643-79-8]				
C6H4(CHO)2=134.13				
Purity: 98%(GC)	GR	A	27810-44	5G
			27810-02	25G
for Fluorometric Analysis Purity: 99%(GC)	SP	R	27824-61	1G
			27824-74	5G
			27824-32	25G
o-Phthalaldehydic Acid [o-Formylbenzoic Acid] [119-67-5]				
OHCC6H4COOH=150.13				
Purity: 98%(T)	GR	RT	27811-92	25G

Phthalic Acid [88-99-3]				
C6H4(COOH)2=166.13				
Purity: 98%(T) Crystalline	EP	RT	27813-85	500G
Purity: 99%(T) Crystalline	GR	RT	27814-62	25G
			27814-75	500G
Phthalic Anhydride [85-44-9]				
C6H4(CO)2O=148.12				
Purity: 99.5%-100.3%(T)	GR	RT	27818-35	500G
Phthalide [87-41-2]				
C8H6O2=134.13				
Purity: 98%(GC)	GR	RT	27820-72	25G
Phthalimide [85-41-6]				
C6H4(CO)2NH=147.13				
Purity: 98%(N)	GR	RT	27821-62	25G
			27821-75	500G
Phthalimide Potassium Salt [1074-82-4]				
C6H4(CO)2NK=185.22				
Purity: 98%(T)	GR	RT	27822-52	25G
Phthalocyanine [574-93-6]				
C32H18N8=514.54				
	EP	RT	27930-74	5G
Phthalocyanine Green [14832-14-5]				
	EP	RT	27932-12	25G
Phthalonitrile [91-15-6]				
C6H4(CN)2=128.13				
	GR	RT	27903-92	25G
			27903-05	500G
N-Phthaloylglycine [4702-13-0]				
C10H7NO4=205.17				
Purity: 98%(T)	GR	RT	27944-62	25G
Phytic Acid [83-86-3]				
C6H18O24P6=660.04				
approx. 50% in water		R	27940-02	25G
			27940-15	500G
2-Picoline [2-Methylpyridine] [109-06-8]				
CH3C5H4N=93.13				
Purity: 98%(GC)	GR	RT	27911-82	25ML
3-Picoline [3-Methylpyridine] [108-99-6]				
CH3C5H4N=93.13				
Purity: 98%(GC)	GR	RT	27913-62	25ML
			27913-75	500ML
4-Picoline [4-Methylpyridine] [108-89-4]				
CH3C5H4N=93.13				
Purity: 98%(GC)	GR	RT	27931-22	25ML
Picolinic Acid [Pyridine-2-carboxylic Acid] [98-98-6]				
C5H4NCOOH=123.11				
Purity: 98%(T)	GR	RT	27918-12	25G
4-Picolyl Chloride Hydrochloride [1822-51-1]				
ClCH2C5H4N·HCl=164.03				
	EP	A	27935-82	25G
Pilocarpine Hydrochloride [54-71-7]				
C11H16N2O2·HCl=244.72				
Purity: 98%(T)	GR	RT	28008-31	1G
Pinacol [76-09-5]				
C6H14O2=118.17				
	EP	A	06961-82	25G

(-)-α-Pinene [7785-26-4]				
C10H16=136.23				
Purity: 95%(GC)	EP	RT	28017-82	25ML
			28017-95	500ML
(-)-β-Pinene [18172-67-3]				
C10H16=136.23				
	EP	RT	28018-72	25ML
			28018-85	500ML
DL-Pipecolinic Acid [4043-87-2]				
	EP	RT	28022-44	5G
Piperazine, Anhydrous [110-85-0]				
NH(C2H4)2NH=86.14				
Purity: 98%(T)	GR	RT	28025-72	25G
			28025-85	500G
Piperidine [110-89-4]				
C5H11N=85.15				
Purity: 99%(GC)	GR	RT	28028-42	25ML
			28028-55	500ML
PIPES [Piperazine-1,4-bis(2-ethanesulfonic Acid)] [5625-37-6]				
C8H18N2O6S2=302.37				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	28137-54	100G
Good Buffer Purity: 99%(T)	SP	RT	28104-74	5G
			28104-32	25G
			28104-16	100G
Pivalic Acid [75-98-9]				
(CH3)3CCOOH=102.13				
Purity: 98%(GC)	GR	RT	28106-12	25G
Platinum Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37529-44	100ML
Plusgrow II				
for Microorganism Culture One package for 1L	SP	RT	08246-86	40G
			08246-44	10X40G
for Microorganism Culture	SP	RT	08202-04	100G
			08202-75	500G
Plusgrow II, Agar				
for Microorganism Culture	SP	RT	08816-74	100G
			08816-45	500G
Podophyllin [9000-55-9]				
	GR	A	28201-94	5G
Pokeweed Mitogen [Phytolacca americana, Mitogen] [63231-57-2]				
Activity: 50ug solid/ml or less (human hemagglutination method) Fiber crystalline Lyophilization	BC	R	28255-04	5MG
Polyethylene Glycol [PEG]#200 [25322-68-3]				
Liquid average MW: 190-210 fp: -50°C	CP	RT	28213-15	500G
			28213-44	20KG
Polyethylene Glycol [PEG]#300 [25322-68-3]				
Liquid average MW: 285-315 fp: -10°C	CP	RT	28214-05	500G
Polyethylene Glycol [PEG]#400 [25322-68-3]				
Liquid average MW: 380-420 fp: 6°C	CP	RT	28215-95	500G
			28215-24	20KG
Polyethylene Glycol [PEG]#600 [25322-68-3]				
Liquid average MW: 570-630 fp: 20°C	CP	RT	28216-85	500G
Polyethylene Glycol [PEG]#1,000 [25322-68-3]				
Wax average MW: 500-600 fp: 39°C	CP	RT	28217-75	500G
Polyethylene Glycol [PEG]#1,500 [25322-68-3]				
Vaseline average MW: 950-1,050 fp: 37°C	CP	RT	28218-65	500G
Polyethylene Glycol [PEG]#1,540 [25322-68-3]				
Wax average MW: 1,300-1,600 fp: 45°C	CP	RT	28219-55	500G

Polyethylene Glycol [PEG]#2,000 [25322-68-3]				
Wax average MW: 1,850-2,150 fp: 51°C	CP	RT	28220-15	500G
Polyethylene Glycol [PEG]#4,000 [25322-68-3]				
Flake average MW: 2,700-3,500 fp: 55°C	CP	RT	28221-05	500G
50w/v%-Polyethylene Glycol #4000 Solution				
for Protein Structural Analysis	SP	R	05577-04	100ML
Polyethylene Glycol [PEG]#6,000 [25322-68-3]				
Flake average MW: 7,400-10,200 fp: 60°C	CP	RT	28222-95	500G
for Molecular Biology Average MW: 7,400-10,200 Nuclease and protease tested, fp: 60°C	SP	RT	28254-85	500G
Polyethylene Glycol [PEG]#20,000 [25322-68-3]				
Flake average MW: 15,000-25,000 fp: 60°C	CP	RT	28223-85	500G
30w/v%-Polyethylene Glycol #20000 Solution				
for Protein Structural Analysis	SP	R	05578-94	100ML
Polyethylene Glycol Lauryl Ether				
for Research of Insoluble Protein Polymerization: approx. 9	SP	RT	28235-35	500G
Polyethylene Glycol Mono-p-isooctylphenyl Ether [9002-93-1]				
for Molecular Biology Nuclease tested	SP	RT	25987-85	500ML
for Biochemical Research	SP	RT	28229-25	500ML
Polyethylene Glycol Mono-p-isooctylphenyl Ether [9002-93-1]				
for Liquid Scintillation	SP	RT	28228-35	500ML
			28228-93	3L
			28228-64	18KG
Polygalacturonic Acid [25990-10-7]				
	CP	RT	26243-14	5G
			26243-72	25G
Poly-L-lactic Acid				
MW: approx. 5,000		R	05372-74	5G
			05372-32	25G
MW: approx. 10,000		R	05373-64	5G
			05373-22	25G
Poly-L-lysine Hydrobromide [25988-63-0]				
MW: 30,000-70,000	BC	F	28360-14	100MG
Poly-L-Lysine Hydrobromide [25988-63-0]				
MW: 70,000-150,000	BC	F	28357-32	25MG
Poly-L-lysine Hydrobromide [25988-63-0]				
MW: 150,000-300,000	BC	F	28358-64	100MG
MW: 300,000 or more	BC	F	28359-54	100MG
for Tissue Culture Sterilized by gamma ray, MW: 70,000-150,000	SP	F	25409-84	5MG
Poly-L-lysine Solution				
0.1% in Water, with preservative		RT	28356-84	100ML
Polymyxin B Sulfate [1405-20-5]				
Titer: approx.6,000u/mg	GR	R	28338-11	1G
Polyoxyethylene Hexadecyl Ether [9004-95-9]				
	EP	RT	05401-84	100G
Polyoxyethylene Lauryl Ether [9002-92-0]				
for Molecular Biology Nuclease and Protease tested	SP	RT	08893-35	500G
for Amino Acid Auto Analyzer	SP	RT	05317-04	100G
			05317-75	500G
Polyoxyethylene Octylphenyl Ether(n=abt. 9.4) [9002-93-1]				
	CP	RT	25529-14	100ML
Polyoxyethylene Sorbitan Monolaurate [9005-64-5]				
	EP	RT	35624-02	25G
			35624-15	500G
for Molecular Biology Nuclease tested	SP	RT	28353-14	50G
			28353-85	500G
Polyoxyethylene Sorbitan Monooleate [9005-65-6]				
	EP	RT	35703-62	25G
			35703-75	500G

Polyoxyethylene Sorbitan Monopalmitate [9005-66-7]				
	EP	RT	35701-82	25G
			35701-95	500G
Polyoxyethylene Sorbitan Monostearate [9005-67-8]				
	EP	RT	35702-72	25G
			35702-85	500G
Polyoxyethylene Sorbitan Trioleate [9005-70-3]				
	EP	RT	35704-65	500G
Polypropylene Glycol#2,000 [25322-69-4]				
HO[CH(CH3)CH2O]nH				
	EP	RT	28329-15	500G
Polyvinyl Alcohol [9002-89-5]				
(CH2CHOH)n				
Polymerization: 2,000 Saponifiable: 86.5-89mol%	CP	RT	28311-25	500G
Polymerization: 2,000 Saponifiable: 98.5mol% or more	CP	RT	28310-35	500G
Polyvinylformal [9003-33-2]				
	EP	RT	28312-02	25G
			28312-15	500G
Polyvinylpolypyrrolidone [25249-54-1]				
	EP	RT	28313-92	25G
			28313-05	500G
Polyvinylpyrrolidone 25 [9003-39-8]				
MW: 24,500	GR	RT	28316-62	25G
			28316-75	500G
Polyvinylpyrrolidone K-30 [9003-39-8]				
MW: 40,000	EP	RT	28314-82	25G
			28314-95	500G
for Molecular Biology Nuclease and Protease tested MW: 40,000	SP	RT	06306-72	25G
			06306-85	500G
Polyvinylpyrrolidone K-90 [9003-39-8]				
MW: 360,000	EP	RT	28315-72	25G
			28315-85	500G
Polyvinylpyrrolidone K-90 [9003-39-8]				
for Molecular Biology Nuclease and Protease tested MW: 360,000	SP	RT	28354-04	100G
			28354-75	500G
Polyvinylsulfuric Acid Potassium Salt [26837-42-3]				
(C2H3O4SK)n				
Polymerization: approx.1,500	GR	RT	28317-94	5G
Ponceau 3R [3564-09-8]				
C19H16N2O7S2Na2=494.45				
for Electrophoresis	SP	RT	28335-54	5G
			28335-12	25G
Ponceau S [6226-79-5]				
C22H12N4Na4O13S=760.57				
for Electrophoresis	SP	RT	28322-72	25G
Potassium [7440-09-7]				
K=39.0983				
	CP	RT	09157-42	25G
Potassium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37508-14	100ML
Potassium Acetate [127-08-2]				
CH3COOK=98.14				
Purity: 95%(T)	EP	RT	28404-15	500G
Purity: 97%(T)	GR	RT	28405-05	500G
for Molecular Biology Purity: 97%(T) Nuclease and Protease tested	SP	RT	28434-12	25G
			28434-25	500G

Potassium Bromate [7758-01-2]				
KBrO3=167.00				
Purity: 99%(T)	EP	RT	28430-65	500G
Purity: 99.8%(T)	GR	RT	28501-35	500G
Potassium Bromide [7758-02-3]				
KBr=119.00				
Purity: 99%(T)	EP	RT	28502-25	500G
Purity: 99%(T)	GR	RT	28503-15	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08924-25	500G
for IR Purity: 99%(T)	SP	RT	28535-34	100G
Potassium t-Butoxide [865-47-4]				
(CH3)3COK=112.21				
Purity: 95%(T)	CP	A	28536-82	25G
			28536-24	100G
			28536-95	500G
Potassium Carbonate [584-08-7]				
K2CO3=138.21				
Purity: 99.5%(T)	EP	RT	28508-65	500G
			28508-94	5KG
Purity: 99.5%(T)	GR	RT	28509-55	500G
Potassium Chloride [7447-40-7]				
KCl=74.55				
Purity: 99%(T)	EP	RT	28513-85	500G
			28513-72	25KG
Purity: 99.5%(T)	GR	RT	28514-75	500G
			28514-04	5KG
			28514-62	25KG
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	28538-62	25G
			28538-75	500G
3.3mol/l-Potassium Chloride Solution [7447-40-7]				
		RT	37342-45	500ML
Potassium Chromate [7789-00-6]				
K2CrO4=194.19				
Purity: 98.5%(T)	EP	RT	28518-51	1G
			28518-22	25G
tri-Potassium Citrate Monohydrate [6100-05-6]				
K3C6H5O7·H2O=324.41				
	EP	RT	28523-55	500G
Purity: 99%(T)	GR	RT	28524-32	25G
			28524-45	500G
for Amino Acid Auto Analyzer Purity: 99.5%(T)	SP	RT	28525-35	500G
Potassium Dichromate [7778-50-9]				
K2Cr2O7=294.18				
	EP	RT	28532-35	500G
Purity: 99.5%(T)	GR	RT	28533-41	1G
			28533-54	100G
			28533-25	500G
Potassium Dihydrogen Citrate [866-83-1]				
KH2C6H5O7=230.21				
Purity: 95%(T)	EP	RT	28521-62	25G
di-Potassium Dihydrogen Ethylenediaminetetraacetate [25102-12-9]				
C10H14N2O8K2·2H2O=404.45				
Purity: 99%(T)	GR	RT	15108-92	25G
			15108-05	500G

Potassium Dihydrogenphosphate [7778-77-0]				
KH2PO4=136.09				
Purity: 98%(T)	EP	RT	28720-65	500G
Purity: 99%(T)	GR	RT	28721-55	500G
			28721-84	25KG
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	28736-75	500G
for Oxydant Analysis Purity: 99%(T)	SP	RT	28732-44	140G
Potassium Diphosphate [Potassium Pyrophosphate] [7320-34-5]				
K4P2O7=330.34				
Purity: 98%(T)	EP	RT	28805-65	500G
Potassium Disulfate [Potassium Pyrosulfate] [7790-62-7]				
K2S2O7=254.32				
Purity: 95%-103%(T)	EP	RT	28806-55	500G
Purity: 98%(T)	GR	RT	28807-45	500G
Potassium Disulfite [Potassium Pyrosulfite] [16731-55-8]				
K2S2O5=222.32				
Purity: 95%(T)	GR	RT	28633-15	500G
Potassium O-Ethyl Dithiocarbonate [140-89-6]				
C2H5OCS2K=160.30				
Purity: 90%(T)	GR	RT	28603-92	25G
Potassium Hexachloroplatinate(IV) [16921-30-5]				
K2PtCl6=486.00				
Purity: 99%(W)	GR	R	28121-31	1G
Potassium Hexacyanoferrate(II) Trihydrate [14459-95-1]				
K4Fe(CN)6·3H2O=422.39				
Purity: 99%(T)	EP	RT	28640-15	500G
Purity: 99.5%(T)	GR	RT	28608-42	25G
			28608-55	500G
Potassium Hexacyanoferrate(III) [13746-66-2]				
K3Fe(CN)6=329.24				
Purity: 95%(T)	CP	RT	28637-75	500G
Purity: 99%(T)	GR	RT	28605-72	25G
			28605-85	500G
Potassium Hexafluorophosphate [17084-13-8]				
F6KP=184.06				
	CP	RT	06907-02	25G
Potassium Hexahydroxoantimonate(V) [12208-13-8]				
K[Sb(OH)6]=262.90				
	EP	RT	09236-02	25G
Potassium Hydrogen Carbonate [298-14-6]				
KHCO3=100.12				
Purity: 99.3%-100.5%(T)	EP	RT	28413-95	500G
Purity: 99.5%-100.3%(T)	GR	RT	28414-85	500G
di-Potassium Hydrogen Citrate [3609-96-9]				
K2HC6H5O7=268.30				
	EP	RT	28522-52	25G
tri-Potassium Hydrogen Ethylenediaminetetraacetate [17572-97-3]				
C10H13N2O8K3·2H2O=442.54				
	GR	RT	15109-82	25G
di-Potassium Hydrogenphosphate [7758-11-4]				
K2HPO4=174.18				
Purity: 98%(T)	EP	RT	28726-05	500G
			28726-92	25KG
Purity: 99%(T)	GR	RT	28727-95	500G
			28727-24	5KG
			28727-82	25KG

di-Potassium Hydrogenphosphate [7758-11-4]				
K2HPO4=174.18				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	28737-65	500G
4mol/l-di-Potassium Hydrogenphosphate Solution				
for Protein Structural Analysis	SP	R	05590-14	100ML
di-Potassium Hydrogenphosphate Trihydrate [16788-57-1]				
K2HPO4·3H2O=228.22				
Purity: 99%(T)	GR	RT	28728-85	500G
Potassium Hydrogen Phthalate [877-24-7]				
C6H4(COOK)(COOH)=204.22				
Purity: 99%(T)	EP	RT	28419-35	500G
Purity: 99.8%-100.2%(T)	GR	RT	28420-82	25G
			28420-24	100G
			28420-95	500G
Potassium Hydrogen Sulfate [7646-93-7]				
KHSO4=136.17				
Purity: 97%(T)	EP	RT	28423-65	500G
Purity: 98%(T)	GR	RT	28424-55	500G
Potassium Hydroxide [1310-58-3]				
KOH=56.11				
Purity: 85%(T)	GR	RT	28616-45	500G
Purity: 85%(T)	GR	RT	28617-35	500G
8mol/l-Potassium Hydroxide Solution [1310-58-3]				
		RT	37406-15	500ML
4mol/l-Potassium Hydroxide Solution [1310-58-3]				
		RT	96227-35	500ML
1mol/l-Potassium Hydroxide Solution [1310-58-3]				
		RT	37407-05	500ML
0.5mol/l-Potassium Hydroxide Solution [1310-58-3]				
		RT	95411-35	500ML
0.1mol/l-Potassium Hydroxide Solution [1310-58-3]				
		RT	37408-95	500ML
0.5mol/l-Potassium Hydroxide Solution(Ethanol Solution)				
		R	37443-25	500ML
0.1mol/l-Potassium Hydroxide Solution(Ethanol Solution)				
		R	37410-45	500ML
Potassium Iodate [7758-05-6]				
KIO3=214.00				
Purity: 99.7%(T)	GR	RT	28621-52	25G
			28621-65	500G
0.05mol/l-Potassium Iodate Solution [7758-05-6]				
		RT	95432-65	500ML
1/60mol/l-Potassium Iodate Solution [7758-05-6]				
		RT	37401-65	500ML
1/240mol/l-Potassium Iodate Solution [7758-05-6]				
		RT	95426-55	500ML
Potassium Iodide [7681-11-0]				
KI=166.00				
	EP	RT	28624-35	500G
Purity: 99.5%(T)	GR	RT	28625-12	25G
			28625-25	500G
for Oxydant Analysis Purity: 99.5%(T)	SP	RT	28632-54	200G
			28632-25	500G
Potassium Nitrate [7757-79-1]				
KNO3=101.10				
	EP	RT	28703-95	500G

Potassium Nitrate [7757-79-1]				
KNO3=101.10				
Purity: 99%(T)	GR	RT	28704-85	500G
Potassium Nitrite [7758-09-0]				
KNO2=85.10				
Purity: 90%(T)	CP	RT	28735-01	1G
			28735-72	25G
			28735-85	500G
Potassium Oxalate Monohydrate [6487-48-5]				
K2C2O4·H2O=184.23				
	EP	RT	28707-55	500G
Purity: 99%(T)	GR	RT	28708-32	25G
			28708-45	500G
Potassium Perchlorate [7778-74-7]				
KClO4=138.55				
Purity: 99.5%(T)	GR	RT	28710-82	25G
Potassium Periodate [7790-21-8]				
KIO4=230.00				
Purity: 99.5%-100.3%(T)	GR	RT	28711-72	25G
			28711-85	500G
Potassium Peroxodisulfate [7727-21-1]				
K2S2O8=270.32				
Purity: 95%(T)	EP	RT	28717-25	500G
Purity: 98%(T)	GR	RT	28718-02	25G
			28718-15	500G
for Water Analysis Purity: 99%(T)	SP	R	28734-24	100G
Potassium Perrhenate [10466-65-6]				
KReO4=289.30				
Purity: 99%	EP	RT	28712-91	1G
tri-Potassium Phosphate n-Hydrate [7778-53-2]				
K3PO4·nH2O				
	EP	RT	28730-35	500G
Potassium Pyruvate [4151-33-1]				
CH3COCOOK=126.15				
Purity: 97%(T)	GR	R	29805-22	25G
Potassium Silicate Solution				
Water solution	CP	RT	28808-35	500G
Potassium Sodium (+)-Tartrate Tetrahydrate [6381-59-5]				
KNaC4H4O6·4H2O=282.22				
Purity: 99%(T)	EP	RT	31814-45	500G
Purity: 99.5%(T)	GR	RT	31815-22	25G
			31815-35	500G
			31815-64	25KG
1.5mol/l-Potassium Sodium-Tartrate Solution				
for Protein Structural Analysis	SP	R	05584-04	100ML
Potassium Sulfate [7778-80-5]				
K2SO4=174.26				
Purity: 98%(T)	EP	RT	28811-75	500G
Purity: 99%(T)	GR	RT	28812-65	500G
Potassium Tellurate [15571-91-2]				
K2TeO4·2H2O=305.82				
Purity: 95%(W)	EP	RT	28818-92	25G
Potassium Tetrachloroplatinate(II) [10025-99-7]				
K2PtCl4=415.09				
	GR	R	28122-21	1G

Potassium Thiocyanate [333-20-0]				
KSCN=97.18				
Purity: 97%(T)	EP	RT	28824-15	500G
Purity: 98.0%(T)	GR	RT	28825-05	500G
0.1mol/l-Potassium Thiocyanate Solution [333-20-0]				
		RT	37411-35	500ML
Potassium Tripolyphosphate				
K5P3O10=448.41				
	CP	RT	28901-95	500G
Potassium Tungstate [7790-60-5]				
K2WO4=326.03				
	EP	RT	28902-72	25G
Praseodymium [7440-10-0]				
Pr=140.90765				
Purity: 99.9%	EP	RT	28906-61	1G
Praseodymium(III) Chloride [10025-90-8]				
PrCl3·7H2O=373.37				
Purity: 99.9%	EP	RT	28908-41	1G
Praseodymium(III IV) Oxide [12037-29-5]				
Pr6O11=1021.44				
Purity: 99.9%	EP	RT	28909-31	1G
Prednisolone [50-24-8]				
C21H28O5=360.44				
	EP	RT	06194-84	5G
Prednisone [53-03-2]				
C21H26O5=358.43				
	GR	RT	28912-71	1G
Pre-stained Protein Markers(Broad Range) for SDS-PAGE				
for Electrophoresis	SP	F	02525-35	500UL
Pre-stained Protein Markers(High Range) for SDS-PAGE				
for Electrophoresis Contain 0.01% Sodium Azide in Tris-EDTA-Glycerol	SP	F	26039-75	500UL
Pre-stained Protein Markers(Low Range) for SDS-PAGE				
for Electrophoresis Contain 0.01% Sodium Azide in Tris-EDTA-Glycerol	SP	F	28944-74	5X100UL
			28941-75	500UL
Probenecid [57-66-9]				
C13H19NO4S=285.36				
		RT	28920-32	25G
Procainamide Hydrochloride [614-39-1]				
C13H21N3O·HCl=271.79				
Purity: 97%(T)	EP	RT	28937-32	25G
Procaine Hydrochloride [51-05-8]				
C13H20N2O2·HCl=272.77				
Purity: 98%(T)	GR	RT	28931-92	25G
Progesterone [57-83-0]				
C21H30O2=314.46				
Purity: 97%-103%(UV)	GR	RT	28921-51	1G
			28921-64	5G
			28921-22	25G
D-Proline [344-25-2]				
C4H8NCOOH=115.13				
Purity: 98%(T)	GR	RT	28925-11	1G
L(-)-Proline [147-85-3]				
C5H9NO2=115.13				
Purity: 99%(T)	GR	RT	29001-71	1G
			29001-84	5G
			29001-42	25G
			29001-55	500G

1,3-Propanedithiol [109-80-8]				
C3H8S2=108.23				
Purity: 95%(GC)		R	29038-82	25ML
1,3-Propane Sultone [1120-71-4]				
C3H6SO3=122.14				
Purity: 99%(GC)	GR	RT	29027-22	25G
1-Propanethiol [107-03-9]				
CH3CH2CH2SH=76.16				
Purity: 98%(GC)	GR	RT	29308-42	25ML
2-Propanethiol [75-33-2]				
(CH3)2CHSH=76.16				
Purity: 96%(GC)	EP	RT	29354-32	25ML
1-Propanol [71-23-8]				
CH3CH2CH2OH=60.10				
Purity: 98%(GC)	EP	RT	29108-75	500ML
Purity: 99.5%(GC)	GR	RT	29109-65	500ML
for HPLC Purity: 99.5%(GC)	SP	RT	29033-61	1L
for Amino Acid Sequence Analysis Purity: 99.5%(GC)	SP	RT	29110-25	500ML
2-Propanol [67-63-0]				
(CH3)2CHOH=60.10				
Purity: 99%(GC)	EP	RT	29112-05	500ML
Purity: 99.7%(GC)	GR	RT	29113-66	100ML
			29113-95	500ML
for Molecular Biology Purity: 99.7%(GC) Nuclease and Protease tested	SP	RT	03065-64	100ML
			03065-35	500ML
for Fluorometric Analysis Purity: 99.7%(GC)	SP	RT	29131-55	500ML
for HPLC Purity: 99.7%(GC)	SP	RT	29128-31	1L
for Spectrum Purity: 99.7%(GC)	SP	RT	29130-65	500ML
for Electronics Purity: 99.7%(GC)	SP	RT	29132-45	500ML
2-Propanol 〈H2O<50ppm〉 [67-63-0]				
(CH3)2CHOH=60.10				
Purity: 99.5%(GC) Special Cap	GR	RT	04101-44	100ML
			04101-15	500ML
50v/v%-2-Propanol Solution				
for Protein Structural Analysis	SP	RT	05575-24	100ML
n-Propanolamine [3-Amino-1-propanol] [156-87-6]				
H2NCH2CH2CH2OH=75.11				
	GR	RT	29005-02	25G
Propidium Iodide [25535-16-4]				
C27H34N4I2=668.39				
Purity: 95%(HPLC)	EP	R	29037-76	10MG
			29037-92	25MG
			29037-34	100MG
Propidium Iodide DMSO Solution(1mg/ml) [25535-16-4]				
for Fluorometric Analysis	SP	F	29004-41	1ML
Propionaldehyde [123-38-6]				
CH3CH2CHO=58.08				
Purity: 95%(GC)	EP	RT	29015-56	25ML
			29015-14	500ML
Propionic Acid [79-09-4]				
CH3CH2COOH=74.08				
Purity: 97%(GC)	EP	RT	29017-65	500G
Purity: 99%(GC)	GR	RT	29018-42	25G
			29018-55	500G
Propionic Acid Potassium Salt [327-62-8]				
CH3CH2COOK=112.17				
Purity: 98%(T)	GR	RT	29019-32	25G

Propionic Acid Sodium Salt [137-40-6]				
CH3CH2COONa=96.06				
Purity: 98%(T)	GR	RT	29020-92	25G
			29020-05	500G
Propionic Anhydride [123-62-6]				
(CH3CH2CO)2O=130.14				
Purity: 97%(T)	EP	RT	29021-82	25G
Propionitrile [107-12-0]				
CH3CH2CN=55.08				
Purity: 98%(GC)	GR	RT	29022-72	25ML
			29022-85	500ML
Propionyl Chloride [79-03-8]				
CH3CH2COCl=92.52				
Purity: 98%(T)	GR	A	29102-22	25G
Propiophenone [93-55-0]				
CH3CH2COC6H5=134.18				
Purity: 98%(GC)	GR	RT	29103-12	25G
DL-Propranolol Hydrochloride [3506-09-0]				
C16H21NO2·HCl=295.8				
Purity: 98%(T)	GR	R	29126-51	1G
n-Propyl Acetate [109-60-4]				
CH3COOCH2CH2CH3=102.13				
Purity: 99%(GC)	GR	RT	29105-92	25ML
			29105-05	500ML
n-Propylamine [107-10-8]				
CH3CH2CH2NH2=59.11				
Purity: 98%(GC)	GR	RT	29120-82	25ML
n-Propylbenzene [103-65-1]				
C6H5CH2CH2CH3=120.19				
Purity: 99%(GC)	GR	RT	29124-42	25ML
n-Propyl Benzoate [2315-68-6]				
C6H5COOCH2CH2CH3=164.20				
Purity: 98%(GC)	EP	RT	29125-32	25G
n-Propyl Bromide [106-94-5]				
CH3CH2CH2Br=122.99				
Purity: 98%(GC)	GR	RT	29202-12	25G
			29202-25	500G
n-Propyl Chloride [1-Chloropropane] [540-54-5]				
CH3CH2CH2Cl=78.54				
Purity: 99%(GC)	GR	RT	29208-52	25ML
Propylene Carbonate [108-32-7]				
C4H6O3=102.09				
Purity: 98%(GC)	EP	RT	29213-72	25G
			29213-85	500G
Propylene Glycol [57-55-6]				
CH3CH(OH)CH2OH=76.09				
Purity: 98%(GC)	EP	RT	29217-45	500G
Purity: 99%(GC)	GR	RT	29218-35	500G
			29218-64	18KG
Propylene Glycol α-Monomethyl Ether [107-98-2]				
CH3OCH2CH(OH)CH3=90.12				
Purity: 96%(GC)	EP	RT	29219-12	25ML
for Amino Acid Auto Analyzer Purity: 98%(GC)	SP	RT	29230-55	500ML
Propylene Glycol 1-Monomethyl Ether 2-Acetate [108-65-6]				
C6H12O3=132.16				
	EP	RT	06979-85	500ML

Propylene Oxide [75-56-9]				
C3H6O=58.08				
Purity: 99%(GC)	GR	RT	29222-52	25ML
			29222-65	500ML
for Electro Microscopy Purity: 99%(GC)	SP	RT	29223-55	500ML
n-Propyl Ether [111-43-3]				
(CH3CH2CH2)2O=102.17				
Purity: 98%(GC)	GR	RT	29224-32	25ML
n-Propyl Gallate [121-79-9]				
(HO)3C6H2COOCH2CH2CH3=212.20				
	EP	RT	29303-92	25G
n-Propyl p-Hydroxybenzoate [94-13-3]				
HOC6H4COOCH2CH2CH3=180.20				
Purity: 99%(T)	EP	RT	29304-82	25G
			29304-95	500G
n-Propyl Iodide [107-08-4]				
CH3CH2CH2I=169.99				
Purity: 98%(GC)	GR	RT	29305-72	25G
6-Propyl-2-thiouracil [51-52-5]				
C7H10N2OS=170.23				
Purity: 98%(N)	GR	RT	29317-64	10G
2-Propyn-1-ol [107-19-7]				
HC|CCH2OH=56.06				
Purity: 97%(GC)	EP	RT	29008-56	25ML
			29008-14	500ML
Prostaglandin D2 [41598-07-6]				
C20H32O5=352.47				
	GR	F	25999-51	1MG
Prostaglandin E2 [363-24-6]				
C20H32O5=352.47				
	GR	F	29334-21	1MG
			29334-34	10MG
Prostaglandin J2 [60203-57-8]				
C20H30O4=334.45				
	GR	U	26037-11	1MG
Protamine Sulfate from Salmon [53597-25-4]				
	GR	R	29318-41	1G
			29318-54	5G
			29318-12	25G
Protease Inhibitor Cocktail(EDTA free)(100x)				
for Biochemical Research Powder Component: AEBSF, Aprotinin from bovine lung, E-64, Leupeptin hemisulfate monohydrate	SP	F	03969-21	5X1ML
Protease Inhibitor Cocktail for General Use(100x)				
for Biochemical Research Powder Component: AEBSF, Aprotinin from bovine lung, E-64, Leupeptin hemisulfate monohydrate, EDTA 2Na	SP	F	04080-11	5X1ML
Protease Inhibitor Cocktail for Use with Mammalian Cell and Tissue Extracts				
for Biochemical Research Component: AEBSF, Aprotinin from bovine lung, E-64, Leupeptin hemisulfate monohydrate, Pepstain A In DMSO	SP	F	25955-11	5X1ML
Protein A				
From Staphylococcus aureus	GR	R	29435-14	5MG
			29435-56	5X5MG
Proteinase K from Tritirachium album [39450-01-6]				
Activity: 30u/mg solid Lyophilized powder	GR	R	29442-14	100MG
			29442-85	500MG
Proteinase K Solution(>700U/ml)				
for Molecular Biology Approx. 20mg/ml Proteinase K, 10mmol/l Tris-HCl Buffer(pH 7.6), 50% Glycerol, 1mmol/l CaCl2, Nuclease tested	SP	R	04130-06	2ML
			04130-64	10ML
Protein Assay Bicinchoninate Kit				
for Biochemical Research Component: Solution A: Bicinchonic Acid Solution(2x250ml), Solution B: Copper Sulfate Solution(1x10ml), for 250 times(tube) / for 2,500 times(microplate)	SP	RT	06385-00	1KIT

Protein Assay CBB Solution(5x)				
for Biochemical Research	SP	RT	29449-44	100ML
			29449-15	500ML
Protein Assay Lowry Kit				
for Biochemical Research Component: 2%-Sodium Carbonate/0.1N-Sodium Hydroxide solution(500ml), 0.5%-Copper Sulfate solution(10ml), 1N-Potassium Sodium Tartrate solution(10ml), 1N-Phenol reagent(50ml), for approx. 500times	SP	RT	29470-60	1KIT
Protein Ladder One, Multi-color(Broad Range) for SDS-PAGE				
for Electrophoresis MW range: 10kDa-250kDa, Component: 2.5mM Tris-phosphoric acid(pH 7.5), 1mM EDTA, 2% SDS, 10mM DTT, 1mM sodium azide, 33% glycerin	SP	F	09549-25	500UL
Protein Ladder One, Triple-color(Broad Range) for SDS-PAGE				
for Electrophoresis MW range 10kDa-250kDa Component: 62.5mM Phosphoric acid(pH 7.5), 1mM EDTA, 2% SDS, 10mM DTT, 1mM Sodium Azide, 33% Glycerin	SP	F	09547-74	250UL
Protein Markers(M.W. 6,500~200,000)(10x) for SDS-PAGE				
for Electrophoresis Component: Mixture of Myosin, Carbonic Abhydrase, β-Galactosidase, Trypsin Inhibitor, BSA, Lysozyme, Ovalbumin, Aprotinin Contain Sodium Azide, Filtrated by 0.45um	SP	F	29458-24	200UL
Protocatechualdehyde [139-85-5]				
(HO)2C6H3CHO=138.12				
Purity: 97%(T)	EP	RT	29410-24	10G
			29410-82	25G
Protocatechuic Acid [99-50-3]				
(HO)2C6H3COOH=154.12				
		RT	08521-24	5G
Pseudocumene [1,2,4-Trimethylbenzene] [95-63-6]				
(CH3)3C6H3=120.19				
	GR	RT	29414-55	500ML
(+)-Pulegone [89-82-7]				
(CH3)2C:C6H7(:O)CH3=152.23				
Purity: 70%(GC)	CP	RT	29417-12	25G
Pullulan [9057-02-7]				
(C6H10O5)n				
	GR	RT	29418-31	1G
			29418-44	10G
Puromycin Dihydrochloride from Streptomyces alboniger [58-58-2]				
C22H29N7O5·2HCl=544.43				
Purity: 98%(HPLC)	GR	F	29455-54	10MG
			29455-12	25MG
Purpurin [81-54-9]				
C14H8O5=256.21				
	EP	RT	29425-02	25G
Putrescine [1,4-Diaminobutane] [110-60-1]				
H2N(CH2)4NH2=88.15				
Purity: 98%(GC)	GR	A	29427-82	25ML
Putrescine Dihydrochloride [333-93-7]				
H2N(CH2)4NH2·2HCl=161.07				
Purity: 98%(T)	GR	A	29428-01	1G
			29428-14	5G
Pyoktanin Blue [548-62-9]				
C25H30ClN3=407.98				
	EP	RT	29429-62	25G
	GR	RT	29430-22	25G
Pyrazine [290-37-9]				
C4H4N2=80.09				
	GR	RT	29502-24	5G
Pyrazole [288-13-1]				
C3H4N2=68.08				
Purity: 98%(GC)	GR	RT	29505-94	5G
			29505-52	25G
Pyrene [129-00-0]				
C16H10=202.25				
Purity: 98%(GC)	GR	RT	29506-42	25G

N-(1-Pyrenyl)maleimide [42189-56-0]				
C20H11NO2=297.31				
for Fluorometric Analysis Purity: 98%(HPLC)	SP	R	29527-14	250MG
Pyridine [110-86-1]				
C5H5N=79.10				
Purity: 98%(GC)	EP	RT	29508-35	500ML
Purity: 99.5%(GC)	GR	RT	29509-25	500ML
for Nucleic Acid synthsis Purity: 99.7%(GC)	SP	RT	29526-24	100ML
			29526-95	500ML
for Column Chromatography Purity: 99.7%(GC)	SP	RT	29515-35	500ML
for Spectrum Purity: 99.7%(GC)	SP	RT	29516-25	500ML
2-Pyridinecarboxaldehyde [1121-60-4]				
C6H5NO=107.11				
Purity: 98%(GC)	EP	R	29532-92	25G
3-Pyridinecarboxaldehyde [500-22-1]				
C6H5NO=107.11				
	EP	R	07072-02	25ML
Pyridinium Chlorochromate [26299-14-9]				
C5H6NO3ClCr=215.56				
Purity: 98%(T)	EP	RT	29622-12	25G
Pyridinium p-Toluenesulfonate [24057-28-1]				
C5H5N·C7H8O3S=251.30				
	EP	RT	06924-72	25G
Pyridoxal Hydrochloride [65-22-5]				
C8H9NO3·HCl=203.62				
	GR	R	29605-71	1G
			29605-84	5G
			29605-42	25G
Pyridoxal-5'-phosphate [41468-25-1]				
C8H10NO6P·H2O=265.16				
	GR	R	29606-61	1G
			29606-74	5G
			29606-32	25G
Pyridoxine Hydrochloride [58-56-0]				
C8H11NO3·HCl=205.64				
Purity: 98%(T)	GR	RT	29611-81	1G
			29611-94	5G
			29611-52	25G
1-(2-Pyridylazo)-2-naphthol [PAN] [85-85-8]				
C5H4NN:NC10H6OH=249.27				
Purity: 98%(T)	GR	RT	29614-51	1G
			29614-64	5G
Pyrocatechol [Pyrocatechin] [120-80-9]				
C6H4(OH)2=110.11				
Purity: 95%(GC)	CP	RT	29618-95	500G
Purity: 99%(GC)	GR	RT	29619-72	25G
Pyrocatechol Violet [115-41-3]				
C19H14O7S=386.38				
	GR	RT	29701-14	5G
Pyrogallol [Pyrogallic Acid] [87-66-1]				
C6H3(OH)3=126.11				
Purity: 99%(GC)	GR	RT	29703-52	25G
			29703-65	500G
for Amino Acid Auto Analyzer Purity: 99%(GC)	SP	RT	29705-32	25G
Pyromellitic Acid [89-05-4]				
C6H2(COOH)4=254.15				
Purity: 95%(T)	EP	RT	29709-92	25G

Pyromellitic Dianhydride [89-32-7]				
O(CO)2C6H2(CO)2O=218.12				
Purity: 90%(T)	CP	RT	25952-12	25G
Pyrrole [109-97-7]				
C4H5N=67.09				
Purity: 99%(GC)	GR	RT	29714-12	25ML
Pyrrole-2-carboxylic Acid [634-97-9]				
C4H4NCOOH=111.10				
Purity: 98%(T)	GR	R	29726-04	5G
Pyrrolidine [123-75-1]				
C4H9N=71.12				
Purity: 98%(GC)	GR	RT	29716-92	25ML
			29716-05	500ML
Pyrrolidinecarbodithioic Acid Ammonium Salt [5108-96-3]				
C4H8NCSSNH4=164.29				
for Atomic Absorption Spectrometry	SP	R	29717-11	1G
			29717-24	5G
			29717-82	25G
2-Pyrrolidone [616-45-5]				
C4H7NO=85.10				
Purity: 98%(GC)	EP	RT	29719-62	25G
L-2-Pyrrolidone-5-carboxylic Acid [98-79-3]				
C4H6NOCOOH=129.11				
Purity: 97%(T)	EP	RT	29727-52	25G
Pyruvate Kinase from Rabbit Muscle [9001-59-6]				
Activity: 250-450u/mg protein Three-time crystallized, 70% Ammonium Sulfate suspension	BC	R	29737-64	10MG
Pyruvic Acid [127-17-3]				
CH3COCOOH=88.06				
Purity: 97%(T)	GR	A	29801-62	25G

[Q]

Quartz Sand [14808-60-7]				
	CP	RT	29808-05	500G
Quartz Wool [14808-60-7]				
for Elemental Analysis Fiber, size: approx.1-6um	SP	RT	29810-71	1G
Quercetin Dihydrate [6151-25-3]				
C15H10O7·2H2O=338.27				
	EP	RT	09540-02	25G
Quinhydrone [106-34-3]				
C6H4O2C6H4(OH)2=218.21				
	EP	RT	29931-62	25G
D-(-)-Quinic Acid [77-95-2]				
C7H12O6=192.17				
Purity: 98%(T)	GR	RT	29921-92	25G
Quinidine Sulfate [6591-63-5]				
C40H50N4O8S·2H2O=782.94				
Purity: 98%(T)	GR	RT	29922-82	25G
Quinine [130-95-0]				
C20H24N2O2·xH2O				
Purity: 98%(T)	EP	RT	29923-14	5G
Quinine Hydrochloride [6119-47-7]				
C20H24N2O2·HCl·2H2O=396.91				
Purity: 98%(T)	EP	RT	29910-74	5G
			29910-32	25G
Quinoline [91-22-5]				
C9H7N=129.16				
Purity: 95%(GC)	GR	RT	29914-92	25ML
8-Quinolinol [148-24-3]				
C9H7NO=145.16				
Purity: 99%(T)	GR	RT	18907-61	1G
			18907-32	25G
			18907-74	250G

[R]

D-(+)-Raffinose Pentahydrate [17629-30-0]
C18H32O16·5H2O=594.51

Purity: 98%(HPLC)	GR	RT	30001-86	5G
			30001-02	25G
			30001-44	100G

Raney Nickel [7440-02-0]

Powder Particle size: approx.100-300mesh Nickel content: 50%	EP	RT	30004-72	25G
			30004-85	500G

Rapamycin [53123-88-9]
C51H79NO13=914.17

Purity: 98%(TLC)	GR	F	30037-94	100UG

Rapeseed Oil [8002-13-9]

	CP	RT	25618-15	500G
			25618-44	16.5KG

Rapid CBB Destain Kit

for Electrophoresis Component: Solution A(base acetic acid), Solution B(base alcohol), 500ml each	SP	RT	30046-74	1SET

Rapid Stain CBB Kit

for Electrophoresis Component: Solution A(Main component: acetic acid)400ml, Solution B(Main component: CBB R250, Ethanol)400ml, One bottle each.	SP	RT	30035-14	1SET

Reinecke Salt [13573-16-5]
NH4[Cr(NH3)2(SCN)4]=336.43

	GR	RT	30008-32	25G

Remazol Brilliant Blue R Salt [2580-78-1]

	GR	RT	30009-64	5G

Remazol Brilliant Blue Starch

	GR	RT	30010-11	1G

Resazurin Sodium Salt [62758-13-8]
C12H6NNaO4=251.17

	GR	RT	30012-91	1G

Reserpine [50-55-5]
C33H40N2O9=608.68

Purity: 98%(T)	GR	RT	30013-81	1G

Resorcinol [Resorcin] [108-46-3]
C6H4(OH)2=110.11

Purity: 98%(GC)	EP	RT	30014-42	25G
			30014-55	500G

Resorufin Sodium Salt [34994-50-8]
C12H6NO3Na=235.17

	EP	R	30131-31	1G

L-(+)-Rhamnose [10030-85-0]
CH3(CHOH)4CHO·H2O=182.17

	GR	RT	30103-14	5G
			30103-72	25G

Rhenium(V) Chloride [13596-35-5]
ReCl5=363.47

	EP	RT	30107-61	1G

Rhenium(VII) Oxide [1314-68-7]
Re2O7=484.41

Purity: 99.9%	EP	RT	30106-71	1G

Rhodamine 6GX [989-38-8]

	EP	RT	30111-62	25G

Rhodamine B [81-88-9]
C28H31O3N2Cl=479.01

	GR	RT	30108-22	25G

Rhodium [7440-16-6]
Rh=102.90550

Purity: 99.9% Powder	EP	RT	30113-71	1G

Rhodium(III) Chloride [10049-07-7]
RhCl3=209.26

	EP	RT	30114-61	1G

Rhodium(III) Oxide [12036-35-0]
Rh2O3=253.81

Purity: 99.8%	EP	RT	30116-41	1G

Ribitol [488-81-3]
C5H12O5=152.15

Purity: 99%(GC)	GR	RT	01016-64	5G
			01016-22	25G

Ribonolactone [D-(+)-Ribono-1,4-lactone] [5336-08-3]
C5H8O5=148.11

	EP	RT	30140-24	5G

Ribonuclease A from Bovine Pancreas [9001-99-4]

Activity: 50u/mg solid Lyophilized powder Salt free	BC	F	30142-04	100MG
			30142-75	500MG
for Molecular Biology Activity: 60u/mg solid or more Lyophilized powder Salt-free DNase and Protease tested	SP	F	30141-14	100MG

Ribonuclease A Solution(10mg/ml), DNase tested

for Molecular Biology 15mM NaCl, 50v/v% Glycerol, 10mM Tris-HCl buffer, pH7.6, DNase tested	SP	F	30100-31	1ML

Ribonucleic Acid [63231-63-0]

Powder Crude product, from Torula yeast	BC	F	30214-22	25G

Ribonucleic Acid, transfer [9014-25-9]

Activity: 10-30u/mg solid Lyophilized powder from Bakers yeast	BC	F	30256-95	500UNITS

D-Ribose [50-69-1]
C5H10O5=150.13

Purity: 98%(HPLC)	GR	R	30584-66	5G
			30584-82	25G

Ribose-5-phosphate Sodium Salt
C5H9Na2O8P·nH2O=274.07(Anh)

	GR	R	30212-84	100MG

Rifampicin [13292-46-1]
C43H58N4O12=822.94

Purity: 98%(HPLC)	GR	F	30259-94	100MG
			30259-81	1G

Rifamycin SV Sodium Salt [14897-39-3]
C37H46NO12Na=719.75

	GR	RT	30254-44	250MG

RIPA Buffer

for Protein Research Component: RIPA buffer with Protease Inhibitor Cocktail, without SDS(10x)(2ml, 5 bottles), SDS solution(2ml, 5 bottles)	SP	F	08714-04	1SET

Ristocetin Sulfate [11140-99-1]

for Clinical Chemistry Research Purity: 90%(HPLC)	SP	R	30239-96	100MG

RNase Inhibitor

for Molecular Biology Activity: 35u/ul 50(v/v)% in Glycerol buffer, from human placenta	SP	F	30260-54	2500UNITS
			30260-96	12500UNITS

RNase Quiet

for Molecular Biology	SP	RT	09147-14	475ML

RNase Quiet for Replacement

for Molecular Biology	SP	RT	09477-94	475ML

Rocceline

	GR	RT	30218-82	25G

Rose Bengal [632-69-9]
C20H2O5Cl4I4Na2=1017.64

Purity: 85%(W)	GR	RT	30237-32	25G

Rose Oil [8007-01-0]				
	CP	RT	25619-92	25G
Rosin [8050-09-7]				
		RT	30229-71	1KG
Rotenone [83-79-4]				
C23H22O6=394.42				
Purity: 90%(HPLC)	EP	RT	30227-04	5G
RPMI 1640 with L-Gln, liquid				
for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	30264-85	500ML
			30264-14	6X500ML
RPMI 1640 with L-Gln, without Phenol Red, liquid				
for Tissue Culture Colorless-light yellow liquid Mycoplasma and Endotoxin tested	SP	R	06261-65	500ML
RPMI 1640 with L-Gln and HEPES, liquid				
for Tissue Culture Red liquid Mycoplasma and Endotoxin tested	SP	R	30263-95	500ML
RPMI 1640 without L-Gln, liquid				
for Tissue Culture Mycoplasma and Endotoxin tested	SP	R	05176-25	500ML
Rubidium Acetate [563-67-7]				
CH3COORb=144.51				
Purity: 99%(T)	EP	RT	30302-62	25G
Rubidium Bromide [7789-39-1]				
RbBr=165.37				
Purity: 98%(T)	GR	RT	30303-52	25G
Rubidium Chloride [7791-11-9]				
RbCl=120.92				
Purity: 98%(T)	GR	RT	30306-64	5G
			30306-22	25G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	08951-94	5G
Rubidium Nitrate [13126-12-0]				
RbNO3=147.47				
Purity: 99%(T)	EP	RT	30311-84	5G
			30311-42	25G
Rubidium Sulfate [7488-54-2]				
Rb2SO4=267.00				
	EP	RT	30312-32	25G
Running Buffer Solution(10x) for PAGE				
for Electrophoresis Component: 0.25mol/l-Tris, 1.92mol/l-Glycine Filtrated by 0.45um	SP	RT	30340-91	1L
Running Buffer Solution(10x) for SDS-PAGE, Tris-Glycine				
for Electrophoresis Component: 0.25mol/l-Tris, 1.92mol/l-Glycine, 10g/l-SDS Filtrated by 0.45um	SP	RT	30329-61	1L
			30329-74	5L
Ruthenium [7440-18-8]				
Ru=101.07				
Purity: 99.9%	EP	RT	30313-51	1G
Ruthenium(III) Chloride Hydrate [14898-67-0]				
RuCl3·xH2O				
Purity: 99.9%	EP	RT	30315-31	1G
Ruthenium Red [11103-72-3]				
Cl6H42N14O2Ru3·4H2O=858.42				
for Electro Microscopy	SP	RT	30318-14	100MG
			30318-01	1G
Rutin [153-18-4]				
C27H3O16=610.52				
	GR	RT	30319-04	5G
			30319-62	25G

[S]

D-Saccharic Acid 1,4-Lactone Monohydrate [389-36-6]				
C6H8O7·H2O=210.14				
Purity: 98%(HPLC)	GR	RT	30435-61	1G
D-Saccharic Acid Potassium Salt [576-42-1]				
C6H9O8K=248.23				
	EP	RT	30402-94	5G
Saccharin [81-07-2]				
C7H5NO3S=183.18				
Purity: 98%(T)	GR	RT	30432-62	25G
			30432-75	500G
Safranine [477-73-6]				
	GR	RT	30408-92	25G
Safranine O [477-73-6]				
	GR	RT	30430-82	25G
Safranine T [477-73-6]				
C20H19N4Cl=350.84				
	EP	RT	30409-82	25G
Saikosaponin a [20736-09-8]				
C42H68O13=780.98				
for Galenicals Test Purity: 98%(HPLC)	SP	R	30442-16	10MG
Saikosaponin c [20736-08-7]				
C48H78O17=927.12				
for Galenicals Test Purity: 98%(HPLC)	SP	R	30443-64	10MG
Salicin [138-52-3]				
C13H18O7=286.28				
Purity: 98%(GC)	GR	RT	30415-34	5G
Salicylaldehyde [90-02-8]				
HOC6H4CHO=122.12				
Purity: 97%(GC)	GR	RT	30417-72	25G
			30417-85	500G
Salicylamide [65-45-2]				
HOC6H4CONH2=137.14				
Purity: 98%(T)	GR	RT	30419-52	25G
Salicylic Acid [69-72-7]				
HOC6H4COOH=138.12				
Purity: 99%(T)	EP	RT	30422-05	500G
Purity: 99.5%(T)	GR	RT	30423-82	25G
			30423-95	500G
Samarium [7440-19-9]				
Sm=150.36				
Purity: 99.9% Turnings	EP	RT	30424-01	1G
Samarium Chloride [13465-55-9]				
SmCl3·6H2O=364.81				
Purity: 98%(T)	EP	RT	30425-91	1G
Samarium Nitrate [13759-83-6]				
Sm(NO3)3·6H2O=444.47				
	EP	RT	30431-01	1G
Samarium Oxide [12060-58-1]				
Sm2O3=348.72				
Purity: 99.9%	EP	RT	30426-81	1G
			30426-52	25G
Samarium Sulfate [13465-58-2]				
Sm2(SO4)3·8H2O=733.03				
Purity: 99.9%	EP	RT	30501-81	1G

Sample Buffer Solution with 2-ME(2x) for SDS-PAGE				
for Electrophoresis Component: 0.125M-Tris-HCl, 4(w/v)%-SDS, 20(v/v)%-Glycerol, 0.01(w/v)%-BPB, 10(v/v)%-2ME pH6.8, Filtrated by 0.45um	SP	R	30566-22	25ML
Sample Buffer Solution without 2-ME(2x) for SDS-PAGE				
for Electrophoresis Component: 0.125M-Tris-HCl, 4(w/v)%-SDS, 20(v/v)%-Glycerol, 0.01(w/v)%-BPB pH6.8, Filtrated by 0.45um	SP	R	30567-12	25ML
Sample Buffer Solution with Reducing Reagent(6x) for SDS-PAGE				
for Electrophoresis Component: 0.375mol/l Tris-HCl, 0.03% (w/v) Bromophenol Blue, Anionic surfactant, Glycerol, Reducing reagent (pH6.8) pH6.8, Filtrated by 0.45um	SP	R	09499-14	5ML
Sample Buffer Solution without Reducing Reagent(6x) for SDS-PAGE				
for Electrophoresis Component: 0.375mol/l Tris-HCl, 0.03% (w/v) Bromophenol Blue, Anionic surfactant, Glycerol (pH 6.8) pH6.8, Filtrated by 0.45um	SP	R	09500-64	5ML
Samson's Reagent Solution				
		RT	37254-34	100ML
Saponin [8047-15-2]				
	EP	RT	30502-42	25G
			30502-55	500G
Sarcosine [107-97-1]				
CH3NHCH2COOH=89.09				
Purity: 98%(T)	EP	RT	30542-22	25G
SAT Blue				
for Immunochemistry	SP	R	30472-84	50ML
Scandium Nitrate				
Sc(NO3)3·4H2O=303.03				
Purity: 99.9%	EP	RT	30506-31	1G
Schiff's Reagent Solution				
		RT	37226-04	100ML
			37226-75	500ML
Schizandrin [7432-28-2]				
C24H32O7=432.51				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05077-54	10MG
(±)-γ-Schizandrin [61281-37-6]				
C23H24O6=400.46				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05079-34	5MG
Scintiblender III				
for Liquid Scintillation Component: Dioxane solution (containing PPO, Bis-MSB and Naphthalene)	SP	RT	30546-11	1L
Scopolamine Hydrobromide [114-49-8]				
C17H22BrNO4·xH2O				
Purity: 98.5%(T)	GR	RT	30534-61	1G
Scopoletin [92-61-5]				
C10H8O4=192.17				
	EP	RT	30563-94	50MG
10%-SDS Solution [10%-Sodium Lauryl Sulfate Solution] [151-21-3]				
for Biochemical Research	SP	RT	30562-04	100ML
Sea Sand A				
Irregular Particle size: 15-20mesh		RT	30551-15	500G
Sea Sand B				
Irregular Particle size: 30-50mesh		RT	30552-05	500G
			30552-34	5KG
			30552-92	25KG
Sea Sand C				
Irregular Particle size: 40-80mesh		RT	30553-95	500G
Sebacic Acid [111-20-6]				
HOOC(CH2)8COOH=202.25				
Purity: 99%(GC)	GR	RT	30520-02	25G
			30520-15	500G
Sebacoyl Chloride [Sebacyl Chloride] [111-19-3]				
ClCO(CH2)8COCl=239.14				
Purity: 90%(T)	CP	A	30522-82	25G

Selenious Acid [7783-00-8]				
H2SeO3=128.97				
Purity: 97%(T)	GR	RT	30531-62	25G
Selenium, granular [7782-49-2]				
Se=78.96				
Purity: 99.999% Granular	GR	RT	30533-42	25G
Selenium, powder [7782-49-2]				
Se=78.96				
Purity: 99.9% Powder	EP	RT	30532-52	25G
			30532-65	500G
Selenium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37534-64	100ML
Selenium Dioxide [7446-08-4]				
SeO2=110.96				
Purity: 95%(T)	EP	RT	30601-42	25G
Selenium Oxychloride [7791-23-3]				
SeOCl2=165.87				
	EP	RT	30602-32	25G
Seleno-DL-Methionine [2578-28-1]				
C5H11NO2Se=196.11				
Purity: 98%(T) Crystalline powder	GR	F	02287-65	500MG
			02287-94	5G
Seleno-L-Methionine [3211-76-5]				
C5H11NO2Se=196.11				
Purity: 97%-103%(T) Crystalline powder	GR	F	02286-75	500MG
			02286-46	5G
Semicarbazide Hydrochloride [563-41-7]				
H2NCONHNH2·HCl=111.53				
Purity: 98%(T)	GR	RT	30604-12	25G
Semi-dry Blotting Buffer Solution for Western Blotting				
for Immunochemistry	SP	RT	30650-31	1L
Sennoside A [81-27-6]				
C42H38O20=862.74				
for Galenicals Test Purity: 98%(HPLC)	SP	R	30648-36	10MG
Separating Gel Buffer Solution(4x) for SDS-PAGE				
for Electrophoresis Component: 1.5M-Tris-HCl, 0.4(w/v)%-SDS pH8.8 Filtrated by 0.45um	SP	RT	30651-05	500ML
Separating Gel Overlay Solution for PAGE				
for Electrophoresis	SP	RT	09316-94	20ML
Sepasol(R)-RNA I				
for Nucleic Acid Extraction Bottled by nitrogen gas, Application: total RNA extraction from biological sample	SP	R	30655-36	100ML
			30655-65	500ML
Sepasol(R)-RNA I Super				
for Nucleic Acid Extraction Bottled by nitrogen gas, Application: total RNA extraction from biological sample	SP	R	30486-56	100ML
Sepasol(R)-RNA I Super G				
for Nucleic Acid Extraction Bottled by nitrogen gas, Application: total RNA extraction from biological sample	SP	R	09379-84	100ML
			09379-97	200ML
			09379-55	500ML
Sepasol(R)-RNA II Super				
for Nucleic Acid Extraction Bottled by nitrogen gas, Application: total RNA extraction from blood or biological sample	SP	R	30487-46	100ML
D-Serine [312-84-5]				
HOCH2CH(NH2)COOH=105.09				
	GR	RT	30606-21	1G
			30606-34	5G
			30606-92	25G
DL-Serine [302-84-1]				
HOCH2CH(NH2)COOH=105.09				
Purity: 98%(T)	GR	RT	30607-24	5G
			30607-82	25G

L-Serine [56-45-1]				
HOCH2CH(NH2)COOH=105.09				
	GR	RT	30608-01	1G
			30608-14	5G
			30608-72	25G
Sesame Oil [8008-74-0]				
	CP	RT	25620-65	500G
Sesamol [533-31-3]				
C7H6O3=138.12				
Purity: 98%(GC)	EP	F	30647-04	5G
Shikalkin [54952-43-1]				
C16H16O5=288.30				
Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05375-44	10MG
Shikimic Acid [138-59-0]				
(HO)3C6H6COOH=174.15				
Purity: 98%(T)	GR	RT	30613-34	100MG
			30613-21	1G
Shikonin [517-89-5]				
C16H16O5=288.30				
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	05165-94	10MG
Shikonin(Shikonin/Alkannin ≒ 6:1) [517-89-5]				
C16H16O5=288.30				
Purity: 98%(HPLC) Lithospermum erythrorhizon, Produced by Nagara Science Co., Ltd.	GR	R	04056-54	10MG
			04056-96	100MG
Signal Enhancer HIKARI for Immunostain Solution A				
for Immunochemistry	SP	R	02373-54	20ML
Signal Enhancer HIKARI for Immunostain Solution B				
for Immunochemistry	SP	R	02375-34	20ML
Signal Enhancer HIKARI for Immunostain Trial Set				
for Immunochemistry Component: Solution A, Solution B, 5ml each	SP	R	02363-71	1SET
Signal Enhancer HIKARI for Western Blotting and ELISA (50ml)				
for Immunochemistry Component: Solution A, Solution B, 50ml each	SP	R	02267-41	1SET
Signal Enhancer HIKARI for Western Blotting and ELISA (250ml)				
for Immunochemistry Component: Solution A, Solution B, 250ml each	SP	R	02270-81	1SET
Signal Enhancer HIKARI for Western Blotting and ELISA Solution A				
for Immunochemistry	SP	R	02272-74	250ML
Signal Enhancer HIKARI for Western Blotting and ELISA Solution B				
for Immunochemistry	SP	R	02297-64	250ML
Sil-Best Destain Kit				
for Electrophoresis Component: Solution A(5ml), Solution B(5ml), 1 bottle each	SP	R	07983-30	1KIT
Sil-Best Stain for Protein/PAGE				
for Electrophoresis	SP	R	30642-41	1SET
Sil-Best Stain-Neo for Protein and Nucleic Acid/PAGE				
for Electrophoresis	SP	R	05773-11	1SET
Sil-Best Stain One				
for Electrophoresis	SP	R	06865-81	1SET
Silblender-HTP				
Silylation reagent for GC Component: HMDS:TMCS:Pyridine=2:1:10(capacity ratio)	SP	A	30639-14	10ML
Silica Gel [7631-86-9]				
Irregular (white)(small) Particle size: 10-40mesh	CP	RT	30615-85	500G
Irregular (white)(medium) Particle size: 5-10mesh	CP	RT	30617-65	500G
Spherical (white)(large) Particle size: 5-10mesh	CP	RT	30619-45	500G
Spherical (mixed color)(large) Particle size: 6mesh Mixture of cobalt chloride indicator modified	CP	RT	30620-05	500G
Spherical (blue)(medium) Particle size: 5-10mesh Moisture indicator (cobalt chloride) modified	CP	RT	05263-75	500G
Spherical (blue)(large) Particle size: 6mesh Moisture indicator (cobalt chloride) modified	CP	RT	30623-75	500G
			30623-33	3KG

Silica Gel 60 [7631-86-9]				
for Column Chromatography Particle size: approx.230-400mesh	SP	RT	30721-85	500G
			30721-01	1KG
			30721-14	5KG
			30721-72	25KG
for Column Chromatography Particle size: approx.70-230mesh	SP	RT	30724-55	500G
			30724-71	1KG
			30724-84	5KG
			30724-42	25KG
Silica Gel 60, spherical [7631-86-9]				
for Column Chromatography Particle size: approx.150-325mesh	SP	RT	30733-51	1KG
			30733-22	25KG
for Column Chromatography Spherical Particle size: approx.70-230mesh	SP	RT	30731-71	1KG
			30731-42	25KG
Silica Gel 60, spherical, neutrality [7631-86-9]				
for Column Chromatography Particle size: approx.42-105um	SP	RT	30511-64	100G
			30511-35	500G
			30511-51	1KG
			30511-06	5KG
			30511-22	25KG
for Column Chromatography Particle size: approx.105-210um	SP	RT	30518-94	100G
			30518-65	500G
			30518-81	1KG
			30518-52	25KG
Silica Gel 120, spherical [7631-86-9]				
for Column Chromatography Spherical Particle size: approx.70-230mesh	SP	RT	30734-41	1KG
Silica Gel 60 PF254 [7631-86-9]				
for TLC Particle size: approx.5-50um	SP	RT	30836-24	5KG
Silicon, lump [7440-21-3]				
Si=28.0855				
Purity: 98% Lump, 10-30mm	CP	RT	30927-05	500G
Silicon, powder [7440-21-3]				
Si=28.0855				
Purity: 99.5% Powder	CP	RT	30928-95	500G
Purity: 99.99% Powder Particle size: approx.~100mesh	GR	RT	30929-72	25G
			30929-85	500G
Silicon Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37507-24	100ML
Silicon Dioxide [7631-86-9]				
SiO2=60.08				
	EP	RT	30924-35	500G
	GR	RT	30925-12	25G
			30925-25	500G
Silicotungstic Acid 26-Water [Tungstosilicic Acid] [12027-38-2]				
SiO2·12WO3·26H2O=3310.54				
Purity: 99%(W)	GR	A	30932-12	25G
			30932-25	500G
Silver, granular [7440-22-4]				
Purity: 99.99% Granular Particle size: approx.2-4mm	GR	RT	30933-02	25G
Silver, powder [7440-22-4]				
Ag=107.8682				
Purity: 98%(T) Powder Particle size: approx. 325mesh	EP	RT	30934-92	25G
Silver Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37523-04	100ML
Silver Acetate [563-63-3]				
CH3COOAg=166.91				
Purity: 99%(T)	EP	RT	31004-42	25G
			31004-55	500G

Silver Carbonate [534-16-7]				
Ag2CO3=275.75				
Purity: 95%(T)	EP	RT	31007-41	1G
			31007-12	25G
			31007-25	500G
Silver Chloride [7783-90-6]				
AgCl=143.32				
Purity: 99%(T)	EP	RT	31008-02	25G
Purity: 99.5%(T)	GR	RT	31009-92	25G
Silver N,N-Diethyldithiocarbamate [1470-61-7]				
(C2H5)2NCSSAg=256.14				
for Metal Colorimetric Determination Purity: 98%(T)	SP	R	12110-61	1G
			12110-74	5G
			12110-32	25G
Silver Iodide [7783-96-2]				
AgI=234.77				
Purity: 98%(T)	EP	RT	31015-44	10G
			31015-02	25G
Silver Nitrate [7761-88-8]				
AgNO3=169.87				
	EP	RT	31018-72	25G
			31018-14	250G
			31018-85	500G
Purity: 99.8%(T)	GR	RT	31019-91	1G
			31019-17	10G
			31019-62	25G
			31019-04	250G
			31019-75	500G
0.1mol/l-Silver Nitrate Solution [7761-88-8]				
		RT	37301-75	500ML
0.02mol/l-Silver Nitrate Solution [7761-88-8]				
		RT	37302-65	500ML
0.01mol/l-Silver Nitrate Solution [7761-88-8]				
		RT	37334-55	500ML
Silver Oxide [20667-12-3]				
Ag2O=231.74				
Purity: 98%(T)	EP	RT	31022-02	25G
			31022-15	500G
Silver Perchlorate [7783-93-9]				
AgClO4·xH2O				
	EP	RT	31023-92	25G
Silver Sulfate [10294-26-5]				
Ag2SO4=311.80				
Purity: 99%(T)	EP	RT	31026-62	25G
			31026-75	500G
Purity: 99.5%(T)	GR	RT	31027-81	1G
			31027-36	10G
			31027-52	25G
			31027-94	250G
			31027-65	500G
Silver Tetrafluoroborate [14104-20-2]				
AgBF4=194.67				
Purity: 95%(T)	EP	RT	31033-04	10G
Silver Trifluoromethanesulfonate [2923-28-6]				
CF3SO3Ag=256.94				
Purity: 96%(T)	EP	RT	34945-61	1G
			34945-74	10G
			34945-32	25G

Sinapinic Acid [530-59-6]				
C11H12O5=224.21				
for Mass Spectrometry Purity: 99%(T)	SP	R	30494-91	1G
β-Sitosterol from Soybeans [83-46-5]				
C29H50O=414.71				
Purity: 50%(GC)		RT	31133-94	5G
Skatole [3-Methylindole] [83-34-1]				
CH3C8H6N=131.17				
Purity: 98%(GC)	GR	A	31104-61	1G
Skim Milk				
for Immunochemistry	SP	RT	31149-75	500G
SMILE(+) Capillary Conditioning Solution				
for Capillary Electrophoresis	SP	RT	02383-24	2X100MG
SMILE(-) Capillary Conditioning Solution				
for Capillary Electrophoresis	SP	RT	02385-62	2X25MG
SMILE Capillary Syringe Set for Injection				
for Capillary Electrophoresis Component: Syringe(for 1ml), Union, Handy Connector with PTFE Tube, 1 piece each	SP	RT	02301-71	1SET
Soda Lime				
(#1)	EP	RT	31109-95	500G
Soda Talc				
for Elemental Analysis Granular Particle size: approx.0.7-1.7mm	SP	RT	06170-84	50G
Sodium Standard Solution [7647-14-5]				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37504-54	100ML
Sodium Acetate [127-09-3]				
CH3COONa=82.03				
Purity: 98%(T)	EP	RT	31118-75	500G
Purity: 98.5%(T)	GR	RT	31119-65	500G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	31137-12	25G
			31137-25	500G
Sodium Acetate Trihydrate [6131-90-4]				
CH3COONa·3H2O=136.08				
Purity: 98.5%(T)	EP	RT	31114-15	500G
Purity: 99%(T)	GR	RT	31115-05	500G
			31115-34	4KG
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08929-75	500G
for Amino Acid Auto Analyzer Purity: 99%(T)	SP	RT	31116-95	500G
3mol/l-Sodium Acetate Solution				
for Protein Structural Analysis	SP	R	05585-94	100ML
3mol/l-Sodium Acetate Buffer Solution(pH 5.2)				
Biotechnology Grade Sterilized by filtration, Nuclease and Protease tested, Sterile tested, Endotoxin tested	SP	RT	06893-24	100ML
for Molecular Biology Nuclease and Protease tested	SP	RT	31138-31	1L
for Molecular Biology Filtrated by 0.22um, Autoclave treated, in heat-resistant bottle, Nuclease and Protease tested	SP	RT	31150-64	100ML
			31150-35	500ML
Sodium Acrylate(polymer) [9003-04-7]				
	CP	RT	31123-95	500G
Sodium Alginate [9005-38-3]				
Viscosity: 300cps (1% water solution)	EP	RT	31130-95	500G
Viscosity: 500cps (1% water solution)	EP	RT	31131-85	500G
Viscosity: 1,000cps (1% water solution)	EP	RT	31132-75	500G
Sodium Aluminate [1302-42-7]				
NaAlO2=81.97				
Purity: 65%(T)		RT	31136-35	500G
Sodium Amide [7782-92-5]				
NaNH2=39.01				
Purity: 80%(T)	CP	RT	31231-62	25G

Sodium Amidosulfate [Sodium Sulfamate] [13845-18-6]				
H2NSO3Na=119.08				
	GR	RT	31912-42	25G
Sodium Azide [26628-22-8]				
NaN3=65.01				
Purity: 97%(T)	EP	RT	31208-82	25G
			31208-95	500G
Purity: 98%(T)	GR	RT	31233-71	5X1G
			31233-42	25G
			31233-55	500G
Sodium Benzoate [532-32-1]				
C6H5COONa=144.10				
Purity: 98%(T)	EP	RT	31210-45	500G
Purity: 99.5%(T)	GR	RT	31211-22	25G
			31211-35	500G
Sodium Bis(2-methoxyethoxy)aluminium Hydride [Vitride(R)] [22722-98-1]				
Produced by HEXCEL, 70% in Toluene		RT	04564-94	100ML
			04564-65	500ML
Sodium Borofluoride [Sodium Tetrafluoroborate] [13755-29-8]				
NaBF4=109.79				
	CP	RT	31227-45	500G
Sodium Borohydride [Sodium Tetrahydroborate] [16940-66-2]				
NaBH4=37.83				
Purity: 92%(T)	EP	RT	31228-51	1G
			31228-22	25G
			31228-35	500G
for Amino Acid Auto Analyzer Purity: 95%(T)	SP	RT	31236-12	25G
Sodium Bromate [7789-38-0]				
NaBrO3=150.89				
Purity: 99.5%(T)	GR	RT	31303-22	25G
			31303-35	500G
Sodium Bromide [7647-15-6]				
NaBr=102.89				
	EP	RT	31304-25	500G
Purity: 99.5%(T)	GR	RT	31305-15	500G
Sodium 1-Butanesulfonate [2386-54-1]				
CH3(CH2)3SO3Na=160.17				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31331-94	5G
for Ion-pair Chromatography 0.5M water solution	SP	RT	31332-84	5X10ML
Sodium Carbonate [497-19-8]				
Na2CO3=105.99				
Purity: 99%(T)	EP	RT	31310-35	500G
			31310-64	5KG
			31310-22	25KG
Purity: 99.8%(T)	GR	RT	31311-25	500G
			31311-54	20KG
Sodium Carbonate Decahydrate [6132-02-1]				
Na2CO3·10H2O=286.14				
	EP	A	31308-85	500G
Purity: 99%-101%(T)	GR	A	31309-75	500G
Sodium Carbonate Monohydrate [5968-11-6]				
Na2CO3·H2O=124				
Purity: 95%(T)	CP	RT	31316-75	500G
0.5mol/l-Sodium Carbonate Solution [497-19-8]				
		RT	37416-85	500ML
0.05mol/l-Sodium Carbonate Solution [497-19-8]				
		RT	37417-75	500ML

Sodium Chloride [7647-14-5]				
NaCl=58.44				
	EP	RT	31319-45	500G
			31319-74	20KG
Purity: 99.5%(T)	GR	RT	31320-05	500G
			31320-34	5KG
			31320-76	20KG
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	31333-45	500G
5mol/l-Sodium Chloride Solution				
Biotechnology Grade Sterilized by filtration, Nuclease and Protease tested, Sterile tested, Endotoxin tested	SP	RT	06900-14	100ML
5mol/l-Sodium Chloride Solution [7647-14-5]				
for Molecular Biology Nuclease and Protease tested	SP	RT	31334-51	1L
for Molecular Biology Sterilized by filtration(0.22 μm), Autoclave treated, in heat-resistant bottle, Nuclease and Protease tested	SP	RT	31335-54	100ML
for Protein Structural Analysis	SP	R	05580-44	100ML
0.1mol/l-Sodium Chloride Solution [7647-14-5]				
		RT	37413-15	500ML
0.02mol/l-Sodium Chloride Solution				
		RT	95565-35	500ML
0.01mol/l-Sodium Chloride Solution				
		RT	95564-45	500ML
tri-Sodium Citrate Dihydrate [6132-04-3]				
Na3C6H5O7·2H2O=294.10				
	EP	RT	31403-25	500G
Purity: 99%(T)	GR	RT	31404-15	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	31430-65	500G
for Amino Acid Auto Analyzer Purity: 99%(T)	SP	RT	31405-05	500G
1.6mol/l-tri-Sodium Citrate Solution				
for Protein Structural Analysis	SP	R	05586-84	100ML
1mol/l-tri-Sodium Citrate Solution				
for Protein Structural Analysis	SP	R	05568-24	100ML
Sodium Copper Chlorophyllin [28302-36-5]				
	EP	RT	08614-14	5G
Sodium Cyanoborohydride [25895-60-7]				
NaBH3CN=62.84				
Purity: 85%(T)	CP	RT	31431-26	10G
Sodium 1-Decanesulfonate [13419-61-9]				
CH3(CH2)9SO3Na=244.33				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31429-34	5G
Sodium Dextran Sulfate [9011-18-1]				
Nuclease and Protease tested	GR	R	10912-92	25G
			10912-34	100G
for Molecular Biology Nuclease and Protease tested	SP	R	03879-72	25G
			03879-14	100G
for Clinical Chemistry Research MW: 5,000-6,000	SP	R	10930-36	10G
			10930-94	100G
Sodium Dichromate Dihydrate [7789-12-0]				
Na2Cr2O7·2H2O=298.00				
	EP	RT	31413-95	500G
Purity: 99%(T)	GR	RT	31414-01	1G
			31414-72	25G
Sodium N,N-Diethyldithiocarbamate Trihydrate [20624-25-3]				
(C2H5)2NCSSNa·3H2O=225.31				
Purity: 92%(T)	GR	R	12111-22	25G
			12111-35	500G
for Atomic Absorption Spectrometry Purity: 92%(T)	SP	R	12113-02	25G

Sodium Dihydrogen Citrate [18996-35-5]				
NaH2C6H5O7·H2O=232.12				
	GR	RT	31401-32	25G
			31401-45	500G
di-Sodium Dihydrogen Ethylenediaminetetraacetate Dihydrate [6381-92-6]				
C10H14N2Na2O8·2H2O=372.24				
Purity: 99.5%(T)	GR	RT	15111-32	25G
			15111-45	500G
			15111-74	25KG
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	15130-95	500G
for Electrophoresis Purity: 99.5%(T)	SP	RT	15112-22	25G
0.2mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	37336-35	500ML
0.1mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	37310-55	500ML
0.05mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	37341-55	500ML
0.025mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	96140-55	500ML
0.02mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	37337-25	500ML
0.01mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution [6381-92-6]				
		RT	37311-45	500ML
Sodium Dihydrogenphosphate, Anhydrous [7558-80-7]				
NaH2PO4=119.98				
Purity: 98%(T)	GR	RT	31720-65	500G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	08939-45	500G
Sodium Dihydrogenphosphate Dihydrate [13472-35-0]				
NaH2PO4·2H2O=156.01				
Purity: 98%-102%(T)	EP	RT	31717-25	500G
			31717-12	25KG
Purity: 99%-102%(T)	GR	RT	31718-15	500G
for Molecular Biology Purity: 99%-102%(T) Nuclease and Protease tested	SP	RT	31737-65	500G
4mol/l-Sodium Dihydrogenphosphate Solution				
for Protein Structural Analysis	SP	R	05589-54	100ML
Sodium Dihydrogen Pyrophosphate [7758-16-9]				
Na2H2P2O7=221.94				
	EP	RT	31506-85	500G
Sodium Diphosphate, Anhydrous [7722-88-5]				
Na4P2O7=265.90				
Purity: 97%(T)	CP	RT	31818-05	500G
Sodium Diphosphate Decahydrate [13472-36-1]				
Na4P2O7·10H2O=446.06				
Purity: 98%(T)	EP	RT	31816-25	500G
Purity: 99%(T)	GR	RT	31817-15	500G
Sodium Disulfite [7681-57-4]				
Na2S2O5=190.11				
Purity: 95%(T)	EP	RT	31608-55	500G
Purity: 96%(T)	GR	RT	31609-32	25G
			31609-45	500G
Sodium 1-Dodecanesulfonate [2386-53-0]				
CH3(CH2)11SO3Na=272.38				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31426-64	5G
Sodium O-Ethyl Dithiocarbonate [140-90-9]				
C2H5OCS2Na=144.19				
	EP	RT	32015-72	25G

tetra-Sodium Ethylenediaminetetraacetate [13235-36-4]				
C10H12N2O8Na4·4H2O				
	GR	RT	15114-02	25G
			15114-15	500G
Sodium Formaldehydesulfoxylate [149-44-0]				
CH3NaO3S·2H2O=154.12				
Purity: 95%(T)	CP	A	30219-85	500G
Sodium Formate [141-53-7]				
HCOONa=68.01				
Purity: 95%(T)	EP	A	31424-55	500G
Purity: 98%(T)	GR	A	31501-35	500G
7mol/l-Sodium Formate Solution				
for Protein Structural Analysis	SP	R	05579-84	100ML
Sodium 1-Heptanesulfonate [22767-50-6]				
CH3(CH2)6SO3Na=202.25				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31528-34	5G
			31528-92	25G
Sodium Hexachloroplatinate(IV)				
Na2PtCl6·xH2O				
	GR	R	28123-11	1G
Sodium Hexametaphosphate [10124-56-8]				
approx. (NaPO3)6				
	EP	RT	31527-15	500G
	GR	RT	31526-12	25G
			31526-25	500G
Sodium 1-Hexanesulfonate [2832-45-3]				
CH3(CH2)5SO3Na=188.22				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31529-24	5G
			31529-82	25G
for Ion-pair Chromatography 0.5M water solution	SP	RT	31532-64	10ML
			31532-06	5X10ML
Sodium Hexanitrocobaltate(III) [13600-98-1]				
Na3Co(NO2)6=403.94				
Purity: 90%(T)	GR	RT	31406-82	25G
Sodium Hydride [7646-69-7]				
NaH=24.00				
Purity: 55%-65%(T) Powder dispersed in liquid parrafin	EP	A	31525-22	25G
			31525-35	500G
di-Sodium Hydrogenarsenate Heptahydrate [10048-95-0]				
Na2HAsO4·7H2O=312.01				
Purity: 99%(T)	GR	RT	31204-06	5G
			31204-22	25G
Sodium Hydrogen Carbonate [144-55-8]				
NaHCO3=84.01				
	EP	RT	31212-25	500G
			31212-12	25KG
Purity: 99.5%-100.3%(T)	GR	RT	31213-15	500G
for Molecular Biology Purity: 99.5%-100.3%(T) Nuclease and Protease tested	SP	RT	08932-15	500G
di-Sodium Hydrogen Citrate [144-33-2]				
Na2HC6H5O7·1 1/2H2O=263.11				
Purity: 98%(T)	GR	RT	31402-22	25G
			31402-35	500G
tri-Sodium Hydrogen Ethylenediaminetetraacetate [85715-60-2]				
C10H13N2O8Na3·3H2O=412.23				
	GR	RT	15113-12	25G
			15113-25	500G

di-Sodium Hydrogenphosphate [7558-79-4]				
Na2HPO4=141.96				
Purity: 98%(T)	EP	RT	31726-05	500G
Purity: 99%(T)	GR	RT	31801-05	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	31738-55	500G
di-Sodium Hydrogenphosphate Heptahydrate [7782-85-6]				
Na2HPO4·7H2O=268.07				
Purity: 99%(T)	GR	RT	31725-15	500G
di-Sodium Hydrogenphosphate 12-Water [10039-32-4]				
Na2HPO4·12H2O=358.14				
Purity: 98%(T)	EP	RT	31722-45	500G
			31722-32	25KG
Purity: 99%(T)	GR	RT	31723-35	500G
			31723-64	5KG
			31723-22	25KG
di-Sodium Hydrogen Phosphonate [13708-85-5]				
Na2HPO3·5H2O=216.04				
Purity: 97%(T)	EP	RT	31808-22	25G
Sodium Hydrogen Sulfate [10034-88-5]				
NaHSO4·H2O=138.08				
	EP	RT	31217-75	500G
Purity: 98%-102%(T)	GR	RT	31218-65	500G
Sodium Hydrogensulfite [Sodium Bisulfite] [7631-90-5]				
	EP	RT	31219-55	500G
	GR	RT	31220-15	500G
Sodium Hydrogen Tartrate Monohydrate [526-94-3]				
NaHC4H4O6·H2O=190.08				
Purity: 98.5%-100.5%(T)	EP	RT	31221-05	500G
Sodium Hydrosulfide [16721-80-5]				
NaSH·xH2O				
Purity: 65%(T)		RT	31534-15	500G
Sodium Hydrosulfite [7775-14-6]				
Na2S2O4=174.11				
Purity: 75%(T)	CP	A	31508-65	500G
Sodium Hydroxide [1310-73-2]				
NaOH=40.00				
Purity: 97%(T)	GR	RT	31511-05	500G
for Molecular Biology Purity: 97%(T) Nuclease and Protease tested	SP	RT	06338-75	500G
for Water Analysis Purity: 97%(T)	SP	RT	31533-54	100G
for Amino Acid Auto Analyzer Purity: 97%(T)	SP	RT	31515-65	500G
10w/v%-Sodium Hydroxide Solution [1310-73-2]				
		RT	37255-95	500ML
10mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	94611-45	500ML
8mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	95542-25	500ML
6mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	95540-45	500ML
5mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	95539-85	500ML
4mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37420-15	500ML
2mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37441-45	500ML
1mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37421-05	500ML
for Protein Structural Analysis	SP	R	05573-44	100ML

0.5mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37422-95	500ML
0.2mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37444-15	500ML
0.1mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37424-75	500ML
0.05mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37439-95	500ML
0.02mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37425-65	500ML
0.01mol/l-Sodium Hydroxide Solution [1310-73-2]				
		RT	37426-55	500ML
Sodium Hypochlorite Solution [7681-52-9]				
NaClO=74.44				
	CP	A	31518-35	500G
Sodium Iodate [7681-55-2]				
NaIO3=197.89				
Purity: 99%(T)	EP	RT	31521-62	25G
			31521-75	500G
Purity: 99.5%(T)	GR	RT	31522-52	25G
			31522-65	500G
Sodium Iodide [7681-82-5]				
NaI=149.89				
Purity: 99%(T)	EP	RT	31523-55	500G
Purity: 99.5%(T)	GR	RT	31524-32	25G
			31524-45	500G
for Molecular Biology Purity: 99.5%(T) Nuclease and Protease tested	SP	RT	08949-02	25G
Sodium DL-Lactate [72-17-3]				
CH3CH(OH)COONa=112.06				
Approx.50% in water	EP	RT	31604-95	500G
Approx.60% in water	GR	RT	31605-72	25ML
			31605-85	500ML
Sodium Lauryl Sulfate [Sodium Dodecyl Sulfate;SDS] [151-21-3]				
CH3(CH2)11OSO3Na=288.38				
Purity: 95%(T)	EP	RT	31606-62	25G
			31606-75	500G
			31606-04	10KG
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08933-92	25G
			08933-34	100G
			08933-05	500G
for Biochemical Research Purity: C12 99.5%(GC) White crystalline powder	SP	RT	30400-72	25G
			30400-85	500G
for Research of Insoluble Protein Purity: 99%(T)	SP	RT	31607-52	25G
			31607-94	100G
			31607-65	500G
for Ion-pair Chromatography Purity: 99%(T)	SP	RT	31623-32	25G
for Water Analysis Purity: 99%(T)	SP	RT	31622-42	25G
Sodium Lauryl Sulfate granular [Sodium Dodecyl Sulfate;SDS] [151-21-3]				
CH3(CH2)11OSO3Na=288.38				
for Research of Insoluble Protein Purity: 99%(T)	SP	RT	02873-62	25G
			02873-04	100G
			02873-75	500G
Sodium Metaphosphate [10361-03-2]				
	GR	RT	31504-92	25G
			31504-05	500G

Sodium Methylate [124-41-4]				
CH3ONa=54.02				
	CP	RT	31612-72	25G
			31612-85	500G
Sodium 2-Naphthalenesulfonate [532-02-5]				
C10H7SO3Na=230.22				
		RT	31625-12	25G
Sodium Nitrate [7631-99-4]				
NaNO3=84.99				
Purity: 98%(T)	EP	RT	31616-45	500G
Purity: 99%(T)	GR	RT	31617-35	500G
Sodium Nitrite [7632-00-0]				
NaNO2=69.00				
Purity: 97%(T)	EP	A	31618-25	500G
Purity: 98.5%(T)	GR	A	31619-31	1G
			31619-44	25G
			31619-15	500G
Sodium 1-Nonanesulfonate [35192-74-6]				
CH3(CH2)8SO3Na=230.3				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31626-44	5G
Sodium 1-Octanesulfonate [5324-84-5]				
CH3(CH2)7SO3Na=216.27				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31729-04	5G
			31729-62	25G
for Ion-pair Chromatography 0.5M water solution	SP	RT	31733-34	10ML
			31733-76	5X10ML
Sodium Oxalate [62-76-0]				
Na2C2O4=134.00				
Purity: 99.5%(T)	GR	RT	31702-92	25G
			31702-05	500G
0.05mol/l-Sodium Oxalate Solution [62-76-0]				
		RT	37414-05	500ML
0.0125mol/l-Sodium Oxalate Solution [62-76-0]				
Factor: 0.995-1.004		RT	37415-95	500ML
0.005mol/l-Sodium Oxalate Solution [62-76-0]				
		RT	37442-35	500ML
Sodium Pentacyanonitrosylferrate(III) Dihydrate [13755-38-9]				
Na2[Fe(CN)5NO]·2H2O=297.95				
Purity: 99%(T)	GR	RT	31620-91	1G
			31620-62	25G
			31620-75	500G
Sodium 1-Pentanesulfonate [22767-49-3]				
CH3(CH2)4SO3Na=174.19				
for Ion-pair Chromatography Purity: 98%(T)	SP	RT	31730-64	5G
			31730-22	25G
Sodium Perchlorate Monohydrate [7791-07-3]				
NaClO4·H2O=140.46				
Purity: 98%(T)		RT	05338-05	500G
Sodium Periodate [7790-28-5]				
NaIO4=213.89				
Purity: 99.5%(T)	GR	RT	31709-22	25G
			31709-35	500G
Sodium Peroxoborate Tetrahydrate [10486-00-7]				
NaBO3·4H2O=153.86				
	CP	RT	06368-85	500G

Sodium Peroxodisulfate [Sodium Persulfate] [7775-27-1]				
Na2S2O8=238.10				
Purity: 95%(T)	EP	RT	31716-22	25G
			31716-35	500G
tri-Sodium Phosphate 12-Water [10101-89-0]				
Na3PO4·12H2O=380.12				
Purity: 98%-102%(T)	EP	RT	31804-75	500G
Purity: 99%(T)	GR	RT	31805-65	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08940-05	500G
Sodium Phosphinate Monohydrate [10039-56-2]				
NaH2PO2·H2O=105.99				
	EP	RT	31519-25	500G
	GR	RT	31520-72	25G
			31520-85	500G
Sodium Phosphomolybdate [1313-30-0]				
Na3[PO4·12MoO3]·xH2O				
	EP	RT	31809-12	25G
			31809-25	500G
Sodium Phosphotungstate				
Na3[PO4·12WO3]·xH2O				
	EP	RT	31810-72	25G
			31810-85	500G
Sodium Pyruvate [113-24-6]				
CH3COCOONa=110.04				
Purity: 97%(T)	GR	R	29806-54	5G
			29806-12	25G
			29806-25	500G
100mM-Sodium Pyruvate Solution(100x)				
for Tissue Culture	SP	R	06977-34	100ML
Sodium Salicylate [54-21-7]				
HOC6H4COONa=160.10				
Purity: 99%(T)	EP	RT	31820-55	500G
Purity: 99.5%(T)	GR	RT	31821-32	25G
			31821-45	500G
Sodium Selenate [13410-01-0]				
Na2SeO4=188.94				
Purity: 98%(W)	EP	RT	31822-22	25G
Sodium Selenite [10102-18-8]				
Na2SeO3=172.94				
Purity: 90%(T)	EP	RT	31823-12	25G
Purity: 97%(T)	GR	RT	31824-31	5X1G
			31824-02	25G
			31824-15	500G
Sodium Silicate, Anhydrous [6834-92-0]				
Na2SiO3=122.06				
	CP	RT	31903-75	500G
Sodium Silicate, Meta [6834-92-0]				
Na2SiO3·9H2O=284.20				
	CP	RT	31905-55	500G
	EP	RT	31906-74	100G
Sodium Silicate, Ortho [13472-30-5]				
Na4SiO4=184.04				
	CP	RT	31904-65	500G
Sodium Silicate Solution [1344-09-8]				
		RT	31933-85	500G

Sodium Sulfate [7757-82-6]				
Na2SO4=142.04				
Purity: 98.5%(T)	EP	RT	31915-25	500G
			31915-54	7KG
			31915-96	20KG
Purity: 99%(T)	GR	RT	31916-15	500G
			31916-86	20KG
for Residual Pesticide Analysis Purity: 99%(T)	SP	RT	31935-65	500G
Sodium Sulfate Decahydrate [7727-73-3]				
Na2SO4·10H2O=322.20				
	EP	A	31913-45	500G
Purity: 98%-102%(T)	GR	A	31914-35	500G
Sodium Sulfite [7757-83-7]				
Na2SO3=126.04				
Purity: 95%(T)	EP	RT	31922-25	500G
			31922-54	5KG
			31922-12	25KG
Purity: 97%(T)	GR	RT	31923-15	500G
Sodium Sulfite Heptahydrate [10102-15-5]				
Na2SO3·7H2O=252.15				
Purity: 95%(T)	EP	A	31920-45	500G
Purity: 95%(T)	GR	A	31921-35	500G
Sodium (+)-Tartrate Dihydrate [6106-24-7]				
Na2C4H4O6·2H2O=230.08				
Purity: 98.5%(T)	EP	RT	31924-05	500G
Purity: 99%(T)	GR	RT	31925-95	500G
Sodium Tellurate [26006-71-3]				
Na2TeO4·2H2O=273.61				
	EP	RT	31928-52	25G
Sodium Tetraborate, Anhydrous [1330-43-4]				
Na2B4O7=201.22				
	CP	RT	31225-65	500G
Sodium Tetraborate Decahydrate [1303-96-4]				
Na2B4O7·10H2O=381.37				
Purity: 99%-103%(T)	EP	RT	31222-95	500G
Purity: 99.5%-101%(T)	GR	RT	31223-85	500G
Sodium Tetrapolyphosphate				
Na6P4O13=469.83				
	CP	RT	31930-15	500G
Sodium Thiocyanate [540-72-7]				
NaSCN=81.07				
Purity: 99%(T)	GR	A	32002-32	25G
			32002-45	500G
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	A	08950-62	25G
Sodium Thioglycolate [367-51-1]				
HSCH2COONa=114.10				
Purity: 90%(T)	GR	R	32003-22	25G
Sodium Thiosulfate, Anhydrous [7772-98-7]				
Na2S2O3=158.11				
Purity: 95%(T)	CP	RT	32008-85	500G
Sodium Thiosulfate Pentahydrate [10102-17-7]				
Na2S2O3·5H2O=248.18				
Purity: 99%(T)	EP	RT	32005-15	500G
			32005-44	5KG
			32005-02	25KG
Purity: 99%(T)	GR	RT	32006-05	500G
1mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37427-45	500ML

S

0.5mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	95559-25	500ML
0.2mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	95556-55	500ML
0.1mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37428-35	500ML
0.05mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37438-05	500ML
0.025mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37429-25	500ML
0.02mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37430-85	500ML
0.01mol/l-Sodium Thiosulfate Solution [7772-98-7]				
		RT	37431-75	500ML
Sodium Tripolyphosphate [7758-29-4]				
Na5P3O10=367.86				
	CP	RT	32009-75	500G
Sodium Tungstate Dihydrate [10213-10-2]				
Na2WO4·2H2O=329.85				
Purity: 98%(W)	GR	RT	32011-12	25G
			32011-25	500G
Sodium Vanadate(V) [13718-26-8]				
NaVO3=121.93				
Purity: 97%(T)	EP	RT	32013-92	25G
Purity: 98%(T)	GR	RT	32026-32	25G
di-Sodium Zinc Ethylenediaminetetraacetate [39208-16-7]				
C10H12N2O8Na2Zn·3H2O=453.62				
	GR	RT	15126-52	25G
Sorbic Acid [110-44-1]				
CH3CH:CHCH:CHCOOH=112.13				
Purity: 98.5%(T)	EP	RT	32017-52	25G
			32017-65	500G
Sorbic Acid Potassium Salt [24634-61-5]				
C6H7O2K=150.22				
	EP	RT	32018-42	25G
			32018-55	500G
Sorbitan Monolaurate [1338-39-2]				
	EP	RT	32101-32	25G
Sorbitan Monooleate [1338-43-8]				
	EP	RT	32104-02	25G
			32104-15	500G
Sorbitan Monopalmitate [26266-57-9]				
	EP	RT	32102-35	500G
Sorbitan Monostearate [1338-41-6]				
	EP	RT	32103-12	25G
Sorbitan Trioleate [26266-58-0]				
	EP	RT	32105-92	25G
L-(-)-Sorbose [87-79-6]				
HOCH2CO(CHOH)3CH2OH=180.16				
Purity: 98%(HPLC)	GR	RT	32023-62	25G
			32023-75	500G
Soybean Oil [8001-22-7]				
	CP	RT	25621-55	500G
Spectinomycin Dihydrochloride [21736-83-4]				
C14H24N2O7·2HCl·nH2O=405.27(Anh)				
	GR	R	32147-81	1G

S

Spermidine [124-20-9]
H2N(CH2)3NH(CH2)4NH2=145.25

Purity: 98%(T)	GR	R	32108-91	1G
			32108-04	5G

Spermidine Trihydrochloride [334-50-9]
C7H19N3·3HCl=254.63

Purity: 98%(T)	GR	R	32110-41	1G
			32110-54	5G

Spermine [71-44-3]
C10H26N4=202.34

Purity: 98%(T)	GR	R	32111-31	1G

Spermine Tetrahydrochloride [306-67-2]
C10H26N4·4HCl=348.18

Purity: 98%(T)	GR	F	32113-11	1G
			32113-24	5G

Sphingomyelin from Bovine Brain [85187-10-6]

	GR	F	32156-74	100MG

Squalane [111-01-3]
C30H62=422.81

Purity: 95%(GC)	EP	RT	32115-62	25ML
			32115-75	500ML

Squalene [111-02-4]
C30H50=410.72

Purity: 98%(GC)	GR	RT	32116-52	25ML

SSC Buffer Stock Solution(20x) [20x SSC]

for Molecular Biology Nuclease and Protease tested pH(25℃):6.9-7.1	SP	RT	32146-91	1L
			32146-04	5L

SSPE Buffer Stock Solution(20x) [20x SSPE]

for Molecular Biology Nuclease and Protease tested pH(25℃):7.3-7.5	SP	RT	32149-61	1L

Stacking Gel Buffer Solution(4x) for SDS-PAGE

for Electrophoresis Component: 0.5M-Tris-HCl, 0.4(w/v)%-SDS pH6.8, Filtrated by 0.45um	SP	R	09267-44	100ML
for Electrophoresis Component: 0.5M-Tris-HCl, 0.4(w/v)%-SDS pH6.8, Filtrated by 0.45um	SP	R	32158-25	500ML

Stacking Gel Buffer Solution(4x) with Dye for SDS-PAGE

for Electrophoresis pH6.8, Filtrated by 0.45um	SP	R	09268-34	100ML

Starch, Soluble [9005-84-9]

	EP	RT	32122-75	500G
			32122-62	25KG
	GR	RT	32131-42	25G
			32131-55	500G
for Biochemical Research	SP	RT	32126-64	100G

Starch, Corn [9005-25-8]

	CP	RT	32127-25	500G

Starch, Potato [9005-25-8]

	CP	RT	32128-15	500G

Starch, Wheat [9005-25-8]

	CP	RT	32130-65	500G

Stearic Acid [Octadecanoic Acid] [57-11-4]
CH3(CH2)16COOH=284.48

	EP	RT	32201-35	500G
Purity: 95%(GC)	GR	RT	32202-25	500G
Purity: 99%(GC)	GR	RT	32203-44	5G
			32203-02	25G

Stearic Acid Sodium Salt [822-16-2]
approx. CH3(CH2)16COONa=306.46

	CP	RT	32206-85	500G

Stearyl Alcohol [1-Octadecanol] [112-92-5]
CH3(CH2)17OH=270.49

	EP	RT	32213-85	500G
Purity: 98%(GC)	GR	RT	32214-62	25G
			32214-75	500G

Stearyl Bromide [112-89-0]
CH3(CH2)17Br=333.39

	EP	RT	32240-54	10G

Stearyltrimethylammonium Chloride [112-03-8]
[CH3(CH2)17N(CH3)3]Cl=348.05

Purity: 95%(T)	EP	RT	32234-02	25G

Stilbestrol [6898-97-1]
C18H20O2=268.35

Purity: 98%(W)	GR	RT	32229-24	5G

Storage Solution for Reversed Phase HPLC Columns

for HPLC (500ml)	SP	RT	08967-20	1KIT

Streptavidin from Streptomyces avidinii, lyophilized [9013-20-1]

Purity: 98%(HPLC)	GR	R	32243-11	1MG
			32243-24	5MG

Streptavidin Biotin Complex Peroxidase Kit

for Immunochemistry Component: Streptavidin solution(2ml), Biotin-peroxidase solution(2ml), a bottle for mixture	SP	R	30462-30	1KIT

Streptavidin Horseradish Peroxidase Conjugate

	BC	R	02517-61	1ML

Streptomycin Sulfate [3810-74-0]
C21H39N7O12·1 1/2H2SO4=728.69

Purity: 95%(HPLC)	GR	R	32237-14	5G
			32237-72	25G
for Molecular Biology Purity: 95%(HPLC) Nuclease and Protease tested	SP	R	06339-52	25G
for Tissue Culture Purity: 95%(HPLC) Mycoplasma and Cytotoxicity tested	SP	R	32204-34	5G
			32204-92	25G

Streptozotocin(mixed anomers) [18883-66-4]
C8H15N3O7=265.22

	GR	R	32238-46	100MG
			32238-91	1G

Strictinin [517-46-4]
C27H22O18=634.45

Purity: 98%(HPLC) Produced by Nagara Science Co., Ltd.	GR	R	08057-24	5MG

Strontium [7440-24-6]
Sr=87.62

Purity: 98% Lump Mineral oil immersion	EP	RT	32301-12	25G

Strontium Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37520-34	100ML

Strontium Acetate [543-94-2]
Sr(CH3COO)2·1/2H2O=214.72

Purity: 98%(W)	EP	RT	32302-02	25G

Strontium Bromide [7789-53-9]
SrBr2·6H2O=355.52

	EP	RT	32303-92	25G

Strontium Carbonate [1633-05-2]
SrCO3=147.63

Purity: 95%(T)	CP	RT	32341-05	500G
Purity: 96%(T)	GR	RT	32305-85	500G

Strontium Chloride, Anhydrous [10476-85-4]
SrCl2=158.53

	EP	RT	32310-05	500G

Strontium Chloride Hexahydrate [10025-70-4]
SrCl2·6H2O=266.62

Purity: 99%(T)	GR	RT	32309-32	25G
			32309-45	500G
for Atomic Absorption Spectrometry Purity: 99%(T)	SP	RT	32336-14	100G

Strontium Oxide [1314-11-0]
SrO=103.62

Purity: 95%(T)	EP	RT	32315-42	25G

Strychnine, free base [57-24-9]
C21H22N2O2=334.41

		RT	32316-74	5G

Styrene(monomer) [100-42-5]
C6H5CH:CH2=104.15

Purity: 99%(GC) Stabilizer: approx.25ppm TBC	CP	A	32325-25	500G

Styrene(polymer) [9003-53-6]

	CP	RT	32326-15	500G

Styrene Oxide [1,2-Epoxyethylbenzene] [96-09-3]
C6H5C2H3O=120.15

Purity: 97%(GC)	EP	A	32328-82	25ML

Succinic Acid [110-15-6]
HOOCCH2CH2COOH=118.09

Purity: 99%(T)	EP	RT	32401-15	500G
Purity: 99.5%(T)	GR	RT	32402-92	25G
			32402-05	500G

Succinic Acid Disodium Salt [150-90-3]
NaOOCCH2CH2COONa·6H2O=270.14

	EP	RT	32404-85	500G
	GR	RT	32405-62	25G
			32405-75	500G

Succinic Acid Monosodium Salt [2922-54-5]
C4H5O4Na=140.07

Purity: 98%-102%(T)	GR	RT	32406-52	25G
			32406-65	500G

Succinic Anhydride [108-30-5]
(CH2CO)2O=100.07

Purity: 98%(T)	GR	RT	32407-42	25G
			32407-55	500G

Succinimide [123-56-8]
(CH2CO)2NH=99.09

Purity: 98%(N)	GR	RT	32408-32	25G

Succinyl Chloride [543-20-4]
C4H4O2Cl2=154.98

		RT	07073-34	10G

Succinylcholine Chloride Dihydrate [6101-15-1]
C14H30Cl2N2O4·2H2O=397.34

Purity: 98%(T)	GR	RT	32411-14	5G

Sucrose [57-50-1]
C12H22O11=342.30

	EP	RT	30403-55	500G
			30403-84	10KG
	GR	RT	30404-45	500G
			30404-74	10KG
for Centrifugal Density-grandient Nuclease and Protease tested	SP	RT	30406-25	500G
			30406-54	10KG

Sucrose Octaacetate [126-14-7]
C28H38O19=678.59

	EP	RT	30407-44	10G

Sudan I [842-07-9]
C16H12N2O=248.28

	EP	RT	32413-52	25G

Sudan II [3118-97-6]
C18H16N2O=276.33

	GR	RT	32414-42	25G

Sudan III [85-86-9]
C22H16N4O=352.39

	EP	RT	32415-32	25G
	GR	RT	32416-22	25G

Sudan IV [85-83-6]
C24H20N4O=380.44

	EP	RT	32435-72	25G

Sudan Black B [4197-25-5]
C29H24N6=456.54

	EP	RT	32434-82	25G

Sulfanilic Acid [121-57-3]
H2NC6H4SO3H=173.19

Purity: 99%(T)	GR	RT	32501-92	25G
			32501-05	500G
for Nitrate Analysis Purity: 99%-100.5%(T)	SP	RT	32535-04	100G

Sulfisoxazole [127-69-5]
C11H13N3O3S=267.30

Purity: 98%(T)	GR	R	32445-42	25G

Sulfolane [126-33-0]
C4H8O2S=120.17

Purity: 99%(GC)	GR	RT	32507-32	25G
			32507-45	500G

5-Sulfosalicylic Acid Dihydrate [5965-83-3]
HO3SC6H3(OH)COOH·2H2O=254.22

Purity: 98%(T)	EP	RT	32511-75	500G
Purity: 99%(T)	GR	RT	32512-52	25G
			32512-65	500G

Sulfur, cryst. [7704-34-9]
S=32.065

Purity: 99.999% Crystalline Particle size: approx. 5-10mm	GR	RT	32514-32	25G
			32514-74	100G

Sulfur, powder [7704-34-9]
S=32.065

Purity: 98%(W) Powder Particle size: approx. 200mesh	CP	RT	32513-55	500G

Sulfuric Acid [7664-93-9]
H2SO4=98.08

Purity: 95%(T)	EP	RT	32519-95	500ML
Purity: 95%(T)	GR	RT	32520-55	500ML
for Fine Analysis Purity: 97%(T)	UF	RT	32528-75	500G
for Hormone Analysis Purity: 97%(T)	SP	RT	32526-95	500G
for Electronics Purity: 97%(T)	SP	RT	32534-85	500ML
for Analysis of Poisonous Metal Purity: 97%(T)	SP	RT	32536-65	500G

50%-Sulfuric Acid [7664-93-9]

		RT	37256-85	500ML

10.25mol/l-Sulfuric Acid [7664-93-9]

		RT	37321-15	500ML

2mol/l-Sulfuric Acid [7664-93-9]

		RT	95628-86	500ML

1mol/l-Sulfuric Acid [7664-93-9]

		RT	95626-06	500ML

0.5mol/l-Sulfuric Acid [7664-93-9]

		RT	37322-05	500ML

0.25mol/l-Sulfuric Acid [7664-93-9]				
	RT	37323-95		500ML
0.05mol/l-Sulfuric Acid [7664-93-9]				
	RT	37324-85		500ML
0.025mol/l-Sulfuric Acid [7664-93-9]				
	RT	37347-95		500ML
0.01mol/l-Sulfuric Acid [7664-93-9]				
	RT	37325-75		500ML
0.005mol/l-Sulfuric Acid [7664-93-9]				
	RT	37326-65		500ML
Superoxide Dismutase from Bovine Erythrocytes [9054-89-1]				
Activity: 3,000u/mg solid or more Lyophilized powder Salt free	BC	F	32641-46	3000UNITS
			32641-17	15000UNITS
			32641-88	30000UNITS
			32641-04	300KU

S

[T]

Tail Lysis Buffer				
for Molecular Biology Nuclease tested	SP	RT	06169-95	500ML
Talc [14807-96-6]				
Powder Particle size: 300mesh or less		RT	32624-05	500G
Powder Particle size: 325mesh or less	EP	RT	32628-65	500G
Tamoxifen Citrate Salt [54965-24-1]				
C32H37NO8=563.64				
	EP	R	32637-74	100MG
Tannic Acid [1401-55-4]				
	EP	RT	32616-02	25G
			32616-15	500G
Tantalum(V) Oxide [1314-61-0]				
Ta2O5=441.89				
Purity: 99.9%	EP	RT	32621-22	25G
TAPS [N-Tris(hydroxymethyl)methyl-3-aminopropanesulfonic Acid] [29915-38-6]				
C7H17NO6S=243.28				
for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08941-82	25G
Good Buffer Purity: 99%(T)	SP	RT	32622-54	5G
			32622-12	25G
D-(-)-Tartaric Acid [147-71-7]				
[CH(OH)COOH]2=150.09				
Purity: 99%(T)	GR	RT	32704-42	25G
DL-Tartaric Acid [133-37-9]				
[CH(OH)COOH]2=150.09				
Purity: 98%(T)	GR	RT	32703-52	25G
L-(+)-Tartaric Acid [87-69-4]				
[CH(OH)COOH]2=150.09				
Purity: 99%(T)	EP	RT	32701-85	500G
Purity: 99.5%(T)	GR	RT	32702-62	25G
			32702-75	500G
Tartrazine [1934-21-0]				
C16H9N4Na3O9S2=534.36				
Purity: 85%(T)	GR	RT	32706-22	25G
Taurine [107-35-7]				
H2NCH2CH2SO3H=125.15				
Purity: 98.5%(T)	GR	RT	32708-02	25G
			32708-15	500G
Taurocholic Acid Sodium Salt [145-42-6]				
C26H44NNaO7S=537.68				
Purity: 98%(HPLC)	GR	RT	32729-61	1G
			32729-74	5G
Taurodeoxycholic Acid Sodium Salt [1180-95-6]				
C26H44NNaO6S=521.69				
Purity: 95%(N)	EP	RT	32740-91	1G
			32740-04	5G
			32740-62	25G
Tauroursodeoxycholic Acid Sodium Salt [14605-22-2]				
C26H44NO6SNa=521.69				
	GR	RT	32731-24	100MG
TE Buffer Solution(pH 8.0)				
Biotechnology Grade Sterilized by filtration, Nuclease and Protease tested, Sterile tested, Endotoxin tested	SP	RT	06890-54	100ML
			06890-25	500ML
for Molecular Biology Component: Tris 10mM, EDTA2Na 1mM Nuclease and Protease tested	SP	RT	32739-31	1L
Tellimagrandin I				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	08259-84	5MG

T

Tellurium [13494-80-9]
Te=127.60

	GR	RT	32734-52	25G

Tellurium, powder [13494-80-9]
Te=127.60

Purity: 99.9%	EP	RT	32716-92	25G
			32716-05	500G

Tellurium Standard Solution

for Atomic Absorption Spectrometry 1000ppm	SP	RT	37527-64	100ML

Tellurium(IV) Chloride [10026-07-0]
TeCl4=269.41

	CP	RT	32718-72	25G

Tellurium(IV) Oxide [7446-07-3]
TeO2=159.60

Purity: 98%	EP	RT	32717-82	25G

Terbium(III) Chloride [13798-24-8]
TbCl3·6H2O=373.38

Purity: 97%(T)	EP	RT	32722-31	1G

Terbium(III IV) Oxide [Tetraterbium Heptaoxide] [12037-01-3]
Tb4O7=747.70

Purity: 99.9%	EP	RT	32721-41	1G

Terephthalaldehyde [623-27-8]
C6H4(CHO)2=134.13

Purity: 98%(GC)	EP	RT	32723-92	25G

Terephthalaldehydic Acid [p-Carboxybenzaldehyde] [619-66-9]
HOCC6H4COOH=150.13

Purity: 98%-102%(T)	EP	RT	32735-42	25G

Terephthalaldehydic Acid Methyl Ester [1571-08-0]
C9H8O3=164.16

	EP	RT	07092-42	25G

Terephthalonitrile [623-26-7]
C6H4(CN)2=128.13

	GR	RT	32727-94	5G

Terephthaloyl Chloride [100-20-9]
C6H4(COCl)2=203.02

Purity: 98%(T)	EP	A	32801-62	25G
			32801-75	500G

p-Terphenyl [92-94-4]
C6H4(C6H5)2=230.3

Purity: 99%(GC)	GR	RT	32806-12	25G
for Liquid Scintillation	SP	RT	32807-44	100G

Terpineol(isomer mix.) [8006-39-1]
C10H18O=154.25

Purity: 90%(GC)	EP	RT	32809-95	500ML

α-Terpineol [98-55-5]
C10H18O=154.25

Purity: 95%(GC)	EP	RT	32825-62	25ML

TES [N-Tris(hydroxymethyl)methyl-2-aminoethanesulfonic Acid] [7365-44-8]
C6H15NO6S=229.25

for Molecular Biology Purity: 99%(T) Nuclease and Protease tested	SP	RT	08942-72	25G
			08942-14	100G
Good Buffer Purity: 99%(T)	SP	RT	32810-42	25G
			32810-26	100G
			32810-55	500G

Testosterone [58-22-0]
C19H28O2=288.42

	GR	RT	32811-61	1G

Testosterone Propionate [57-85-2]

Purity: 97%-103%(UV)	GR	RT	32813-41	1G
			32813-54	5G

1,1,2,2-Tetrabromoethane [79-27-6]
CHBr2CHBr2=345.65

Purity: 95%(GC)	EP	RT	32816-95	500G

Tetrabromophenol Blue [4430-25-5]
C19H6Br8O5S=985.54

	GR	RT	26722-34	5G
			26722-92	25G

Tetra-n-butylammonium Bromide [1643-19-2]
(C4H9)4NBr=322.37

Purity: 98%(T)	GR	R	32821-44	5G
			32821-02	25G
			32821-15	500G
for Ion-pair Chromatography Purity: 99%(T)	SP	R	32824-72	25G

Tetra-n-butylammonium Chloride [1112-67-0]
(C4H9)4NCl=277.92

Purity: 95%(T)	EP	R	32935-51	1G
			32935-64	5G
			32935-22	25G

Tetrabutylammonium Fluoride(1mol/l in Tetrahydrofuran) [429-41-4]
C16H36FN=261.46

		R	08795-12	25ML

Tetrabutylammonium Fluoride Trihydrate [87749-50-6]
C16H36FN·3H2O=315.51

Purity: 95%(T)	EP	RT	32936-54	10G
			32936-96	50G

Tetra-n-butylammonium Hydrogensulfate [32503-27-8]
(C4H9)4N·HSO4=339.53

Purity: 98%(T)	GR	RT	32924-62	25G

Tetra-n-butylammonium Hydroxide(40% in water) [2052-49-5]
(C4H9)4NOH=259.47

	CP	R	32930-72	25ML
			32930-85	500ML
	GR	R	32927-32	25ML

Tetra-n-butylammonium Hydroxide(10% in methanol) [2052-49-5]
(C4H9)4NOH=259.47

	GR	R	32903-32	25ML

Tetra-n-butylammonium Iodide [311-28-4]
(C4H9)4NI=369.37

for Polarograph Purity: 98%(T)	SP	R	32905-54	5G
			32905-12	25G

Tetra-n-butylammonium Perchlorate [1923-70-2]
(C4H9)4NClO4=341.91

for Polarograph Purity: 98%(N)	SP	R	32906-44	5G
			32906-02	25G

Tetra-n-butylammonium Phosphate [5574-97-0]
(C4H9)4N(H2PO4)=339.45

for Ion-pair Chromatography Purity: 98%(T)	SP	R	32929-54	5G
for Ion-pair Chromatography 0.5M in Water	SP	RT	32926-26	10ML
			32926-84	5X10ML

Tetra-n-butylammonium Tetrafluoroborate [429-42-5]
(C4H9)4NBF4=329.27

for Polarograph Purity: 98%(N)	SP	R	32904-22	25G

Tetra-n-butyl Titanate(monomer) [5593-70-4]
(C4H9O)4Ti=340.32

Purity: 95%(W)	EP	RT	32909-72	25G
			32909-85	500G

1,2,3,4-Tetrachlorobenzene [634-66-2]
C6H2Cl4=215.89

	EP	RT	32911-22	25G

1,1,2,2-Tetrachloroethane [79-34-5]
Cl2CHCHCl2=167.85

Purity: 95%(GC)	GR	RT	32917-75	500G

Tetrachloroethylene [127-18-4]
Cl2C:CCl2=165.83

Purity: 97%(GC)	EP	RT	32919-55	500G
Purity: 99%(GC)	GR	RT	32920-15	500G

n-Tetracosane [646-31-1]
CH3(CH2)22CH3=338.65

Purity: 99%(GC)	GR	RT	33005-14	5G

n-Tetracosanoic Acid [557-59-5]
CH3(CH2)22COOH=368.64

Purity: 99%(GC)	GR	R	33006-04	100MG

Tetracycline Hydrochloride [64-75-5]
C22H24N2O8·HCl=480.9

Purity: 98%(T)	GR	R	33031-64	5G
			33031-22	25G

n-Tetradecane [629-59-4]
CH3(CH2)12CH3=198.39

Purity: 99%(GC)	GR	RT	33009-32	25ML
			33009-45	500ML

1-Tetradecene [1120-36-1]
CH3(CH2)11CH:CH2=196.37

	EP	RT	33011-82	25ML

1,1,3,3-Tetraethoxypropane [122-31-6]
(C2H5O)2CHCH2CH(OC2H5)2=220.31

Purity: 95%(GC)	EP	RT	33022-42	25ML

Tetraethylammonium Bromide [71-91-0]
(C2H5)4NBr=210.16

for Polarograph Purity: 99%(T)	SP	R	33012-72	25G

Tetraethylammonium Chloride [56-34-8]
(C2H5)4NCl=165.70

for Polarograph Purity: 99%(T)	SP	R	33013-04	5G
			33013-62	25G

Tetraethylammonium Hydroxide [77-98-5]
(C2H5)4NOH=147.26

	CP	R	33014-52	25ML

Tetraethylammonium Perchlorate [2567-83-1]
(C2H5)4NClO4=229.70

for Polarograph Purity: 99%(N)	SP	R	33016-74	5G
			33016-32	25G

Tetraethylammonium Tetrafluoroborate [429-06-1]
(C2H5)4NBF4=217.06

Purity: 95%(N)	EP	RT	33027-92	25G

Tetraethylene Glycol Dimethyl Ether [143-24-8]
CH3O(CH2CH2O)4CH3=222.28

Purity: 95%(GC)	EP	RT	08373-32	25ML

Tetraethyl Orthosilicate [Ethyl Silicate] [78-10-4]
(C2H5O)4Si=208.33

Purity: 95%(GC)	EP	RT	33104-72	25ML
			33104-85	500ML

Tetraethyl Titanate [3087-36-3]
(C2H5O)4Ti=228.11

Purity: 95%(T)	EP	RT	33107-42	25G

Tetra-n-heptylammonium Bromide [4368-51-8]
[CH3(CH2)6]4NBr=490.69

Purity: 98%(T)	EP	RT	33131-54	5G

Tetra-n-hexylammonium Bromide [4328-13-6]
[CH3(CH2)5]4NBr=434.58

Purity: 98%(T)	EP	RT	33135-14	5G

Tetra-n-hexylammonium Iodide [2138-24-1]
[CH3(CH2)5]4NI=481.58

Purity: 95%(T)	EP	RT	33132-44	5G

Tetrahydrofuran [109-99-9]
C4H8O=72.11

Purity: 98%(GC) Stabilizer: approx. 0.025% BHT	EP	RT	33112-75	500ML
Purity: 99.5%(GC) Stabilizer: approx. 0.025% BHT	GR	RT	33113-36	100ML
			33113-65	500ML
for Fluorometric Analysis Purity: 99.7%(GC) Stabilizer free	SP	RT	33139-45	500ML
for HPLC Purity: 99.7%(GC) Stabilizer free	SP	RT	33125-31	1L
for Spectrum Purity: 99.7%(GC) Stabilizer free	SP	RT	33116-35	500ML

Tetrahydrofuran〈H2O<50ppm〉 [109-99-9]
C4H8O=72.11

Purity: 99.5%(GC) Special Cap	GR	RT	04113-94	100ML
			04113-81	1L

Tetrahydropyran [142-68-7]
C5H10O=86.13

Purity: 98%(GC)	GR	RT	33205-94	10ML

Tetrahydrothiophene [110-01-0]
C4H8S=88.17

Purity: 99%(GC)	GR	RT	33209-12	25G

1,1,3,3-Tetraisopropyl-1,3-dichlorodisiloxane [1,3-Dichloro-1,1,3,3-tetraisopropyldisiloxane] [69304-37-6]
{[(CH3)2CH]2Si(Cl)}2O=315.43

Purity: 96%(GC)	EP	R	33536-64	5G

Tetraisopropyl Titanate(monomer) [Titanium(IV) Isopropoxide] [546-68-9]
[(CH3)2CHO]4Ti=284.22

Purity: 95%(W)	EP	RT	33511-32	25ML
			33511-45	500ML

N,N,N',N'-Tetrakis(2-hydroxypropyl)ethylenediamine [102-60-3]
{[CH3CH(OH)CH2]2NCH2}2=292.41

Purity: 95%(T)	EP	RT	33229-52	25G

Tetrakis(triphenylphosphine)palladium(0) [14221-01-3]
[(C6H5)3P]4Pd=1155.56

	EP	F	33235-04	5G
			33235-62	25G

Tetralin [119-64-2]
C10H12=132.20

Purity: 95%(GC)	EP	RT	33219-95	500ML
Purity: 98%(GC)	GR	RT	33220-55	500ML
for Spectrum Purity: 98%(GC)	SP	RT	33222-35	500ML

α-Tetralone [529-34-0]
C10H10O=146.19

Purity: 98%(GC)	GR	RT	33301-82	25G

Tetramethylammonium Chloride [75-57-0]
(CH3)4NCl=109.60

Purity: 98%(T)	GR	R	33320-32	25G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	R	33321-35	500G
for Polarograph Purity: 99%(T)	SP	R	33304-52	25G

Tetramethylammonium Hydroxide(25% in methanol) [75-59-2]
(CH3)4NOH=91.15

	EP	A	33316-02	25ML
			33316-15	500ML

Tetramethylammonium Hydroxide(10% in water) [75-59-2]
(CH3)4NOH=91.15

	GR	A	33526-52	25ML
			33526-65	500ML
for Polarograph	SP	R	33305-42	25ML

Tetramethylammonium Hydroxide Pentahydrate [10424-65-4]
(CH3)4NOH·5H2O=181.23

Purity: 95%(T)	EP	RT	33322-12	25G

3,3',5,5'-Tetramethylbenzidine [54827-17-7]
[C6H2(CH3)2NH2]2=240.34

Purity: 97%(T)	GR	RT	33314-64	100MG
			33314-51	1G

3,3',5,5'-Tetramethylbenzidine Dihydrochloride Dihydrate [64285-73-0]
C16H20N2·2HCl·2H2O=349.30

	EP	RT	33319-01	1G

p,p'-Tetramethyldiaminodiphenylmethane [101-61-1]
[(CH3)2NC6H4]2CH2=254.37

	GR	RT	33310-62	25G

N,N,N',N'-Tetramethylethylenediamine [110-18-9]
(CH3)2NCH2CH2N(CH3)2=116.20

for Electrophoresis Purity: 98%(GC)	SP	RT	33401-72	25G
			33401-14	100G
			33401-85	500G

1,1,3,3-Tetramethylguanidine [80-70-6]
C5H13N3=115.18

	EP	RT	33402-62	25G

N,N,N',N'-Tetramethyl-p-phenylenediamine Dihydrochloride [637-01-4]
C10H16N2·2HCl=237.17

Purity: 98%(T)	GR	RT	33405-61	1G

2,2,6,6-Tetramethylpiperidine [768-66-1]
(CH3)4C5H7N=141.25

Purity: 99%(GC)	GR	RT	33421-54	5G

2,2,6,6-Tetramethyl-1-piperidinyloxy, free radical [2564-83-2]
C9H18NO=156.25

	GR	R	07079-61	1G

Tetramethylsilane [75-76-3]
(CH3)4Si=88.22

for NMR	SP	R	33424-24	10ML

1,1,3,3-Tetramethylurea [632-22-4]
(CH3)2NCON(CH3)2=116.16

Purity: 98%(GC)	GR	RT	33412-32	25G

Tetra-n-octylammonium Bromide [14866-33-2]
[CH3(CH2)7]4NBr=546.79

Purity: 98%(T)	EP	RT	33428-84	5G

Tetraphenylboron Sodium [Kalignost] [143-66-8]
Na[B(C6H5)4]=342.22

for Metal Colorimetric Determination	SP	RT	33420-51	1G
			33420-06	5G
			33420-22	25G
			33420-64	100G

Tetraphenylphosphonium Bromide [2751-90-8]
(C6H5)4PBr=419.29

	EP	RT	33529-22	25G

Tetraphenylphosphonium Chloride [2001-45-8]
(C6H5)4PCl=374.84

	EP	RT	33530-24	5G

Tetra-n-propylammonium Bromide [1941-30-6]
(CH3CH2CH2)4NBr=266.26

Purity: 98%(T)	GR	R	33505-22	25G

Tetra-n-propylammonium Hydroxide [4499-86-9]
(CH3CH2CH2)4NOH=203.36

	GR	R	33507-02	25ML

Thallium [7440-28-0]
Tl=204.3833

Purity: 99.9%	GR	RT	32752-12	25G

Thallium(I) Acetate [563-68-8]
CH3COOTl=263.43

Purity: 95%(T)	EP	RT	33514-02	25G
			33514-15	500G

Thallium(I) Formate [992-98-3]
HCOOTl=249.40

Purity: 90%(T)	EP	A	33519-65	500G

Thallium(I) Sulfate [7446-18-6]
Tl2SO4=504.83

Purity: 98%(T)	EP	RT	33603-32	25G

Thapsigargin [67526-95-8]
C34H50O12=650.75

Purity: 99%(TLC)	GR	F	33637-31	1MG

Theaflavin [4670-05-7]
C29H24O12=564.49

Purity: 90%(HPLC) Black tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02587-51	1MG

Theaflavin 3,3'-di-O-gallate [30462-35-2]
C43H32O20=868.70

Purity: 90%(HPLC) Black tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02591-81	1MG

Theaflavin 3-O-gallate [30462-34-1]
C36H28O16=716.60

Purity: 90%(HPLC) Black tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02588-41	1MG

Theaflavin 3'-O-gallate [28543-07-9]
C36H28O16=716.60

Purity: 90%(HPLC) Black tea catechins, Produced by Nagara Science Co., Ltd.	EP	F	02589-31	1MG

Theophylline [58-55-9]
C7H8N4O2=180.16

Purity: 99%(T)	GR	RT	33606-02	25G

Thermolysin from Bacillus thermoproteolyticus [9073-78-3]

Activity: 7,000 PU/mg solid Lyophilized powder Three-time crystallized	GR	R	33607-34	250MG

Thioacetamide [62-55-5]
CH3CSNH2=75.13

Purity: 98%(N)	GR	RT	33609-72	25G

Thioacetic Acid [Thioacetic S-Acid] [507-09-5]
CH3COSH=76.12

Purity: 95%(GC)	EP	RT	33604-22	25ML

Thioanisole [100-68-5]
C6H5SCH3=124.20

Purity: 98%(GC)	EP	RT	33613-02	25ML

2-Thiobarbituric Acid [504-17-6]
C4H4N2O2S=144.15

Purity: 98%(T)	GR	RT	33614-92	25G

1,1'-Thiocarbonyldiimidazole [6160-65-2]
C7H6N4S=178.21

		R	07074-24	5G

1-Thioglycerol [3-Mercapto-1,2-Propanediol] [96-27-5]				
HSCH2CH(OH)CH2OH=108.16				
Purity: 98%(T)	EP	A	33709-62	25G
Thiomalic Acid [70-49-5]				
HOOCCH(SH)CH2COOH=150.15				
Purity: 97%(T)	EP	A	33713-92	25G
			33713-05	500G
Thionine(acetate) [78338-22-4]				
C12H10N3S·OCOCH3=287.34				
	GR	A	33728-54	5G
Thiophene [110-02-1]				
C4H4S=84.14				
	GR	RT	33723-62	25ML
			33723-75	500ML
2-Thiophenecarboxaldehyde [98-03-3]				
C5H4OS=112.15				
Purity: 97%(GC)	EP	R	33734-22	25G
Thiosemicarbazide [79-19-6]				
H2NCSNHNH2=91.14				
Purity: 98%(T)	GR	RT	33806-95	500G
Thiourea [62-56-6]				
H2NCSNH2=76.12				
Purity: 95%(T)	EP	RT	33811-15	500G
Purity: 98%(T)	GR	RT	33812-92	25G
			33812-05	500G
D-Threonine [632-20-2]				
CH3CH(OH)CH(NH2)COOH=119.12				
Purity: 98%(T)	GR	RT	33818-32	25G
DL-Threonine [80-68-2]				
CH3CH(OH)CH(NH2)COOH=119.12				
	GR	RT	33819-22	25G
L-Threonine [72-19-5]				
CH3CH(OH)CH(NH2)COOH=119.12				
	GR	RT	33820-24	5G
			33820-82	25G
			33820-95	500G
Thrombin from Bovine Plasma [9002-04-4]				
Activity: 40-300 NIH u/mg protein Lyophilized powder	BC	F	33842-44	1000UNITS
Activity: 600-2,000 NIH u/mg protein Fiber crystalline Lyophilized powder	BC	F	33843-34	100UNITS
Thrombin from Human Plasma [9002-04-4]				
Activity: 2,500-3,500 NIH u/mg protein Citrate Buffer solution	BC	F	33839-46	1000UNITS
Thulium Oxide [12036-44-1]				
Tm2O3=385.87				
Purity: 99.9%	EP	RT	33824-71	1G
Thymidine [50-89-5]				
C10H14N2O5=242.23				
	GR	RT	07147-61	1G
Thymidine-5'-monophosphate Sodium Salt [33430-62-5]				
C10H13N2Na2O8P·nH2O=366.17				
Purity: 98%(HPLC)	GR	F	33944-14	100MG
Thymol [89-83-8]				
CH3C6H3(OH)CH(CH3)2=150.22				
Purity: 98%(T)	GR	RT	33906-72	25G
			33906-85	500G
Thymol Blue [76-61-9]				
C27H30O5S=466.59				
	GR	RT	33908-81	1G
			33908-52	25G

Thymolphthalein [125-20-2]				
C28H30O4=430.54				
	GR	RT	33911-21	1G
			33911-92	25G
Thymolphthalein Complexone [1913-93-5]				
C38H44N2O12=720.76				
Metal Indicator	SP	RT	33912-11	1G
L-Thyroxine [51-48-9]				
C15H11I4NO4=776.87				
	GR	R	33917-74	100MG
L-Thyroxine Sodium Salt Pentahydrate [6106-07-6]				
C15H10I4NNaO4·5H2O=888.93				
Purity: 98%(HPLC)	GR	R	33920-14	100MG
			33920-01	1G
Tin, granular [7440-31-5]				
Sn=118.710				
Granular	EP	RT	33923-55	500G
Granular Particle size: approx. 1-5mm	GR	RT	33924-32	25G
			33924-45	500G
Purity: 99.999% Granular Particle size: approx. 4-8mm	GR	RT	33925-22	25G
Tin, mossy [7440-31-5]				
Sn=118.710				
	EP	RT	33926-25	500G
Tin, powder [7440-31-5]				
Sn=118.710				
Purity: 99.80% Powder Particle size: approx. 200mesh	CP	RT	33927-02	25G
			33927-15	500G
Tin Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37525-84	100ML
Tin(II) Bromide [10031-24-0]				
SnBr2=278.52				
	CP	RT	33935-92	25G
Tin(II) Chloride, Anhydrous [7772-99-8]				
SnCl2=189.62				
Purity: 97%(T)	CP	RT	34007-35	500G
Tin(II) Chloride Dihydrate [10025-69-1]				
SnCl2·2H2O=225.65				
Purity: 95%(T)	EP	RT	34004-65	500G
Purity: 97%(T)	GR	RT	34005-71	1G
			34005-42	25G
			34005-55	500G
for Analysis of Poisonous Metal Purity: 97%(T)	SP	RT	34032-24	100G
Tin(IV) Chloride, Anhydrous [7646-78-8]				
SnCl4=260.52				
Purity: 97%(T)	CP	A	34003-62	25G
			34003-75	500G
Tin(IV) Chloride Pentahydrate [10026-06-9]				
SnCl4·5H2O=350.60				
Purity: 98%(T)	GR	RT	34002-72	25G
			34002-85	500G
Tin(II) Fluoride [7783-47-3]				
SnF2=156.71				
Purity: 94%(T)	CP	RT	34008-25	500G
Tin(II) Octylate [Tin(II) 2-Ethylhexanoate] [301-10-0]				
	CP	RT	34010-75	500G
Tin(II) Oxide [21651-19-4]				
SnO=134.71				
Purity: 85%(T)	EP	RT	34016-02	25G

Tin(IV) Oxide [18282-10-5]				
SnO_2=150.71				
Purity: 99%	EP	RT	34013-32	25G
Tin(II) Sulfate [7488-55-3]				
$SnSO_4$=214.77				
Purity: 96%(T)	CP	RT	34018-95	500G
Titanium, sponge [7440-32-6]				
Ti=47.867				
Purity: 99%	EP	RT	34022-12	25G
			34022-25	500G
Titanium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37510-64	100ML
Titanium Carbide [12070-08-5]				
TiC=59.88				
	GR	RT	34041-62	25G
Titanium(III) Chloride Solution [7705-07-9]				
$TiCl_3$=154.23				
Concentration: approx. 20%	CP	RT	34107-25	500ML
Concentration: approx. 25%	GR	RT	34108-15	500ML
Titanium(II) Hydride [7704-98-5]				
TiH_2=49.88				
	CP	RT	34027-62	25G
Titanium Nitride [25583-20-4]				
TiN=61.87				
	GR	RT	34039-12	25G
Titanium(IV) Oxide [13463-67-7]				
TiO_2=79.87				
Powder Average particle size: 0.1-0.2um	CP	RT	34025-95	500G
Titanium(IV) Oxysulfate				
$TiOSO_4 \cdot xH_2O$				
	CP	RT	34103-65	500G
Titanium(IV) Sulfate Solution				
for H_2O_2 Analysis Concentration: approx. 5%	SP	RT	34134-94	100ML
DL-α-Tocopherol [10191-41-0]				
$C_{29}H_{50}O_2$=430.71				
Purity: 96%(HPLC)	GR	A	34114-54	5G
			34114-12	25G
DL-α-Tocopherol Acetate [7695-91-2]				
$C_{31}H_{52}O_3$=472.74				
Purity: 96%(T)	GR	A	34115-44	5G
			34115-02	25G
o-Tolidine Solution				
		RT	37210-65	500ML
o-Tolualdehyde [529-20-4]				
$CH_3C_6H_4CHO$=120.15				
	EP	RT	07075-72	25G
m-Tolualdehyde [620-23-5]				
$CH_3C_6H_4CHO$=120.15				
Purity: 95%(GC) Stabilizer: approx. 0.1% HQ	EP	RT	34119-04	5G
Toluene [108-88-3]				
$C_6H_5CH_3$=92.14				
Purity: 99%(GC)	EP	RT	34121-25	500ML
Purity: 99.5%(GC)	GR	RT	34122-86	100ML
			34122-15	500ML
for HPLC Purity: 99.8%(GC)	SP	RT	34130-21	1L
for Spectrum Purity: 99.8%(GC)	SP	RT	34136-45	500ML
for Residual Pesticide Analysis Tested for 5,000X	SP	RT	04340-01	1L

Toluene [108-88-3]				
$C_6H_5CH_3$=92.14				
for Dioxins Test Purity: 99.8%(GC)	SP	RT	32774-61	1L
for Liquid Scintillation Purity: 99.8%(GC)	SP	RT	34128-55	500ML
Toluene 〈H2O<30ppm〉 [108-88-3]				
$C_6H_5CH_3$=92.14				
Purity: 99.5%(GC) Special Cap	GR	RT	04109-64	100ML
			04109-35	500ML
o-Toluenesulfonamide [88-19-7]				
$CH_3C_6H_4SO_2NH_2$=171.22				
	CP	RT	34203-55	500G
p-Toluenesulfonamide [70-55-3]				
$CH_3C_6H_4SO_2NH_2$=171.22				
Purity: 98%(N)	EP	RT	34204-32	25G
			34204-45	500G
p-Toluenesulfonhydrazide [1576-35-8]				
$CH_3C_6H_4SO_2NHNH_2$=186.23				
Purity: 95%(T)	EP	RT	34229-22	25G
p-Toluenesulfonic Acid Monohydrate [6192-52-5]				
$CH_3C_6H_4SO_3H \cdot H_2O$=190.22				
Purity: 97%(T)	CP	A	34207-15	500G
Purity: 98%(T)	EP	A	34208-05	500G
Purity: 99%(T)	GR	A	34209-82	25G
			34209-95	500G
for Amino Acid Auto Analyzer Purity: 99%(T)	SP	A	34222-92	25G
o-Toluenesulfonyl Chloride [133-59-5]				
$CH_3C_6H_4SO_2Cl$=190.65				
Purity: 70%(GC)	CP	A	34213-12	25G
			34213-25	500G
p-Toluenesulfonyl Chloride [98-59-9]				
$CH_3C_6H_4SO_2Cl$=190.65				
Purity: 98%(T)	GR	A	34215-92	25G
			34215-05	500G
for Peptide Synthesis Purity: 98%(T)	SP	A	34217-72	25G
p-Toluenesulfonyl-L-lysine Chloromethyl Ketone Hydrochloride [4238-41-9]				
$C_{14}H_{22}Cl_2N_2O_3S$=369.31				
Purity: 98%(T)	GR	R	34219-94	100MG
p-Toluenesulfonyl-L-phenylalanine Chloromethyl Ketone [402-71-1]				
$C_{17}H_{18}ClNO_3S$=351.85				
Purity: 95%(HPLC)	GR	A	34221-44	100MG
o-Toluic Acid [118-90-1]				
$CH_3C_6H_4COOH$=136.15				
Purity: 98%(T)	GR	RT	34301-65	500G
m-Toluic Acid [99-04-7]				
$CH_3C_6H_4COOH$=136.15				
	GR	RT	34303-32	25G
			34303-45	500G
p-Toluic Acid [99-94-5]				
$CH_3C_6H_4COOH$=136.15				
Purity: 98%(T)	GR	RT	34305-12	25G
p-Toluidine [106-49-0]				
$CH_3C_6H_4NH_2$=107.15				
Purity: 98%(GC)	GR	RT	34309-72	25G
			34309-85	500G
o-Tolunitrile [529-19-1]				
$CH_3C_6H_4CN$=117.15				
Purity: 98%(GC)	GR	RT	34318-52	25G

p-Toluoyl Chloride [874-60-2]				
CH3C6H4COCl=154.59				
	EP	A	34323-72	25G
Tolylene 2,4-Diisocyanate(monomer) [584-84-9]				
CH3C6H3(NCO)2=174.16				
Purity: 98%(GC)	EP	A	34201-62	25G
TPTZ [2,4,6-Tripyridyl-s-triazine] [3682-35-7]				
for Metal Colorimetric Determination Purity: 98%(N)	SP	RT	34408-01	1G
Tragacanth Gum [9000-65-1]				
Powder	CP	RT	34409-62	25G
			34409-75	500G
apo-Transferrin from Human [11096-37-0]				
Purity: 96%(EA) Lyophilized powder Iron-free	BC	R	34442-54	100MG
			34442-41	1G
for Tissue Culture Purity: 96%(EA) Lyophilized powder Iron-free, Mycoplasma and Endotoxin tested	SP	R	34401-84	100MG
			34401-55	500MG
holo-Transferrin from Human [11096-37-0]				
Purity: 96%(EA) Lyophilized powder Iron saturated	BC	R	34443-44	100MG
D-(+)-Trehalose Dihydrate [6138-23-4]				
C12H22O11·2H2O=378.33				
Purity: 98%(GC)	GR	RT	34413-21	1G
			34413-34	5G
			34413-92	25G
Triacetin [102-76-1]				
(CH3CO2CH2)2CHOCOCH3=218.20				
Purity: 98%(GC)	GR	RT	34416-62	25G
			34416-75	500G
1H-1,2,4-Triazole [288-88-0]				
C2H3N3=69.07				
for Nucleic Acid synthsis	SP	R	34534-12	25G
2,2,2-Tribromoethanol [75-80-9]				
C2H3Br3O=282.76				
Purity: 98%(GC)	EP	RT	34548-42	25G
Tri-n-butylamine [102-82-9]				
[CH3(CH2)3]3N=185.35				
Purity: 98%(GC)	GR	RT	34517-42	25ML
			34517-55	500ML
Tri-n-butyl Phosphate [126-73-8]				
[CH3(CH2)3O]3PO=266.31				
Purity: 98%(GC)	EP	RT	34521-85	500ML
Tri-n-butyrin [60-01-5]				
C15H26O6=302.36				
	EP	RT	34532-32	25G
Trichloroacetic Acid [76-03-9]				
CCl3COOH=163.39				
Purity: 99%(T)	GR	A	34603-02	25G
			34603-15	500G
for Biochemical Research Purity: 99.5%(T)	SP	A	34605-24	100G
			34605-95	500G
Trichloroacetic Acid Solution(100w/v%) [76-03-9]				
for Molecular Biology	SP	R	06275-24	100ML
for Biochemical Research Purity: 98%-102W/V%(T)	SP	R	34637-14	100ML
			34637-85	500ML
30w/v%-Trichloroacetic Acid Solution [76-03-9]				
		RT	37211-55	500ML
Trichloroacetic Acid Sodium Salt [650-51-1]				
CCl3COONa=185.37				
	CP	RT	34627-02	25G

Trichloroacetonitrile [545-06-2]				
Cl3CCN=144.39				
Purity: 98%(GC)	EP	R	34607-46	10G
			34607-62	25G
			34607-04	100G
2,4,5-Trichloroaniline [636-30-6]				
Cl3C6H2NH2=196.46				
Purity: 98%(GC)	GR	RT	34609-42	25G
1,2,4-Trichlorobenzene [120-82-1]				
C6H3Cl3=181.45				
Purity: 99%(GC)	GR	RT	34613-85	500G
1,1,2-Trichlorothane [79-00-5]				
ClCH2CHCl2=133.40				
Purity: 98%(GC)	GR	RT	34625-35	500G
2,2,2-Trichloroethanol [115-20-8]				
Cl3CCH2OH=149.40				
Purity: 97%(GC)	EP	RT	34619-12	25G
Trichloroethylene [79-01-6]				
ClCH:CCl2=131.39				
Purity: 98%(GC)	EP	RT	34620-85	500ML
Purity: 99.5%(GC)	GR	RT	34621-75	500ML
for Electronics Purity: 99.5%(GC)	SP	RT	34622-81	1KG
Trichloroethylene Standard Solution				
for Hydrocarbon Halide Analysis 1mg/ml Methanol solution	SP	A	34634-44	10ML
Trichloroisocyanuric Acid [87-90-1]				
C3Cl3N3O3=232.41				
Purity: 90%(T)	CP	A	34628-92	25G
2,4,6-Trichloronitrobenzene [18708-70-8]				
Cl3C6H2NO2=226.44				
	EP	RT	34702-02	25G
2,4,5-Trichlorophenol [95-95-4]				
Cl3C6H2OH=197.45				
Purity: 98%(GC)	EP	RT	34703-34	10G
			34703-05	500G
Tricine [N-[Tris(hydroxymethyl)methyl]glycine] [5704-04-1]				
C6H13NO5=179.17				
Biotechnology Grade Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02437-24	100G
Good Buffer Purity: 99%(T)	SP	RT	34713-62	25G
			34713-04	100G
for JIS Biochemical Purity: 99%	SP	RT	34738-52	25G
			34738-94	100G
Tricosanoic Acid [2433-96-7]				
CH3(CH2)21COOH=354.61				
Purity: 98%(GC)	GR	R	34715-84	100MG
Tricresyl Phosphate [1330-78-5]				
C21H21O4P=368.36				
Purity: 95%(GC)	EP	RT	34729-85	500G
n-Tridecane [629-50-5]				
CH3(CH2)11CH3=184.36				
Purity: 99%(GC)	GR	RT	34718-12	25ML
			34718-25	500ML
Tridecanoic Acid [638-53-9]				
CH3(CH2)11COOH=214.34				
	GR	R	34720-04	5G

Triethylamine [121-44-8]
(C2H5)3N=101.19

Purity: 98%(GC)	EP	RT	34804-85	500ML
Purity: 99%(GC)	GR	RT	34805-62	25ML
			34805-75	500ML

Triethylamine Hydrochloride [554-68-7]
(C2H5)3N·HCl=137.65

Purity: 97%(T)	EP	A	34806-52	25G
			34806-65	500G

Triethylammonium Hydrogen Carbonate

for Nucleic Acid synthsis 1mol/lWater solution	SP	R	34835-14	100ML

Triethyl Borate [150-46-9]
(C2H5O)3B=145.99

Purity: 95%(T)	EP	RT	34809-22	25ML

Triethyl Citrate [77-93-0]
C12H20O7=276.28

Purity: 97%(GC)	EP	RT	34810-82	25G
			34810-95	500G

Triethylenediamine [1,4-Diazabicyclo[2,2,2]octane] [280-57-9]
N(CH2CH2)3N=112.17

Purity: 95%(T)	EP	RT	34811-72	25G

Triethylene Glycol [112-27-6]
H(OCH2CH2)3OH=150.17

Purity: 98%(GC)	GR	RT	34828-85	500G

Triethylene Glycol Dimethyl Ether [112-49-2]
C8H18O4=178.23

	EP	RT	34832-15	500G

Triethylene Glycol Monobutyl Ether [143-22-6]
C10H22O4=206.28

Purity: 95%(GC)	EP	RT	34827-95	500ML

Triethylenetetramine [112-24-3]
C6H18N4=146.23

Purity: 85%(T)	CP	RT	34829-62	25ML
			34829-75	500ML

Triethyl Phosphate [78-40-0]
(C2H5O)3PO=182.15

Purity: 98%(GC)	EP	RT	34818-02	25G

Triethyl Phosphonoacetate [867-13-0]
C8H17O5P=224.19

Purity: 95%(GC)	EP	RT	34837-52	25G

Triethylsilane [617-86-7]
(C2H5)3SiH=116.28

Purity: 98%(GC)	GR	RT	34820-94	5G
			34820-52	25G

Trifluoroacetic Acid [76-05-1]
CF3COOH=114.02

Purity: 98%(T)	EP	R	34831-12	25G
			34831-25	500G
Purity: 99%(T)	GR	R	34833-92	25G
			34833-05	500G
MOLPAC Purity: 99%(T) Content: 114g		R	34826-21	1PACK
for Biochemical Research Purity: 99%(T)	SP	R	34901-21	5X1ML
for HPLC Purity: 99.8%(HPLC) Bottled by nitrogen gas, Ampule	SP	R	34840-21	5X1ML
			34840-76	5X1.5ML
			34840-63	5X3ML
			34840-34	10ML
for Amino Acid Sequence Analysis Purity: 99%(T)	SP	R	34902-11	5X1ML

Trifluoroacetic Acid Sodium Salt [2923-18-4]
CF3COONa=136.01

Purity: 97%(T)	EP	RT	34903-72	25G

Trifluoroacetic Anhydride [407-25-0]
(CF3CO)2O=210.03

Purity: 98%(GC)	GR	RT	34904-04	25G
			34904-46	500G

Trifluoroacetylacetone [367-57-7]
F3CCOCH2COCH3=154.09

Purity: 98%(GC)	GR	RT	34913-42	25G

2,2,2-Trifluoroethanol [75-89-8]
CF3CH2OH=100.04

Purity: 99%(GC)	GR	RT	34915-22	25G
			34915-64	250G

Trifluoromethanesulfonic Acid [1493-13-6]
CF3SO3H=150.08

Purity: 98%(T)	EP	A	34916-12	25G

Trifluoromethanesulfonic Anhydride [358-23-6]
(CF3SO2)2O=282.14

Purity: 98%(T)	EP	RT	34946-06	10G
			34946-64	50G

2,3,5-Triiodobenzoic Acid [88-82-4]
I3C6H2COOH=499.81

Purity: 98%(T)	GR	A	35002-71	1G

3,3',5-Triiodo-L-thyronine [6893-02-3]
C15H12I3NO4=650.97

Purity: 98%(HPLC)	GR	R	35006-44	100MG

3,3',5-Triiodo-L-thyronine Sodium Salt [55-06-1]
C15H11I3NO4Na=672.96

Purity: 98%(HPLC)	GR	R	35007-34	100MG

Triisopropanolamine [122-20-3]
[CH3CH(OH)CH2]3N=191.27

Purity: 97%(GC)	EP	RT	35323-55	500G

Triisopropyl Borate [5419-55-6]
C9H21BO3=188.07

	GR	RT	06934-42	25ML

Triisopropylsilyl Chloride [13154-24-0]
C9H21ClSi=192.80

	EP	RT	06899-22	25ML

Trilinolein [537-40-6]
(C17H31COO)3C3H5=879.38

	GR	R	35010-74	100MG

Trimellitic Acid [528-44-9]
C6H3(COOH)3=210.14

Purity: 99%(T)	GR	RT	35012-12	25G

Trimellitic Anhydride [552-30-7]
HOOCC6H3(CO)2O=192.13

	EP	RT	35013-02	25G

Trimesic Acid [554-95-0]
C6H3(COOH)3=210.14

Purity: 98%(T)	EP	RT	35038-34	5G

Trimethoprim [738-70-5]
C14H18N4O3=290.32

Purity: 98%(HPLC)	GR	R	35039-11	1G
			35039-24	5G

Trimethylamine [75-50-3]
(CH3)3N=59.11

Approx. 30% in Water	CP	RT	35015-95	500ML

Trimethylamine Hydrochloride [593-81-7]
(CH3)3N·HCl=95.57

Purity: 98%(T)	GR	A	35016-72	25G
			35016-85	500G

2,4,6-Trimethylaniline [88-05-1]
(CH3)3C6H2NH2=135.21

Purity: 98%(GC) ρ(20℃)0.962g/ml	GR	RT	35018-52	25ML

2,4,6-Trimethylbenzenesulfonyl Chloride [773-64-8]
C9H11ClO2S=218.70

for Nucleic Acid synthsis Purity: 98%(T)	SP	A	35024-62	25G

Trimethyl Borate [121-43-7]
(CH3O)3B=103.91

Purity: 99.99%	GR	RT	35036-12	25G

Trimethylchlorosilane [75-77-4]
(CH3)3SiCl=108.64

Purity: 95%(GC)	CP	A	35101-42	25G
			35101-55	500G
Silylation reagent for GC Purity: 99%(GC)	SP	A	35102-32	25G
			35102-74	100G

2,3,6-Tri-O-methyl-β-cyclodextrin [55216-11-0]

	GR	RT	35124-81	1G
			35124-94	5G

Trimethylenediamine [1,3-Diaminopropane] [109-76-2]
H2NCH2CH2CH2NH2=74.12

Purity: 97%(GC)	EP	RT	35107-82	25ML
			35107-95	500ML

Trimethylene Glycol [504-63-2]
HOCH2CH2CH2OH=76.09

Purity: 97%(GC)	EP	RT	35109-62	25G

2,3,3-Trimethylindolenine [1640-39-7]
C11H13N=159.23

	EP	RT	35122-72	25ML

Trimethylolpropane [77-99-6]
(HOCH2)3CCH2CH3=134.17

Purity: 97%(GC)	EP	RT	35115-85	500G

Trimethyl Orthoacetate [1445-45-0]
CH3C(OCH3)3=120.15

Purity: 95%(GC)	EP	RT	35116-04	10ML
			35116-62	25ML

2,2,4-Trimethylpentane [540-84-1]
C8H18=114.23

Purity: 99%(GC)	GR	RT	25415-65	500ML
for Fluorometric Analysis Purity: 99.5%(GC)	SP	RT	25429-95	500ML
for Spectrum Purity: 99.5%(GC)	SP	RT	25418-35	500ML

Trimethyl Phosphate [512-56-1]
(CH3O)3PO=140.07

Purity: 98%(GC)	EP	RT	35121-82	25G
			35121-95	500G

Trimethylsilyldiazomethane [18107-18-1]
(CH3)3SiCHN2=114.22

for CH2N2 Generating 10% in Hexane	SP	RT	35236-34	10ML
			35236-76	50ML

N-Trimethylsilyl-1,2,4-triazole [18293-54-4]
(CH3)3SiC2H2N3=141.25

Purity: 95%(GC)	EP	A	35229-34	5G

Trimethylsilyl Trifluoromethanesulfonate [27607-77-8]
CF3SO3Si(CH3)3=222.26

	GR	RT	35230-94	10G

Tri-n-octylamine [1116-76-3]
[CH3(CH2)7]3N=353.67

Purity: 98%(GC)	EP	RT	35213-82	25ML
			35213-95	500ML

Trioctylmethylammonium Chloride [5137-55-3]
[R3(CH3)N]Cl (R=C8~C10)

	CP	RT	35234-12	25G

Triolein [122-32-7]
C57H104O6=885.43

	CP	RT	35227-12	25G
for Serum Triglyceraide Analysis	SP	R	35217-71	1G

1,3,5-Trioxane [Trioxymethylene] [110-88-3]
C3H6O3=90.08

Purity: 98%(GC)	EP	RT	35218-32	25G

Tripalmitin [555-44-2]
C51H98O6=807.32

	CP	RT	35223-52	25G

Triphenylene [217-59-4]
(C6H4)3=228.29

Purity: 98%(GC)	GR	RT	35309-84	100MG

Triphenylmethane [519-73-3]
(C6H5)3CH=244.33

Purity: 98%(GC)	GR	RT	35310-02	25G

Triphenylmethanol [76-84-6]
(C6H5)3COH=260.33

Purity: 98%(GC)	GR	RT	35308-52	25G

Triphenyl Phosphate [115-86-6]
(C6H5O)3PO=326.28

Purity: 98%(GC)	EP	RT	35311-92	25G

Triphenyl Phosphite [101-02-0]
(C6H5O)3P=310.28

Purity: 95%(GC)	EP	RT	35315-52	25G

2,3,5-Triphenyltetrazolium Chloride [298-96-4]
C19H15ClN4=334.80

	GR	A	35317-61	1G
			35317-74	5G
			35317-32	25G

Triphosgene [Bis(trichloromethyl) Carbonate] [32315-10-9]
(CCl3O)2CO=296.75

Purity: 97%(T)	EP	RT	35335-34	5G
			35335-92	25G
			35335-76	100G

Tri-n-propylamine [102-69-2]
(CH3CH2CH2)3N=143.27

Purity: 98%(GC)	GR	RT	35325-22	25ML

Tripropylene Glycol(isomer mix.) [24800-44-0]
HO[CH(CH3)CH2O]3H=192.25

	CP	RT	35334-15	500ML

Tris-Acetate-EDTA Buffer(10x) [TAE Buffer]

for Molecular Biology 10x concentrate, Nuclease and Protease tested	SP	RT	35430-61	1L
			35430-74	5L

Tris-Acetate-EDTA Buffer(50x) [TAE Buffer]

for Molecular Biology 50x concentrate, Nuclease and Protease tested	SP	RT	32666-81	1L

Tris(4-aminophenyl)methane
(H2NC6H4)3CH=289.37

for Histochemical Research Purity: 95%(N)	SP	RT	35423-61	1G
			35423-74	5G

Tris-Borate-EDTA Buffer(5x) [TBE Buffer]				
for Molecular Biology 5x concentrate, Nuclease and Protease tested	SP	RT	35432-41	1L
Tris-Borate-EDTA Buffer(10x) [TBE Buffer]				
for Molecular Biology 10x concentrate, Nuclease and Protease tested	SP	RT	35440-31	1L
			35440-44	5L
Tris Buffered Saline(10x)(pH 7.4)				
Filtrated by 0.45um		R	35438-81	1L
for Molecular Biology DEPC treated Filtrated by 0.45um Nuclease tested	SP	RT	35439-71	1L
Tris(2-carboxyethyl)phosphine Hydrochloride [51805-45-9]				
C9H15O6P·HCl=286.65				
for Molecular Biology Nuclease and Protease tested	SP	R	06342-21	1G
for Biochemical Research	SP	R	07277-61	1G
Tris-Glycine Buffer Solution(10x)(pH 8.3)				
for Protein Research Composition: 0.25mol/l-Tris, 1.92mol/l-Glycine Filtrated by 0.45um	SP	RT	09422-81	1L
1mol/l-Tris-HCl Buffer Solution(pH 8.0)				
Biotechnology Grade Sterilized by filtration, Nuclease and Protease tested, Sterile tested, Endotoxin tested	SP	RT	06938-44	100ML
			06938-15	500ML
1mol/l-Tris-HCl Buffer Solution(pH 7.6)				
for Molecular Biology Nuclease and Protease tested	SP	RT	35436-01	1L
1mol/l-Tris-HCl Buffer Solution(pH 8.0)				
for Molecular Biology Nuclease and Protease tested	SP	RT	35435-11	1L
50mmol/l-Tris-HCl Buffer Solution(10x)(pH 7.6) with Detergent and Sodium Chloride				
		R	09288-45	500ML
for Immunochemistry Component: 50mmol/l-Tris-HCl Buffer Solution(pH7.6), 0.05(w/v)%-Polyexyethylene Sorbitan Monolaurate, 0.15mol/l-Sodium Chloride Filtrated by 0.45um, Nuclease and Protease tested	SP	R	05269-31	1L
Tris(hydroxymethyl)aminomethane [77-86-1]				
(HOCH2)3CNH2=121.14				
	EP	RT	35401-25	500G
Purity: 99%(T)	GR	RT	35406-62	25G
			35406-75	500G
			35406-91	1KG
			35406-04	10KG
Biotechnology Grade Purity: 99.9%(T) Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02435-44	100G
			02435-15	500G
			02435-31	1KG
for Molecular Biology Purity: 99.9%(T) Nuclease and Protease tested	SP	RT	35434-76	100G
			35434-05	500G
			35434-21	1KG
			35434-34	10KG
Good Buffer Purity: 99.9%(T)	SP	RT	35409-16	100G
			35409-45	500G
			35409-61	1KG
			35409-74	5KG
for Electrophoresis Purity: 99%(T)	SP	RT	35410-34	100G
1mol/l-Tris(hydroxymethyl)aminomethane Solution				
for Protein Structural Analysis	SP	R	05571-64	100ML
Tris(hydroxymethyl)aminomethane Hydrochloride [1185-53-1]				
(HOCH2)3CNH2·HCl=157.60				
Biotechnology Grade Purity: 99%(T) Nuclease and Protease tested Endotoxin, Bioburden, Cellculture tested	SP	RT	02436-05	500G
for Molecular Biology	SP	RT	06343-95	500G
for Biochemical Research Purity: 99%(T)	SP	RT	35433-44	100G
			35433-15	500G
Tristearin [555-43-1]				
C3H5(C17H35COO)3=891.48				
	CP	RT	35419-31	1G
			35419-02	25G

Tris(triphenylphosphine)rhodium(I) Chloride [14694-95-2]				
[(C6H5)3P]3RhCl=925.21				
	EP	RT	35405-01	1G
Triton(R) X-100 [9002-93-1]				
	CP	RT	35501-02	25G
			35501-15	500G
Triton(R) X-114 [9002-93-1]				
	CP	RT	35522-32	25G
			35522-45	500G
Triton(R) X-305 [9002-93-1]				
70% in water	CP	RT	35502-92	25G
Triton(R) X-405 [9002-93-1]				
70% in water	CP	RT	35503-82	25G
			35503-95	500G
Trityl Chloride [Chlorotriphenylmethane] [76-83-5]				
(C6H5)3CCl=278.78				
	EP	A	35528-72	25G
Tropolone [533-75-5]				
C7H6O2=122.12				
Purity: 98%(GC)	EP	RT	35532-44	5G
Trypan Blue [72-57-1]				
C34H24N6Na4O14S4=960.81				
	GR	RT	35525-02	25G
0.5%-Trypan Blue Stain Solution				
for Cell Count Phosphate buffered saline, Filtrated by 0.45um	SP	RT	29853-34	100ML
Trypsin 1:250 [9002-07-7]				
Activity: 250 USP u/mg solid Gray white powder From Hog Pancreas	GR	R	35537-52	25G
Trypsin from Porcine Pancreas [9002-07-7]				
Activity: 1,000-2,000 BAEE u/mg solid Crude product	BC	R	35547-51	1G
			35547-64	10G
Activity: 3,500-6,500u/mg solid Lyophilized powder Two-time crystallized, Salt-free	BC	F	35544-94	100MG
			35544-81	1G
2.5g/l-Trypsin Solution				
for Tissue Culture Activity: 2,500-5,700u/ml (UV) Colorless liquid Sterilized by filtration	SP	F	35555-54	100ML
5.0g/l-Trypsin/5.3mmol/l-EDTA Solution				
for Tissue Culture Activity: 5,000-12,000u/ml (UV) Colorless liquid Sterilized by filtration	SP	F	35556-44	100ML
2.5g/l-Trypsin/1mmol/l-EDTA Solution				
for Tissue Culture Activity: 2,500-5,700u/ml (UV) Colorless liquid Sterilized by filtration	SP	F	35554-64	100ML
2.5g/l-Trypsin/1mmol/l-EDTA Solution, with Phenol Red				
for Tissue Culture Activity: 2,500-5,700u/ml (UV) Sterilized by filtration	SP	F	32777-44	100ML
0.5g/l-Trypsin/0.53mmol/l-EDTA Solution				
for Tissue Culture Activity: 500-1,200u/ml (UV) Colorless liquid Sterilized by filtration	SP	F	35553-74	100ML
0.5g/l-Trypsin/0.53mmol/l-EDTA Solution, with Phenol Red				
for Tissue Culture Activity: 500-1,200u/ml (UV) Sterilized by filtration	SP	F	32778-34	100ML
Trypsin Inhibitor [9035-81-8]				
From Chicken Egg White Inhibitory activity: 0.7-1.3mg Trypsin/mg Trypsin Inhibitor	BC	R	35546-61	1G
Trypsin Inhibitor from Soybean [9035-81-8]				
Activity: 16,000-24,000 BAEE u/mg solid Lyophilized powder Salt-free	BC	F	35543-62	25MG
			35543-04	100MG
			35543-46	250MG
Soluble powder Crude product Inhibitory activity: 1-3mg trypsin/mg Trypsin Inhibitor	BC	R	35548-25	500MG
			35548-41	1G
for Molecular Biology Activity: 16,000-24,000 BAEE u/mg solid Lyophilized powder Salt-free Nuclease and Protease tested	SP	F	08943-62	25MG
			08943-04	100MG
Tryptone				
for Microorganism Culture	SP	RT	35640-95	500G

D-Tryptophan [153-94-6]					
C11H12N2O2=204.23					
Purity: 98%(T)		GR	RT	35605-81	1G
				35605-94	5G
DL-Tryptophan [54-12-6]					
C11H12N2O2=204.23					
Purity: 98%(T)		GR	RT	35606-84	5G
				35606-42	25G
L-Tryptophan [73-22-3]					
C11H12N2O2=204.23					
Purity: 99%(T)		GR	RT	35607-74	5G
				35607-32	25G
D-Tubocurarine Chloride [57-94-3]					
C37H42Cl2N2O6·5H2O=771.72					
		EP	RT	35637-84	100MG
Tung Oil [8001-20-5]					
		CP	RT	25623-35	500G
Tungsten Standard Solution					
for Atomic Absorption Spectrometry	1000ppm	SP	RT	37535-54	100ML
Tungsten(VI) Chloride [13283-01-7]					
WCl6=396.56					
Purity: 95%(T)		EP	RT	35617-02	25G
Tungsten(VI) Oxide [1314-35-8]					
WO3=231.84					
Purity: 99.5%(W)		EP	RT	35618-92	25G
				35618-05	500G
for Elemental Analysis Powder		SP	RT	35619-82	25G
Tungstic Acid [7783-03-1]					
H2WO4=249.85					
Purity: 95%(W)		EP	RT	35620-55	500G
Purity: 98%(W)		GR	RT	35621-32	25G
12Tungsto(VI) Phosphoric Acid n-Hydrate [12501-23-4]					
H3(PW12O40)·nH2O					
		GR	RT	27807-62	25G
				27807-75	500G
Tunicamycin from Streptomyces lysosuperficus [11089-65-9]					
			R	35638-74	10MG
Turbidity Standard Solution					
Turbidity: 1,000 (kaolin)			RT	37257-04	100ML
				37257-75	500ML
Turbidity: 100 (kaolin)			RT	37267-74	100ML
Turk's Stain Solution					
			RT	37212-74	100ML
				37212-45	500ML
Turpentine Oil [8006-64-2]					
		CP	RT	25622-45	500G
Tyramine [p-(2-Aminoethyl)phenol] [51-67-2]					
HOC6H4CH2CH2NH2=137.18					
Purity: 98%(T)		GR	RT	35705-71	1G
Tyramine Hydrochloride [60-19-5]					
C8H11NO·HCl=173.64					
Purity: 98%(T)		GR	RT	35706-61	1G
				35706-74	10G
D-Tyrosine [556-02-5]					
HOC6H4CH2CH(NH2)COOH=181.19					
		GR	RT	35707-64	100MG

DL-Tyrosine [556-03-6]					
HOC6H4CH2CH(NH2)COOH=181.19					
Purity: 98%(T)		GR	RT	35708-54	5G
L-Tyrosine [60-18-4]					
HOC6H4CH2CH(NH2)COOH=181.19					
		GR	RT	35709-44	5G
				35709-02	25G
				35709-15	500G

[U]

n-Undecane [1120-21-4]				
CH3(CH2)9CH3=156.31				
Purity: 99%(GC)	GR	RT	35801-72	25ML
			35801-85	500ML
n-Undecanoic Acid [n-Undecylic Acid] [112-37-8]				
CH3(CH2)9COOH=186.29				
Purity: 98%(GC)	GR	RT	35805-32	25G
1-Undecanol [112-42-5]				
CH3(CH2)9CH2OH=172.31				
Purity: 98%(GC)	GR	RT	35808-44	10ML
			35808-02	25ML
Unna-Pappenheim's Solution				
		RT	37213-64	100ML
Uracil [66-22-8]				
C4H4N2O2=112.09				
Purity: 98%-102%(UV)		RT	35824-24	5G
			35824-82	25G
Uranine [518-47-8]				
C20H10O5Na2=376.27				
	EP	RT	35816-92	25G
	GR	RT	35817-82	25G
Urea [57-13-6]				
(NH2)2CO=60.06				
	EP	RT	35904-45	500G
Purity: 99%(N)	GR	RT	35905-35	500G
			35905-93	3KG
			35905-64	20KG
for Molecular Biology Nuclease and Protease tested	SP	RT	35940-65	500G
			35940-81	1KG
for Biochemical Research Protein denaturant	SP	RT	35907-15	500G
			35907-44	10KG
Uric Acid [69-93-2]				
C5H4N4O3=168.11				
Purity: 98%(N)	GR	RT	35915-92	25G
Uric Acid Monosodium Salt [1198-77-2]				
NaHC5H2N4O3·H2O=208.11				
Purity: 98%(N)	GR	RT	35918-62	25G
Uridine-5'-diphosphate Sodium Salt [21931-53-3]				
	EP	F	35942-32	25MG
Uridine-5'-diphosphoglucose Disodium Salt [28053-08-9]				
C15H22N2O17P2Na2=610.27				
	GR	R	36001-64	100MG
			36001-51	1G
Uridine-5'-diphosphoglucuronic Acid Trisodium Salt [63700-19-6]				
C15H19N2O18P2Na3·nH2O=646.23(Anh)				
	GR	R	36002-54	100MG
			36002-41	1G
Uridine-5'-monophosphate Disodium Salt [3387-36-8]				
	GR	F	06414-81	1G
Uridine-5'-triphosphate Trisodium Salt from Yeast [19817-92-6]				
C9H12N2Na3O15P3=550.09				
	CP	F	36014-62	25MG
Urocanic Acid [104-98-3]				
C6H6O2N2=138.12				
Purity: 98%(T)	GR	R	36008-81	1G

U

[V]

n-Valeraldehyde [110-62-3]				
CH3(CH2)3CHO=86.13				
Purity: 98%(GC)	GR	R	36011-92	25G
n-Valeric Acid [109-52-4]				
CH3CH2CH2CH2COOH=102.13				
Purity: 95%(GC)	EP	RT	36020-72	25G
δ-Valerolactam [675-20-7]				
C5H9NO=99.13				
Purity: 97%(GC)	GR	RT	36017-74	5G
δ-Valerolactone [542-28-9]				
C5H8O2=100.12				
Purity: 97%(GC)	EP	F	36025-22	25G
D-Valine [640-68-6]				
(CH3)2CHCH(NH2)COOH=117.15				
Purity: 98%(T)	GR	RT	36106-04	5G
			36106-62	25G
DL-Valine [516-06-3]				
(CH3)2CHCH(NH2)COOH=117.15				
	GR	RT	36107-52	25G
L-Valine [72-18-4]				
(CH3)2CHCH(NH2)COOH=117.15				
Purity: 98%(T)	GR	RT	36108-84	5G
			36108-42	25G
L-Valine Methyl Ester Hydrochloride [6306-52-1]				
(CH3)2CHCH(NH2)COOCH3·HCl=167.63				
Purity: 98%(T)	GR	R	36110-21	1G
Valinomycin from Streptomyces fulvissimus [2001-95-8]				
C54H90N6O18=1111.32				
	CP	R	36136-14	100MG
Vanadium, turnings [7440-62-2]				
V=50.94				
Purity: 99.7% Turnings	EP	RT	36111-11	1G
Vanadium Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37511-54	100ML
Vanadium(V) Oxide [1314-62-1]				
V2O5=181.88				
Purity: 99%(T)	GR	RT	36119-31	1G
			36119-02	25G
			36119-15	500G
Vanadium(V) Oxide, powder [1314-62-1]				
V2O5=181.88				
for Elemental Analysis Purity: 99%(T)	SP	RT	36120-62	25G
Vanadium(IV) Oxyacetylacetonate [3153-26-2]				
(CH3COCHCOCH3)2VO=265.16				
Purity: 95%(T)	EP	RT	36115-42	25G
Vanadium(IV) Oxydichloride [10213-09-9]				
VOCl2=137.85				
	CP	RT	36129-72	25G
Vanadium(IV) Oxysulfate [27774-13-6]				
VOSO4·xH2O				
	EP	RT	36117-22	25G
Vancomycin Hydrochloride from Streptomyces orientalis [123409-00-7]				
C66H75Cl2N9O24·HCl=1485.71				
Purity: 90%(HPLC) Powder Titer: 1,030ug/mg		R	36137-91	1G

V

Vanillic Acid [121-34-6]				
HOC6H3(OCH3)COOH=168.15				
	EP	RT	36124-64	10G
Vanillin [121-33-5]				
HOC6H3(OCH3)CHO=152.15				
Purity: 98%(T)	GR	RT	36126-02	25G
			36126-15	500G
o-Vanillin [148-53-8]				
HOC6H3(OCH3)CHO=152.15				
	GR	RT	36134-92	25G
N-Vanillyldecanamide [31078-36-1]				
C18H29NO3=307.43				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	05087-11	1MG
N-Vanillylnonanamide [2444-46-4]				
C17H27NO3=293.40				
Purity: 95%(HPLC) Produced by Nagara Science Co., Ltd.	EP	R	05086-21	1MG
Vaseline [8009-03-8]				
White color	CP	RT	36202-05	500G
Yellow color	CP	RT	36203-95	500G
Verapamil Hydrochloride [152-11-4]				
C27H38N2O4·HCl=491.06				
Purity: 98%(T)	GR	RT	36232-31	1G
Veratridine, free base [71-62-5]				
C36H51NO11=673.79				
Purity: 98%(TLC)	GR	F	36239-74	10MG
Veratrole [91-16-7]				
C6H4(OCH3)2=138.16				
Purity: 99%(GC)	GR	RT	36213-52	25G
Vinyl Acetate(monomer) [108-05-4]				
CH3COOCH:CH2=86.09				
Purity: 98%(GC) Activity: approx. 5ppm HQ	CP	A	36218-15	500ML
Vinyl Acetate(polymer) [9003-20-7]				
Approx. 75% in Ethanol Polymerization: approx. 500 Concentration: 70%	CP	RT	36235-85	500G
Vinyl Chloride(polymer) [9002-86-2]				
	CP	RT	36305-65	500G
2-Vinylpyridine [100-69-6]				
C5H4NCH:CH2=105.14				
Stabilizer: approx.0.1% TBC	EP	R	36328-62	25ML
4-Vinylpyridine [100-43-6]				
C5H4NCH:CH2=105.14				
Purity: 95%(GC)	EP	R	36310-72	25ML
N-Vinyl-2-pyrrolidone [88-12-0]				
C4H6ONCH:CH2=111.14				
Purity: 99%(GC)	EP	A	36311-62	25G
			36311-75	500G
Vitamin A Acetate, all trans(Synthetic) 500,000 USP u/g [127-47-9]				
C22H32O2=328.49				
Matrix of Cornstarch and Gelatin		F	36330-54	10G
Vitamin A Acid, all-trans [all-trans-Retinoic Acid] [302-79-4]				
C20H28O2=300.44				
Purity: 98%(HPLC) Ampule	GR	F	36331-44	100MG
			36331-31	1G
Vitamin A Palmitate [79-81-2]				
C36H60O2=524.86				
	GR	A	36318-34	5G
			36318-92	25G

Vitamin B1 Hydrochloride [Thiamine Hydrochloride] [67-03-8]				
C12H17ClN4OS·HCl=337.27				
	GR	RT	36319-24	5G
			36319-82	25G
Vitamin B1 Nitrate [Thiamine Nitrate] [532-43-4]				
C12H17N5O4S=327.36				
	GR	RT	36320-42	25G
Vitamin B2 [Riboflavin] [83-88-5]				
C17H20N4O6=376.36				
	GR	RT	36321-74	5G
			36321-32	25G
for Electrophoresis	SP	RT	36322-51	1G
Vitamin B12 [68-19-9]				
C63H88CoN14O14P=1355.37				
Crystalline	GR	R	36323-96	100MG
			36323-41	1G
			36323-54	5G
Vitamin D2 [Calciferol] [50-14-6]				
C28H44O=396.65				
	GR	R	36402-01	1G
			36402-14	5G
Vitamin D3 [67-97-0]				
C27H44O=384.64				
Crystalline	GR	R	36403-04	100MG
			36403-91	1G
Vitamin K1 [84-80-0]				
C31H46O2=450.70				
Purity: 97%-102%(UV)	GR	R	36404-81	1G
			36404-94	5G
Vitamin K3 [2-Methyl-1,4-naphthoquinone;Menadione] [58-27-5]				
C11H8O2=172.18				
Purity: 98%(HPLC)	GR	RT	36405-71	1G
			36405-84	5G
			36405-42	25G
Vitamin K5 [130-24-5]				
C11H11NO·HCl=209.67				
	GR	RT	36406-61	1G
Vitamin P [520-26-3]				
C28H34O15=610.56				
	GR	RT	36407-64	5G
Vitamin U [3493-12-7]				
C6H14ClNO2S=199.70				
Purity: 98%(T)	GR	RT	36408-54	5G

[W]

Water deionized & sterilized					
for Molecular Biology	Nuclease and Protease tested Sterility tested Endotoxin tested	SP	RT	06442-95	500ML
Water, DEPC treated, RNase tested [7732-18-5]					
for Molecular Biology	Nuclease and Protease tested	SP	RT	36420-61	10X1ML
				36420-74	50X1ML
for Molecular Biology	Nuclease and Protease tested	SP	RT	36415-54	100ML
				36415-41	1L
Water, Sterile-filtered and Autoclaved, Nuclease tested [7732-18-5]					
for Molecular Biology	Autoclave treated, in heat-resistant bottle, Nuclease and Protease tested	SP	RT	36421-35	500ML
WB Stripping Solution					
for Histochemical Research		SP	R	05364-55	500ML
WB Stripping Solution Strong					
for Histochemical Research		SP	R	05677-65	500ML
WB Stripping Solution Trial Set					
for Histochemical Research	Component: WB Stripping Solution(40ml), WB Stripping Solution Strong(40ml)	SP	R	05680-21	1SET
Weigert's Resorcinol Fuchsin Stain Solution					
			RT	37273-55	500ML
Wettability Standard Solution No.31					
			RT	36524-24	50ML
Wettability Standard Solution No.32					
			RT	36525-14	50ML
Wettability Standard Solution No.33					
			RT	36526-04	50ML
Wettability Standard Solution No.34					
			RT	36527-94	50ML
Wettability Standard Solution No.35					
			RT	36528-84	50ML
Wettability Standard Solution No.36					
			RT	36529-74	50ML
Wettability Standard Solution No.37					
			RT	36530-34	50ML
Wettability Standard Solution No.38					
			RT	36531-24	50ML
Wettability Standard Solution No.39					
			RT	36532-14	50ML
Wettability Standard Solution No.40					
			RT	36533-04	50ML
Wettability Standard Solution No.41					
			RT	36534-94	50ML
Wettability Standard Solution No.42					
			RT	36535-84	50ML
Wettability Standard Solution No.43					
			RT	36536-74	50ML
Wettability Standard Solution No.44					
			RT	36537-64	50ML
Wettability Standard Solution No.45					
			RT	36538-54	50ML
Wettability Standard Solution No.46					
			RT	36539-44	50ML
Wettability Standard Solution No.48					
			RT	36540-04	50ML
Wettability Standard Solution No.50					
			RT	36541-94	50ML
Wettability Standard Solution No.52					
			RT	36542-84	50ML
Wettability Standard Solution No.54					
			RT	36543-74	50ML
Wood's Alloy [76093-98-6]					
Granular		EP	RT	36506-22	25G
				36506-35	500G
Wortmannin [19545-26-7]					
C23H24O8=428.43					
Purity: 95%(HPLC)		GR	R	36550-61	1MG
Wright's Stain Buffer Solution					
			RT	37216-34	100ML
Wright's Stain Solution					
			RT	37215-44	100ML
				37215-15	500ML
Wuweizisu C [61301-33-5]					
C22H24O6=384.42					
Purity: 99%(HPLC) Produced by Nagara Science Co., Ltd.		GR	R	05080-94	5MG

[X]

Xanthine [69-89-6]				
C5H4N4O2=152.11				
Purity: 98%-102%(UV)	GR	RT	36520-64	5G
Xanthine Oxidase from Buttermilk [9002-17-9]				
Activity: 1.0-1.5u/mg protein 60% in Ammonium Sulfate suspension	BC	R	36548-82	25UNITS
Xanthine Sodium Salt [1196-43-6]				
Purity: 98%(HPLC)	GR	RT	36515-31	1G
			36515-44	5G
Xanthone [90-47-1]				
C13H8O2=196.20				
	GR	RT	36516-92	25G
Xanthotoxin [8-Methoxypsoralen] [298-81-7]				
C12H8O4=216.19				
Purity: 99%(GC)	GR	RT	36606-41	1G
Xylan from Beechwood [9014-63-5]				
		RT	02379-94	5G
			02379-52	25G
Xylene [1330-20-7]				
C6H4(CH3)2=106.17				
Purity: 80%(GC)	EP	RT	36611-45	500ML
Purity: 90%(GC)	GR	RT	36612-35	500ML
for Liquid Scintillation Purity: 90%(GC)	SP	RT	36614-15	500ML
Xylene 〈H2O<30ppm〉 [1330-20-7]				
C6H4(CH3)2=106.17				
Purity: 80%(GC) Special Cap	GR	RT	04116-64	100ML
o-Xylene [95-47-6]				
C6H4(CH3)2=106.17				
Purity: 97%(GC)	EP	RT	36615-05	500ML
Purity: 98%(GC)	GR	RT	36616-82	25ML
			36616-95	500ML
m-Xylene [108-38-3]				
C6H4(CH3)2=106.17				
Purity: 99%(GC)	GR	RT	36618-62	25ML
			36618-75	500ML
p-Xylene [106-42-3]				
C6H4(CH3)2=106.17				
Purity: 98%(GC)	GR	RT	36620-12	25ML
			36620-25	500ML
Xylene Cyanol FF [2650-17-1]				
C25H27N2NaO6S2=538.61				
	GR	RT	36629-64	5G
Produced by Chroma		RT	04565-71	1G
p-Xylene-2-sulfonic Acid [609-54-1]				
C8H10O3S·2H2O=222.26				
	GR	RT	36625-62	25G
2,3-Xylenol [2,3-Dimethylphenol] [526-75-0]				
(CH3)2C6H3OH=122.16				
	GR	RT	36706-02	25G
2,5-Xylenol [2,5-Dimethylphenol] [95-87-4]				
(CH3)2C6H3OH=122.16				
Purity: 98%(GC)	GR	RT	36705-12	25G
2,6-Xylenol [2,6-Dimethylphenol] [576-26-1]				
(CH3)2C6H3OH=122.16				
Purity: 99%(GC)	GR	RT	36708-82	25G
Xylenol Orange [1611-35-4]				
C31H30N2O13SNa2=716.62				
Metal Indicator	SP	RT	36709-01	1G
2,6-Xylidine [2,6-Dimethylaniline] [87-62-7]				
(CH3)2C6H3NH2=121.18				
Purity: 98%(GC)	GR	RT	36715-82	25G
Xylitol [87-99-0]				
HOCH2(CHOH)3CH2OH=152.15				
Purity: 98%(T)	GR	RT	36718-52	25G
			36718-65	500G
D-(+)-Xylose [58-86-6]				
C5H10O5=150.13				
	GR	RT	36719-42	25G
			36719-55	500G
			36719-84	10KG
p-Xylylene Bromide [623-24-5]				
C6H4(CH2Br)2=263.96				
	GR	RT	36725-52	25G

X

[Y]

Y-27632				
for Biochemical Research We sell the product under the license of Mitsubishi Tanabe Pharma Corporation	SP	F	08945-71	1MG
			08945-84	5MG
Yohimbine Hydrochloride [65-19-0]				
C21H26N2O3·HCl=390.90				
Purity: 98%(N)	GR	RT	36805-31	1G
Ytterbium [7440-64-4]				
Yb=173.054				
Purity: 99% Turnings size: approx. 1-5mm	EP	RT	36806-21	1G
Ytterbium(III) Nitrate [35725-34-9]				
Yb(NO3)3·xH2O				
Purity: 99%(W)	EP	RT	36808-01	1G
Yttrium [7440-65-5]				
Y=88.90585				
Purity: 99.9% Turnings	EP	RT	36810-51	1G
Yttrium Chloride Hexahydrate [10025-94-2]				
YCl3·6H2O=303.36				
Purity: 99.9%	EP	RT	36811-41	1G
Yttrium Nitrate [13494-98-9]				
Y(NO3)3·6H2O=383.01				
	EP	RT	36813-21	1G
Yttrium Oxide [1314-36-9]				
Y2O3=225.81				
Purity: 99.99%	GR	RT	36815-14	5G
			36815-72	25G

Y

[Z]

trans-Zeatin [1637-39-4]				
C10H13N5O=219.24				
Purity: 98%(HPLC)	GR	R	36835-96	10MG
			36835-54	100MG
Ziehl-Neelsen Carbol-Fuchsin Stain Solution				
		RT	37217-24	100ML
			37217-95	500ML
Zinc [7440-66-6]				
Zn=65.38				
Purity: 99.99%(Subtracting method)	GR	RT	02444-24	100G
Zinc, coarse powder, As free [7440-66-6]				
Zn=65.38				
Sand particle size: 12mesh or less	GR	RT	36902-35	500G
Zinc, drop [7440-66-6]				
Zn=65.38				
Purity: 99.9999% Granular particle size: approx. 5mm	GR	RT	36831-52	25G
Zinc, granular [7440-66-6]				
Zn=65.38				
Metal granular	EP	RT	36819-45	500G
Arsenic free	GR	RT	36821-95	500G
Zinc, mossy [7440-66-6]				
Zn=65.38				
	EP	RT	36823-75	500G
Zinc, plate [7440-66-6]				
Zn=65.38				
	EP	RT	02085-05	500G
Zinc Powder [7440-66-6]				
Zn=65.38				
Purity: 85%(T) Powder Average particle size: approx. 7um	EP	RT	36906-95	500G
for Analysis of Poisonous Metal Purity: 90%(T)	SP	RT	36936-34	250G
0.1mol/l-Zinc Solution [7440-66-6]				
		RT	37434-45	500ML
0.05mol/l-Zinc Solution				
		RT	95844-75	500ML
0.01mol/l-Zinc Solution				
		RT	37435-35	500ML
Zinc Standard Solution				
for Atomic Absorption Spectrometry 1000ppm	SP	RT	37518-84	100ML
for Atomic Absorption Spectrometry 100ppm	SP	RT	37547-04	100ML
Zinc Acetate Dihydrate [5970-45-6]				
Zn(CH3COO)2·2H2O=219.50				
Purity: 98%(T)	EP	RT	36910-25	500G
Purity: 99%(T)	GR	RT	36911-15	500G
0.1mol/l-Zinc Acetate Solution(N/5)				
		RT	95840-15	500ML
Zinc Acetylacetonate [14024-63-6]				
(CH3COCHCOCH3)2Zn·H2O=281.61				
	EP	RT	36912-92	25G
Zinc Bromide [7699-45-8]				
ZnBr2=225.19				
Purity: 98%(T)	EP	RT	36914-72	25G
Zinc Carbonate, Basic [5263-02-5]				
	CP	RT	36916-65	500G

Z

Zinc Chloride [7646-85-7]				
ZnCl2=136.29				
Purity: 85%(T)	CP	RT	36918-45	500G
Purity: 90%(T)	EP	RT	36919-35	500G
Purity: 98%(T)	GR	RT	36920-11	1G
			36920-24	25G
			36920-95	500G
for Molecular Biology Purity: 98%(T) Nuclease and Protease tested	SP	RT	08780-34	5G
Zinc Cyanide [557-21-1]				
Zn(CN)2=117.41				
	CP	RT	36922-62	25G
Zinc 2-Ethylhexanoate [136-53-8]				
	CP	RT	36933-35	500G
Zinc Fluoride [13986-18-0]				
ZnF2·4H2O=175.44				
	CP	RT	36925-45	500G
Zinc Iodide [10139-47-6]				
ZnI2=319.19				
Purity: 97%(T)	CP	RT	36927-12	25G
Zinc Nitrate Hexahydrate [10196-18-6]				
Zn(NO3)2·6H2O=297.48				
Purity: 97%(T)	EP	A	36931-55	500G
Purity: 99%(T)	GR	A	36932-32	25G
			36932-45	500G
Zincon [62625-22-3]				
C20H15N4NaO6S=462.41				
for Metal Colorimetric Determination	SP	RT	37015-51	1G
Zinc Oxalate [4255-07-6]				
ZnC2O4·2H2O=189.43				
	CP	RT	36934-12	25G
Zinc Oxide [1314-13-2]				
ZnO=81.38				
	EP	RT	37001-05	500G
Purity: 99%(T)	GR	RT	37002-95	500G
Zinc Selenide [1315-09-9]				
ZnSe=144.34				
	GR	RT	37006-42	25G
Zinc Stearate [557-05-1]				
Zn(C18H35O2)2=632.32				
	CP	RT	37009-25	500G
Zinc Sulfate Heptahydrate [7446-20-0]				
ZnSO4·7H2O=287.55				
Purity: 99%(T)	EP	RT	37010-85	500G
Purity: 99.5%(T)	GR	RT	37011-91	1G
			37011-62	25G
			37011-75	500G
0.1mol/l-Zinc Sulfate Solution				
		RT	95854-45	500ML
Zymosan A from Saccharomyces cerevisiae [58856-93-2]				
		R	37037-84	5G

Plant Extract Compounds **256**

Sialic Acid Related Products **266**

Reagents for Specfic Application **270**

Biochemicals 270
- Enzyme 270
- Substrates 271
- Glycolipids 272
- Toxin 272
- Eicosanoids 272

Organic Chemistry 273
- Low Moisture Solvents 273
- Peptide Synthesis 273

Analytical Science 275
- Chromatography 275
- Gas Chromatography 275
- Mass Spectrometry 276
- Atomic Absorption Spectrometry 276
- pH Standard Solutions 277
- Volumetric Solutions 278
- Indicators 281
- Wettability Standard Solutions 282

Environmental Sciences 283
- Reagents for Pesticide Analysis 283
- Reagents for Water Pollution Analysis 283
- Reagents for Air Pollution Analysis 284
- Others 284

Desiccants 285


Plant Extract Compounds

Authentic natural products


produced by Nagara Science Co., Ltd.

Over hundred of authentic natural products such as 24 catechins, 4 Theaflavins, 16 isoflavones, 4 Ginkgolides, 3 Curcumins, 10 Shikonins/Alkannins, 5 Glycyrrhizin analogs, 6 Gomisins, etc. are available and most of them are the world's first commercial products.


■ Green Tea




(+)-Epicatechin




(-)-Catechin $R_1=R_2=H$
(-)-Gallocatechin $R_1=OH, R_2=H$
(-)-Catechin gallate $R_1=H, R_2=Galloyl$
(-)-Gallocatechin gallate $R_1=OH, R_2=Galloyl$




(-)-Epicatechin $R_1=R_2=OH$
(-)-Epicatechin-3'-O-methylether $R_1=OCH_3, R_2=OH$
(-)-Epicatechin-4'-O-methylether $R_1=OH, R_2=OCH_3$




(-)-Epigallocatechin $R_1=R_2=OH$
(-)-Epigallocatechin-3'-O-methylether $R_1=OCH_3, R_2=OH$
(-)-Epigallocatechin-4'-O-methylether $R_1=OH, R_2=OCH_3$



(-)-Epicatechin gallate $R_1=R_2=R_3=R_4=OH$
(-)-Epicatechin-3'-O-methylether gallate $R_1=OCH_3, R_2=R_3=R_4=OH$
(-)-Epicatechin-4'-O-methylether gallate $R_2=OCH_3, R_1=R_3=R_4=OH$
(-)-Epicatechin 3-(3"-O-methyl) gallate $R_3=OCH_3, R_1=R_2=R_4=OH$
(-)-Epicatechin 3-(4"-O-methyl) gallate $R_4=OCH_3, R_1=R_2=R_3=OH$



(-)-Epigallocatechin gallate $R_1=R_2=R_3=R_4=OH$
(-)-Epigallocatechin-3'-O-methylether gallate $R_1=OCH_3, R_2=R_3=R_4=OH$
(-)-Epigallocatechin-4'-O-methylether gallate $R_2=OCH_3, R_1=R_3=R_4=OH$
(-)-Epigallocatechin-3'-(3"-O-methyl) gallate $R_3=OCH_3, R_1=R_2=R_4=OH$
(-)-Epigallocatechin-3'-(4"-O-methyl) gallate $R_4=OCH_3, R_1=R_2=R_3=OH$



Strictinin

• Tea catechins


Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Epicatechin [(-)-EC]	490-46-0	$C_{15}H_{14}O_6$	290.27	98%(HPLC)	GR	R	02547-84 02547-26	10 mg 100 mg
(-)-Epigallocatechin [(-)-EGC]	970-74-1	$C_{15}H_{14}O_7$	306.27	98%(HPLC)	GR	R	02564-54 02564-96	10 mg 100 mg
(-)-Epicatechin gallate [(-)-ECg]	1257-08-5	$C_{22}H_{18}O_{10}$	442.37	98%(HPLC)	GR	R	02565-44 02565-86	10 mg 100 mg
(-)-Epigallocatechin gallate [(-)-EGCg]	989-51-5	$C_{22}H_{18}O_{11}$	458.37	98%(HPLC)	GR	R	02566-34 02566-76	10 mg 100 mg
(+)-Catechin hydrate [(+)-C]	88191-48-4	$C_{15}H_{14}O_6 \cdot H_2O$	308.28	98%(HPLC)	GR	R	02567-24	10 mg
(-)-Catechin [(-)-C]	18829-70-4	$C_{15}H_{14}O_6$	290.27	98%(HPLC)	GR	R	02568-14	10 mg
(-)-Gallocatechin [(-)-GC]	3371-27-5	$C_{15}H_{14}O_7$	306.27	98%(HPLC)	GR	R	02569-04	10 mg
(-)-Catechin gallate [(-)-Cg]	130405-40-2	$C_{22}H_{18}O_{10}$	442.37	98%(HPLC)	GR	R	02570-64	10 mg
(-)-Gallocatechin gallate [(-)-GCg]	4233-96-9	$C_{22}H_{18}O_{11}$	458.37	98%(HPLC)	GR	R	02572-44	10 mg
(+)-Epicatechin [(+)-EC]	35323-91-2	$C_{15}H_{14}O_6$	290.27	98%(HPLC)	GR	R	02573-34	10 mg
Catechin Mixture {(-)-Epicatechin, (-)-Epigallocatechin, (-)-Epicatechin gallate, (-)-Epigallocathechin gallate}				Total 85% (HPLC)		R	05158-81	1 g
Strictinin	517-46-4	$C_{27}H_{22}O_{18}$	634.45	98%(HPLC)	GR	R	08057-24	5 mg

■ Green Tea (Continued)


• Tea methylated catechins

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Epicatechin-3'-*O*-methylether [(-)-EC-3'-*O*-Me]		$C_{16}H_{16}O_6$	304.29	90%(HPLC)	EP	F	02574-11	1 mg
(-)-Epicatechin-4'-*O*-methylether [(-)-EC-4'-*O*-Me]		$C_{16}H_{16}O_6$	304.29	90%(HPLC)	EP	F	02575-01	1 mg
(-)-Epigallocatechin-3'-*O*-methylether [(-)-EGC-3'-*O*-Me]		$C_{16}H_{16}O_7$	320.29	90%(HPLC)	EP	F	02576-91	1 mg
(-)-Epigallocatechin-4'-*O*-methylether [(-)-EGC-4'-*O*-Me]	17291-05-3	$C_{16}H_{16}O_7$	320.29	90%(HPLC)	EP	F	02577-81	1 mg
(-)-Epicatechin-3'-*O*-methylether gallate [(-)-ECg-3'-*O*-Me]		$C_{23}H_{20}O_{10}$	456.40	90%(HPLC)	EP	F	02578-71	1 mg
(-)-Epicatechin-4'-*O*-methylether gallate [(-)-ECg-4'-*O*-Me]		$C_{23}H_{20}O_{10}$	456.40	90%(HPLC)	EP	F	02579-61	1 mg
(-)-Epicatechin 3-(3''-*O*-methyl) gallate [(-)-ECg-3''-*O*-Me]	83104-86-3	$C_{23}H_{20}O_{10}$	456.40	90%(HPLC)	EP	F	02580-21	1 mg
(-)-Epicatechin 3-(4''-*O*-methyl) gallate [(-)-ECg-4''-*O*-Me]	108907-44-4	$C_{23}H_{20}O_{10}$	456.40	90%(HPLC)	EP	F	02581-11	1 mg
(-)-Epigallocatechin-3'-*O*-methylether gallate [(-)-EGCg-3'-*O*-Me]	298700-56-8	$C_{23}H_{20}O_{11}$	472.40	90%(HPLC)	EP	F	02582-01	1 mg
(-)-Epigallocatechin-4'-*O*-methylether gallate [(-)-EGCg-4'-*O*-Me]	298700-57-9	$C_{23}H_{20}O_{11}$	472.40	90%(HPLC)	EP	F	02584-81	1 mg
(-)-Epigallocatechin 3-(3"-O-methyl) gallate [(-)-EGCg-3"-*O*-Me]	83104-87-4	$C_{23}H_{20}O_{11}$	472.40	98%(HPLC)	GR	F	05167-61	1 mg
(-)-Epigallocatechin 3-(4"-O-methyl) gallate [(-)-EGCg-4"-*O*-Me]	224434-07-5	$C_{23}H_{20}O_{11}$	472.40	98%(HPLC)	GR	F	05168-51	1 mg

■ Black Tea



Theaflavin $R_1=R_2=H$
Theaflavin 3-O-gallate $R_1=Galloyl, R_2=H$
Theaflavin 3'-O-gallate $R_1=H, R_2=Galloyl$
Theaflavin 3,3'-di-O-gallate $R_1=R_2=Galloyl$



Galloyl


Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Theaflavin	4670-05-7	$C_{29}H_{24}O_{12}$	564.49	90%(HPLC)	EP	F	02587-51	1 mg
Theaflavin 3-*O*-gallate	30462-34-1	$C_{36}H_{28}O_{16}$	716.60	90%(HPLC)	EP	F	02588-41	1 mg
Theaflavin 3'-*O*-gallate	28543-07-9	$C_{36}H_{28}O_{16}$	716.60	90%(HPLC)	EP	F	02589-31	1 mg
Theaflavin 3,3'-di-*O*-gallate	30462-35-2	$C_{43}H_{32}O_{20}$	868.70	90%(HPLC)	EP	F	02591-81	1 mg

Plant Extract Compounds


Authentic natural products

produced by Nagara Science Co., Ltd.


■ Soy Bean




Daidzein R_1=R_2=H
Glycitein R_1=H, R_2=OCH_3
Genistein R_1=OH, R_2=H



Daidzin R_1=R_2=H
Glycitin R_1=H, R_2=OCH_3
Genistin R_1=OH, R_2=H




6"-*O*-Acetyldaidzin R_1=R_2=H
6"-*O*-Acetylglycitin R_1=H, R_2=OCH_3
6"-*O*-Acetylgenistin R_1=OH, R_2=H



6"-*O*-Malonyldaidzin R_1=R_2=H
6"-*O*-Malonylglycitin R_1=H, R_2=OCH_3
6"-*O*-Malonylgenistin R_1=OH, R_2=H

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Daidzein	486-66-8	$C_{15}H_{10}O_4$	254.24	98%(HPLC)	GR	R	09388-64 (inquiry)	10 mg 100 mg
Glycitein	40957-83-3	$C_{16}H_{12}O_5$	284.26	98%(HPLC)	GR	R	09387-74 (inquiry)	10 mg 100 mg
Genistein	446-72-0	$C_{15}H_{10}O_5$	270.24	98%(HPLC)	GR	R	09390-14 (inquiry)	10 mg 100 mg
Daidzin	552-66-9	$C_{21}H_{20}O_9$	416.38	98%(HPLC)	GR	R	09389-54 (inquiry)	10 mg 100 mg
Glycitin	40246-10-4	$C_{22}H_{22}O_{10}$	446.40	98%(HPLC)	GR	R	09391-04 (inquiry)	10 mg 100 mg
Genistin	529-59-9	$C_{21}H_{20}O_{10}$	432.38	98%(HPLC)	GR	R	09386-84 (inquiry)	10 mg 100 mg
6"-*O*-Acetyldaidzin	71385-83-6	$C_{23}H_{22}O_{10}$	458.41	90%(HPLC)	EP	F	04580-61	1 mg
6"-*O*-Acetylgenistin	73566-30-0	$C_{23}H_{22}O_{11}$	474.41	90%(HPLC)	EP	F	04613-31	1 mg
6"-*O*-Acetylglycitin	134859-96-4	$C_{24}H_{24}O_{11}$	488.44	90%(HPLC)	EP	F	04607-21	1 mg
6"-*O*-Malonyldaidzin	124590-31-4	$C_{24}H_{22}O_{12}$	502.42	90%(HPLC)	EP	F	04616-01	1 mg
6"-*O*-Malonylgenistin	51011-05-3	$C_{24}H_{22}O_{13}$	518.42	90%(HPLC)	EP	F	04625-81	1 mg
6"-*O*-Malonylglycitin	137705-39-6	$C_{25}H_{24}O_{13}$	532.45	90%(HPLC)	EP	F	04624-91	1 mg
Isoflavone Aglycon Mixture A (Daidzein ≧ 50%), from Soybean				Total 95% (HPLC)		RT	05159-71	1g
Isoflavone Aglycon Mixture B (Genistein ≧ 50%), from Soybean				Total 95% (HPLC)		RT	05160-31	1g
Isoflavone Glucoside Mixture A (Daidzin ≧ 50%), from Soybean				Total 95% (HPLC)		RT	05161-21	1g
Isoflavone Glucoside Mixture B (Genistein ≧ 50%), from Soybean				Total 95% (HPLC)		RT	05162-11	1g


■ Turmeric




Curcumin 1 R_1=R_2=OCH_3
Curcumin 2 R_1=OCH_3, R_2=H
Curcumin 3 R_1=R_2=H

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Curcumin 1	458-37-7	$C_{21}H_{20}O_6$	368.38	98%(HPLC)	GR	R	02643-14	100 mg
Curcumin 2	297160-27-1	$C_{20}H_{18}O_5$	338.35	98%(HPLC)	GR	R	02644-04	10 mg
Curcumin 3	33171-05-0	$C_{19}H_{16}O_4$	308.33	98%(HPLC)	GR	R	02645-94	10 mg


■ Ginkgo Biloba




(-)-Bilobalide




Ginkgolide A R_1=R_2=H
Ginkgolide B R_1=OH, R_2=H
Ginkgolide C R_1=R_2=OH




Ginkgolic acid 13:0



Ginkgolic acid 15:0




Ginkgolic acid 15:1




Ginkgolic acid 17:1

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(-)-Bilobalide	33570-04-6	$C_{15}H_{18}O_8$	326.30	98%(HPLC)	GR	R	02642-24 02642-66	10 mg 100 mg
Ginkgolic acid 13:0	20261-38-5	$C_{20}H_{32}O_3$	320.47	99%(HPLC)	GR	R	04073-24	5 mg
Ginkgolic acid 15:0	16611-84-0	$C_{22}H_{36}O_3$	348.52	99%(HPLC)	GR	R	04074-14	5 mg
Ginkgolic acid 15:1 [Ginkgolic acid, Ginkgolic acid I]	22910-60-7	$C_{22}H_{34}O_3$	346.50	99%(HPLC)	GR	R	04067-14	10 mg
Ginkgolic acid 15:1 + 13:0 (4:1)				99%(HPLC)	GR	R	04071-44	10 mg
Ginkgolic acid 17:1 [Ginkgolic acid II]	111047-30-4	$C_{24}H_{38}O_3$	374.56	99%(HPLC)	GR	R	04068-04	10 mg
Ginkgolic acid 17:1 + 15:0 (6:1)				99%(HPLC)	GR	R	04072-34	10 mg
Ginkgolide A	15291-75-5	$C_{20}H_{24}O_9$	408.40	98%(HPLC)	GR	R	02592-84 02592-26	10 mg 100 mg
Ginkgolide B	15291-77-7	$C_{20}H_{24}O_{10}$	424.40	98%(HPLC)	GR	R	02593-74 02593-16	10 mg 100 mg
Ginkgolide C	15291-76-6	$C_{20}H_{24}O_{11}$	440.40	98%(HPLC)	GR	R	02594-64 02594-06	10 mg 100 mg

■ Lithospermum Erythrorhizon



Shikonin R=H
Acetylshikonin R=$COCH_3$
Isobutyrylshikonin R=$COCH(CH_3)_2$
β-Hydroxyisovalerylshikonin R=$COCH_2C(CH_3)_2OH$
Isovalerylshikonin R=$COCH_2CH(CH_3)_2$
α-Methyl-n-butyrylshikonin R=$COCH(CH_3)CH_2CH_3$
β,β-Dimethylacrylshikonin R=$COCH=C(CH_3)_2$



Alkannin


Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Acetylshikonin	24502-78-1	$C_{18}H_{18}O_6$	330.33	98%(HPLC)	GR	R	04057-44	10 mg
Alkannin	517-88-4	$C_{16}H_{16}O_5$	288.30	99%(HPLC)	GR	R	05164-04	10 mg
β,β-Dimethylacrylshikonin	24502-79-2	$C_{21}H_{22}O_6$	370.40	98%(HPLC)	GR	R	04062-64	10 mg
β-Hydroxyisovalerylshikonin	7415-78-3	$C_{21}H_{24}O_7$	388.41	98%(HPLC)	GR	R	04059-24	10 mg
Isobutyrylshikonin	52438-12-7	$C_{20}H_{22}O_6$	358.39	98%(HPLC)	GR	R	04058-34	10 mg
Isovalerylshikonin	52387-14-1	$C_{21}H_{24}O_6$	372.41	98%(HPLC)	GR	R	04060-71	1 mg
α-Methyl-*n*-butyrylshikonin	92175-42-3	$C_{21}H_{24}O_6$	372.41	98%(HPLC)	GR	R	04061-61	1 mg
Shikalkin	54952-43-1	$C_{16}H_{16}O_5$	288.30	98%(HPLC)	GR	R	05375-44	10 mg
Shikonin	517-89-5	$C_{16}H_{16}O_5$	288.30	99%(HPLC)	GR	R	05165-94	10 mg
Shikonin(Shikonin / Alkannin ≒ 6:1)		$C_{16}H_{16}O_5$	288.30	98%(HPLC)	GR	R	04056-54 04056-96 (inquiry)	10 mg 100 mg 1 g

Plant Extract Compounds

Authentic natural products

produced by Nagara Science Co., Ltd.


■ Royal Jelly




(*E*)-10-Hydroxy-2-decenoic acid

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
(*E*)-10-Hydroxy-2-decenoic acid	14113-05-4	$C_{10}H_{18}O_3$	186.25	98%(HPLC)	GR	R	04063-54 04063-96	10 mg 100 mg


■ Licorice (Glycyrrhiza)



Glycyrrhizin
(Glycyrrhizic acid)




Glycyrrhetinic acid




Glycyrrhetic acid 3-*O*-glucuronide

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Glycyrrhizin (Glycyrrhizic acid)	1405-86-3	$C_{42}H_{62}O_{16}$ • *n*H_2O	822.93+	99%(HPLC)		R	(inquiry)	10 mg 100 mg
Glycyrrhizic acid monoammonium salt *n*-hydrate	53956-04-0	$C_{42}H_{61}O_{16}NH_4$ • *n*H_2O	839.96+	99%(HPLC)	GR	RT	(inquiry) 04065-76	10 mg 100 mg
Glycyrrhizic acid dipotassium salt	68797-35-3	$C_{42}H_{60}K_2O_{16}$	899.13	99%(HPLC)	GR	RT	04066-24 04066-66	10 mg 100 mg
18β-Glycyrrhetinic acid	471-53-4	$C_{30}H_{46}O_4$	470.69	99%(HPLC)	GR	RT	05088-14 (inquiry)	10 mg 100 mg
Glycyrrhetic acid 3-*O*-glucuronide	34096-83-8	$C_{36}H_{54}O_{10}$	646.82	99%(HPLC)	GR	RT	05090-64	10 mg


■ Schisandra fruit



Schizandrin R_1=OCH_3 , R_2=OCH_3
Gomisin A R_1+R_2-OCH_2O




Deoxyschizandrin R_1-OCH_3 , R_2-OCH_3
(±)-γ-Schizandrin R_1+R_2=OCH_2O




Gomisin N R_1-OCH_3 , R_2-OCH_3
Wuweizisu C R_1+R_2=OCH_2O

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Deoxyschizandrin	61281-38-7	$C_{24}H_{32}O_6$	416.51	99%(HPLC)	GR	R	05078-44	5 mg
Gomisin A	58546-54-6	$C_{23}H_{28}O_7$	416.46	99%(HPLC)	GR	R	05076-64	10 mg
Gomisin N	69176-52-9	$C_{23}H_{28}O_6$	400.46	99%(HPLC)	GR	R	05075-74	10 mg
Schizandrin	7432-28-2	$C_{24}H_{32}O_7$	432.51	99%(HPLC)	GR	R	05077-54	10 mg
(±)-γ-Schizandrin	61281-37-6	$C_{23}H_{24}O_6$	400.46	99%(HPLC)	GR	R	05079-34	5 mg
Wuweizisu C	61301-33-5	$C_{22}H_{24}O_6$	384.42	99%(HPLC)	GR	R	05080-94	5 mg


■ Red Pepper




Capsaicin




Dihydrocapsaicin



Nordihydrocapsaicin




N -Vanillyldecanamide




N -Vanillylnonanamide

Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Capsaicin	404-86-4	$C_{18}H_{27}NO_3$	305.41	99%(HPLC)	GR	R	05081-84 (inquiry)	10 mg 100 mg
Capsaicin	404-86-4	$C_{18}H_{27}NO_3$	305.41	95%(HPLC)		R	(inquiry)	50 mg 500 mg
Dihydrocapsaicin	19408-84-5	$C_{18}H_{29}NO_3$	307.43	99%(HPLC)	GR	R	05083-64 (inquiry)	10 mg 100mg
Dihydrocapsaicin	19408-84-5	$C_{18}H_{29}NO_3$	307.43	95%(HPLC)	EP	R	05084-54 (inquiry)	50 mg 500 mg
Nordihydrocapsaicin	28789-35-7	$C_{17}H_{27}NO_3$	293.40	95%(HPLC)	EP	R	05085-31	1 mg
N-Vanillyldecanamide	31078-36-1	$C_{18}H_{29}NO_3$	307.43	95%(HPLC)	EP	R	05087-11	1 mg
N-Vanillylnonanamide	2444-46-4	$C_{17}H_{27}NO_3$	293.40	95%(HPLC)	EP	R	05086-21	1 mg
N-Vanillylnonanamide [Capsaicin (synthetic)]	2444-46-4	$C_{17}H_{27}NO_3$	293.40	99%(HPLC)		R	(inquiry)	10 mg


■ Clove




Clove 3




Biflorin




Casuarictin



Eugeniin



Tellimagradin 1



1,3-Di-O-galloyl-4,6-O-(S)-
hexahydroxydiphenoyl-beta-D-glucose


Product Name	CAS No.	Formula	M.W.	Purity	Grade	Storage	Product No.	PKG Size
Clove 3	152041-16-2	$C_{16}H_{18}O_9$	354.31	95%(HPLC)		R	(inquiry)	5 mg
Biflorin	89701-85-9	$C_{16}H_{18}O_9$	354.31	95%(HPLC)		R	(inquiry)	5 mg
Casuarictin	79786-00-8	$C_{41}H_{28}O_{26}$	936.65	95%(HPLC)	EP	R	08258-94	5 mg
Eugeniin	81571-72-4	$C_{41}H_{30}O_{26}$	938.66	95%(HPLC)	EP	R	08257-04	5 mg
Tellimagrandin I	118014-28-1	$C_{34}H_{26}O_{22}$	786.56	95%(HPLC)	EP	R	08259-84	5 mg
1,3-Di-*O*-galloyl-4,6-*O*-(S)-hexahydroxydiphenoyl-β-D-glucose		$C_{34}H_{26}O_{22}$	786.56	90%(HPLC)		R	(inquiry)	1 mg

Plant Extract Compounds

Authentic natural products

produced by Nagara Science Co., Ltd.


■ Uncaria Rhynchophylla



Rhynchophylline

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
Rhynchophylline	76-66-4	$C_{22}H_{28}N_2O_4$	384.47	99%(HPLC)	R	(inquiry)	10 mg


■ Pyrethrins




Pyrethrin I : $R_1 = CH_3$, $R_2 = CH{=}CH_2$
Pyrethrin II : $R_1 = C(O)OCH_3$, $R_2 = CH{=}CH_2$
Cinerin I : $R_1 = R_2 = CH_3$
Cinerin II : $R_1 = C(O)OCH_3$, $R_2 = CH_3$
Jasmolin I : $R_1 = CH_3$, $R_2 = CH_2CH_3$
Jasmolin II : $R_1 = C(O)OCH_3$, $R_2 = CH_2CH_3$

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
Cinerin I	25402-06-6	$C_{20}H_{28}O_3$	316.43	90%(HPLC)	F	(inquiry)	
Cinerin II	121-20-0	$C_{21}H_{28}O_5$	360.44	90%(HPLC)	F	(inquiry)	
Pyrethrin I	121-21-1	$C_{21}H_{28}O_3$	328.45	90%(HPLC)	F	(inquiry)	
Pyrethrin II	121-29-9	$C_{22}H_{28}O_5$	372.45	90%(HPLC)	F	(inquiry)	
Jasmolin I	4466-14-2	$C_{21}H_{30}O_3$	330.46	90%(HPLC)	F	(inquiry)	
Jasmolin II	1172-63-0	$C_{22}H_{30}O_5$	374.47	90%(HPLC)	F	(inquiry)	


■ Hesperidin and Naringin




Hesperetin



Hesperidin




Naringenin




Naringin

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
(2S)-Hesperetin	520-33-2	$C_{16}H_{14}O_6$	302.28	98% ee (HPLC)	R	(inquiry)	
(2R)-Hesperetin		$C_{16}H_{14}O_6$	302.28	98% ee (HPLC)	R	(inquiry)	
(±)-Hesperetin		$C_{16}H_{14}O_6$	302.28	99%(HPLC)	R	(inquiry)	
(2S)-Hesperidin	520-26-3	$C_{28}H_{34}O_{15}$	610.56	99%(HPLC)(98% ee)	R	(inquiry)	10 mg
(2R)-Hesperidin	369593-42-0	$C_{28}H_{34}O_{15}$	610.56	99%(HPLC)(98% ee)	R	(inquiry)	10 mg
(2S)-Naringenin	480-41-1	$C_{15}H_{12}O_5$	272.25	98% ee (HPLC)	R	(inquiry)	
(2R)-Naringenin	17654-19-2	$C_{15}H_{12}O_5$	272.25	98% ee (HPLC)	R	(inquiry)	
(±)-Naringenin		$C_{15}H_{12}O_5$	272.25	99%(HPLC)	R	(inquiry)	
(2S)-Naringin	10236-47-2	$C_{27}H_{32}O_{14}$	580.53	99%(HPLC)(98% ee)	R	(inquiry)	10 mg
(2R)-Naringin	58001-41-5	$C_{27}H_{32}O_{14}$	580.53	99%(HPLC)(98% ee)	R	(inquiry)	10 mg

■ Stevia




Rebaudioside C




Dulcoside A

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
Dulcoside A	64432-06-0	$C_{38}H_{60}O_{17}$	788.87	98% (HPLC)	R	(inquiry)	5 mg
Rebaudioside C	63550-99-2	$C_{44}H_{70}O_{22}$	951.01	98% (HPLC)	R	(inquiry)	5 mg


■ Sesame Lignan




(+)-Sesamin




(+)-Sesamolin




(+)-Episesamin




(+)-Diasesamin




(+)-Sesaminol




(+)-2-Episesaminol




(+)-6-Episesaminol



(+)-Diasesaminol



Samin



Sesamol


Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
(+)-Sesamin	607-80-7	$C_{20}H_{18}O_6$	354.35	99%(HPLC)	F	(inquiry)	10 mg 100 mg
(+)-Sesamolin	526-07-8	$C_{20}H_{18}O_7$	370.35	99%(HPLC)	F	(inquiry)	10 mg 100 mg
(+)-Episesamin	133-03-9	$C_{20}H_{18}O_6$	354.35	99%(HPLC)	F	(inquiry)	10 mg 100 mg
Disaminyl ether	30186-93-7	$C_{26}H_{26}O_9$	482.48			(inquiry)	5 mg
Diasesamin	551-30-4	$C_{20}H_{18}O_6$	354.35		F	(inquiry)	2 mg
Sesaminol	74061-79-3	$C_{20}H_{18}O_7$	370.35		F	(inquiry)	10 mg
2-Episesaminol	104319-96-2	$C_{20}H_{18}O_7$	370.35		F	(inquiry)	10 mg
6-Episesaminol	105616-55-5	$C_{20}H_{18}O_7$	370.35		F	(inquiry)	2 mg
Diasesaminol	110300-35-1	$C_{20}H_{18}O_7$	370.35		F	(inquiry)	2 mg
Samin	525-07-5	$C_{13}H_{14}O_5$	250.25		F	(inquiry)	10 mg
Sesamol	533-31-3	$C_7H_6O_3$	138.12		F	(inquiry)	100 mg 1g

Plant Extract Compounds

Authentic natural products

produced by Nagara Science Co., Ltd.


■ Glucosylceramide



Glucosylceramide from Rice, Maize

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
Glucosylceramide, from Rice (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Maize (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Konjac (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Hen of the Woods (Maitake)(Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Tamogitake (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Soybean (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Wheat (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg
Glucosylceramide, from Sugar beet (Glucosylceramide mix.)				99%(TLC)	R	(inquiry)	10 mg 100 mg

■ Sphingomyelin, from Egg Yolk and Milk



Sphingomyelin

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
Glucosylceramide, from Milk (Glucosylceramide mix.)				99% (TLC)	R	(inquiry)	10 mg 100 mg
Lactosylceramide, from Milk (Lactosylceramide mix.)				99% (TLC)	R	(inquiry)	10 mg 100 mg
Sphingomyelin, from Egg yolk (Sphingomyelin mix.)				99% (TLC)	F	(inquiry)	10 mg 100 mg
Sphingomyelin, from Egg yolk (Sphingomyelin mix.)				98% (TLC)	F	(inquiry)	1 g
Sphingomyelin, from Milk (Sphingomyelin mix.)				99% (TLC)	F	(inquiry)	10 mg 100 mg
Sphingomyelin, from Milk (Sphingomyelin mix.)				98% (TLC)	F	(inquiry)	1 g

■ Synthesis

Product Name	CAS No.	Formula	M.W.	Purity	Storage	Product No.	PKG Size
(2*S*, 3*R*, 4*E*)-2-Azido -3-(*tert*-butyldimethylsilyl)-erythro-sphingosine	114299-64-8	$C_{24}H_{49}N_3O_2Si$	439.75	99% (TLC)	F	(inquiry)	10 mg 100 mg
(2*S*, 3*R*, 4*E*)-2-Azido-3-benzoyl-erythro-sphingosine	103348-50-1	$C_{25}H_{39}N_3O_3$	429.60	99% (TLC)	F	(inquiry)	10 mg 100 mg
Azido-erythro-sphingosine	103348-49-8	$C_{18}H_{35}N_3O_2$	325.49	99% (TLC)	F	(inquiry)	10 mg 100 mg
Ganglioside GM2		$C_{67}H_{121}N_3O_{26}$	1384.68			(inquiry)	

Storage RT : Room temperature
R : Refrigerator
F : Freezer

These products are available in bulk order.
For more information on products and price, please consult your local distributor.


Sialic Acid Related Products

Reagent for Sialic Acid Studies

Substrates


N-Acetyl-*D*-Mannosamine, Monohydrate [ManNAc]

Origin : Prepared by enzymatic hydrolysis of *N*-acetylneuraminic acid, and purified by crystallization.
Formula : $C_8H_{15}NO_6 \cdot H_2O$ (MW : 239.2)
Appearance : White amorphous powder
Purity : More than 99% by HPLC
Homogeneous by thin layer chromatographic analysis
Storage : Stable when stored on desiccated condition at 5°C.
References : 1) K. Hotta, M. Kurokawa and S. Isaka, *Seikagaku* (in Japanese), **45** (10), 911-915 (1973)
2) S. Blayer, J. M. Woodley, M. J. Dawson and M. D. Lilly, *Biotechnology and Bioengineering*, **66** (2), 131-136 (1999)




Colominic Acid, Sodium Salt

Origin : Colominic acid, a homopolymer of *N*-acetylneuraminic acid (NANA) with α(2 → 8) ketosidic linkages, is produced by special strains of *Escherichia coli* possessing K1 antigen.[1)]
Appearance : White amorphous powder
Purity : More than 98% as NANA (Na salt)
MW : Approx. 30,000 Da (DPs ca. 100)
Uses : Substrate for neuraminidase andstarting material for preparing sialic acid derivatives.
Storage : Stable for one year or more when stored on desiccated condition at 5°C.
References : 1) Y. Uchida, Y. Tsukada and T. Sugimori, *Agric.Biol. Chem.*, **37**, 2105 (1973)




N-Glycolylneuraminic Acid [NeuGc; Neu5Gc; NeuNGc]

Origin : Prepared by chemo-enzymatic synthesis from glucosamine and pyruvic acid.
Formula : $C_{11}H_{19}NO_{10}$ (MW : 325.27)
Appearance : White crystalline powder
Purity : More than 98% by HPLC
Storage : Stable when stored on desiccated condition below -20°C.




2,3-Dehydro-*2*-Deoxy-*N*-Acetylneuraminic Acid [NeuAc2en; NeuNAc2en; Neu5Ac2en]

Origin : Prepared by chemical synthesis from *N*-acetylneuraminic acid.
Purified by column chromatography and crystallization.
Formula : $C_{11}H_{17}NO_8$ (MW : 291.25)
Appearance : White crystalline powder
Purity : More than 95% by HPLC
Use : Neuraminidase (sialidase) inhibitor
Storage : Stable when stored on desiccated condition at -20°C.




N-Acetylneuraminic Acid [NANA; Sialic Acid; NeuAc]

Origin : Prepared by enzymatic hydrolysis of Colominic Acid[1)], or enzymatic synthesis from *N*-acetylglucosamine and pyruvic acid.[2)] Purified by ion-exchange column chromatography and crystallization.
Formula : $C_{11}H_{19}NO_9$ (MW : 309.27)
Appearance : White crystalline powder
Purity : More than 99% by colorimetric determination and HPLC
Uses : Authentic specimen of the highest purity, substrate for NANA aldolase and starting material for preparing NANA derivatives.
Storage : Stable for one year when stored on desiccated condition at 5°C.
References : 1) Y. Uchida, Y. Tsukada and T. Sugimori, *Biochim. Biophys. Acta.*, **350**, 425 (1974)
2) I. Maru, J. Ohnishi, Y. Ohta, and Y. Tsukada, *Carbohydr. Res.*, **306**, 575 (1998)



N-Acetylneuraminic Acid Oligomer, Sodium Salt [DP2 - DP6]


Origin : Prepared by hydrolysis of colominic acid.
Formula : dimer (DP2) $C_{22}H_{34}N_2O_{17}Na_2$ (MW : 644.50)
trimer (DP3) $C_{33}H_{50}N_3O_{25}Na_3$ (MW : 957.73)
tetramer (DP4) $C_{44}H_{66}N_4O_{33}Na_4$ (MW : 1270.97)
pentamer (DP5) $C_{55}H_{82}N_5O_{41}Na_5$ (MW : 1584.21)
hexamer (DP6) $C_{66}H_{98}N_6O_{49}Na_6$ (MW : 1897.45)
Appearance : White amorphous powder, lyophilized
Purity : More than 95% by HPLC
Storage : Store below -20°C.
Package : DP2 : 10 mg, 100 mg
DP3 ~ DP6 : each 5 mg, 25 mg
Oligomer Kit : *N*-Acetylneuraminic Acid 10 mg, DP2, DP3, DP4, DP5, DP6 each 1 mg



Substrates


4-Methylumbelliferyl-*N*-Acetyl-α-D-Neuraminic Acid, Ammonium Salt [4-MU-NANA]

Formula : $C_{21}H_{28}N_2O_{11}$ (MW : 484.46)
Appearance : White crystalline powder, lyophilized
Purity : More than 98% (Enzyme assay)
Storage : Store below -20°C. When kept below -20°C, the product is fairly stable even in solution. However, it is unstable in acidic solution.
When 4-methylumbelliferone is released because of decomposition during preservation, it can be removed by extraction with ethyl acetate for purification.
References : 1) R. W. Myers, R. T. Lee, Y. C. Lee, G. H. Thomas, L. W. Reynolds and Y. Uchida, *Anal. Biochem.*, **101**, 166(1980)




Cytidine-*5'*-Monophospho-*N*-Acetylneuraminic Acid, Disodium Salt [CMP-Neu5Ac · 2Na]

Origin : Prepared by enzymatic synthesis from *N*-acetylneuraminic acid and CTP.
Purified by ion-exchange column chromatography and lyophilization.
Formula : $C_{20}H_{29}N_4O_{16}PNa_2$ (MW : 658)
Appearance : White lyophilized powder
Purity : More than 97% by HPLC
Storage : Stable when stored on desiccated condition below -20°C.




Uridine-*5'*-Diphosphoglucose, Disodium Salt

Formula : $C_{15}H_{22}N_2O_{17}P_2Na_2$ (MW : 610.3)
Appearance : White crystalline powder
Purity : More than 98% (Moisture : approx. 7%)
Storage : Stable when stored on desiccated condition at 5°C.



Uridine-*5'*-Diphosphoglucuronic Acid, Trisodium Salt

Formula : $C_{15}H_{19}N_2O_{18}P_2Na_3$ (MW : 646.3)
Appearance : White crystalline powder
Purity : More than 98% (Moisture : approx. 12%)
Storage : Stable when stored on desiccated condition at 5°C.



Enzymes

N-Acetylneuraminic Acid Aldolase *N*-Acetylneuraminate Pyruvate Lyase [EC 4.1.3.3]

Origin : *Escherichia coli*
Reaction : *N*-Acetylneuraminate ⇆ *N*-Acetyl-D-mannosamine + Pyruvate
Appearance : White amorphous powder
Activity : More than 30 units/mg protein
Unit definition : One unit is the amount of enzyme required to liberates 1 μmol of *N*-Acetylmannosamine (or pyruvic acid) per minute at pH 7.7 at 37°C, using *N*-acetylneuraminic acid (NANA) as a substrate.
Storage : Stable for one year when stored below 5°C. For prolonged storage, keep at -20°C.
Contaminant : Free from NADH oxidase
Properties [1) 2)]
Molecular weight … Approx. 98,000 Da (gel filtration)
Optimum pH … 7.5 ~ 8.0
pH stability … 6.0 ~ 9.0
Thermal stability … below 65°C (pH 7.0, 20 min)
Substrate specificity … *N*-glycolylneuraminic acid (NGNA) is cleaved as well as NANA. Km = 3.6 mM (NANA), 4.3 mM (NGNA)
Uses : Enzymatic determination of sialic acid and enzymatic syntheses of novel sialic acid derivatives.
References 1) Y. Uchida, Y. Tsukada and T. Sugimori, *J. Biochem.*, **96**, 507 (1984)
2) Y. Ohta, M. Shimosaka, K. Murata, Y. Tsukada and A. Kimura, *Appl. Microbiol. Biotechnol.*, **24**, 386 (1986)

Sialic Acid Related Products

Reagent for Sialic Acid Studies

Enzymes

Neuraminidase (Sialidase) Acylneuraminyl Hydrolase [EC 3.2.1.18]

Origin : *Arthrobacter ureafaciens*
Reaction : Sialyl compound → Sialic acid + Asialocompound
Appearance : White amorphous powder
Activity : More than 80 units/mg protein for *N*-acetylneuraminyllactose (NANA-lactose)
Unit definition : One unit is the amount of enzyme required to liberate 1 μmol of *N*-acetylneuraminic acid (NANA) per minute at pH 5.0 at 37°C.
Storage : Stable for one year when stored below 5°C. For prolonged storage, keep at -20°C.
Contaminations : Enzyme activities mentioned below cannot be detected.[1)]
Protease, *N*-acetylneuraminic acid aldolase, glycosidase such as α-glucosidase, β-glucosidase, α-galactosidase, β-galactosidase, α-mannosidase, α-fucosidase, *N*-acetyl-α-glucosaminidase, *N*-acetyl-β-glucosaminidase, *N*-acetyl-α-galactosaminidase, *N*-acetyl-β-galactosaminidase, *N*-acetyl-α-mannosaminidase and *N*-acetyl-β-mannosaminidase.
Properties [2) 3)]
Molecular weight … Approx. 52,000 Da, 66,000 Da and 88,000 Da (gel filtration, SDS-PAGE)
Optimum pH … 4.5 ~ 5.5 (NANA-lactose as a substrate)
pH stability … 4.5 ~ 9.5
Thermal stability … below 60°C (pH 5.0, 20 min)
Substrate specificity …The α-ketosidic linkage of *N*-glycolylneuraminic acid (NGNA) can be hydrolyzed as well as that of NANA. This enzyme cleaves α(2→3), α(2→6) and α(2→8) linkages of *N*-acetylneuraminic acid in glycoconjugates. The acivity is independent on Ca^{2+} and is not inhibited by EDTA, which is in striking contrast to *Vibrio cholerae* Neuraminidase, and is not or slightly inhibited by inhibitors such as monoiodoacetate, *p*-chloromercuribenzoate and $HgCl_2$, which is in striking contrast to *Clostridium perfringens* Neuraminidase.
References
1) Y. Uchida, Y. Tsukada and T. Sugimori, *J. Biochem.*, **82**, 1425 (1977)
2) Y. Uchida, Y. Tsukada and T. Sugimori, *J. Biochem.*, **86**, 1573 (1979) , 3) Y. Ohta, Y. Tsukada and T. Sugimori, *J. Biochem.*, **106**, 1086 (1989)

3α-Hydroxysteroid Dehydrogenase 3α-Hydroxysteroid: $NAD(P)^+$ Oxidoreductase [EC 1.1.1.50]

Origin : *Pseudomonas testosteroni*
Reaction : 3a-hydroxysteroid + $NAD(P)^+$ ⇆ 3-oxosteroid + $NAD(P)H + H^+$
Appearance : White amorphous powder
Activity : More than 90 units/mg protein
Unit definition : One unit is the amount of enzyme required to oxidize 1 μmol of androsterone as a substrate per minute in the presence of NAD at pH 8.9 at 25°C.
Storage : Stable for one year when stored below 5°C and also stable at room temperature for at least one week. For prolonged storage, keep at -20°C.
Contaminants : Malate dehydrogenase < 0.01%
Lactate dehydrogenase < 0.01%
Alcohol dehydrogenase < 0.01%
β-Hydroxysteroid dehydrogenase < 0.5 %
Properties
Molecular weight … Approx. 37,000 Da
Optimum pH … 10.2 ~ 10.5
Optimum temperature … 50°C
pH stability … 6.0 ~ 9.5 (30°C, 17 hr)
Thermal stability … below 50°C (pH 7.2, 10 min)
Michaelis constant … 6.7×10^{-6} M (Androsterone)
8.3×10^{-6} M (Na-cholate)
6.7×10^{-5} M (NAD)
Uses : Determination of bile acids

NADH Oxidase

Origin : *Bacillus licheniformis*
Reaction : $NADH + H^+ + O_2 \leftrightarrows NAD^+ + H_2O_2$
Appearance : White amorphous powder
Activity : More than 50 units/mg protein
Unit definition : One unit is the amount of enzyme required to oxidize 1 μmol of NADH per minute at pH7.0 at 30°C.
Storage : Stable for one year when stored below 5°C and also stable at room temperature for at least one week. For prolonged storage, keep at -20°C.
Contaminants : Sometimes, trace amount of catalase might be detected. Therefore, the addition of 10 mM NaN_3 into the reaction mixture is recommended when the complete elimination of catalase is needed.
Properties
Molecular weight … Approx. 240,000 Da
Optimum pH … 6.5 ~ 7.5
Optimum temperature … 45°C
pH stability … 7.0 ~ 8.5
Thermal stability … below 30°C (pH 7.5, 10 min) and below 40°C (in the coexistence of 0.1% bovine serum albumin, pH 7.5, 10 min)
Michaelis constant … 3.2×10^{-5} M (NADH), 6.7×10^{-6} M (FAD)
Substrate specificity : In the absence of added FAD both NADH and NADPH are oxidized equally, but by the addition of FAD (about 30 μM) to reaction mixture the reaction velocity to NADH is accelerated about 20 ~ 30 times in contrast to 2 ~ 3 times of NADPH. Accordingly, the substrate specificity of NADH is about 10 times larger than that of NADPH in the presence of added FAD.

Ordering Information

・Substrates

Product Name	Grade	Storage	Product No.	PKG Size
N-Acetyl-*D*-mannosamine Monohydrate	SP	R	05425-71	1 g
			05425-84	10 g
Colominic Acid Sodium Salt from *E. coli*	SP	R	09324-71	1 g
N-Glycolylneuraminic Acid	SP	F	05435-96	10 mg
			05435-54	50 mg
2,3-Dehydro-*2*-deoxy-*N*-acetylneuraminic Acid	SP	F	05457-74	5 mg
			05457-32	25 mg
N-Acetylneuraminic Acid [NANA, Sialic Acid]	SP	R	08371-36	10 g
			08371-94	100 g
N-Acetylneuraminic Acid from *E.coli*	SP	R	00622-44	100 mg
			00622-31	1 g
N-Acetylneuraminic Acid, dimer(α,2→8) [DP2]	SP	F	00640-04	10 mg
			00640-46	100 mg
N-Acetylneuraminic Acid, trimer(α,2→8)[DP3]	SP	F	00641-52	25 mg
N-Acetylneuraminic Acid, tetramer(α,2→8)[DP4]	SP	F	00642-42	25 mg
N-Acetylneuraminic Acid, pentamer(α,2→8)[DP5]	SP	F	00643-74	5 mg
			00643-32	25 mg
N-Acetylneuraminic Acid, hexamer(α,2→8)[DP6]	SP	F	00644-64	5 mg
			00644-22	25 mg
N-Acetylneuraminic Acid, oligomer(α,2→8) kit	SP	F	00645-70	1 kit
4-Methylumbelliferyl-*N*-cetyl-α-D-neuraminic Acid(4-MU-NANA) Ammonium Salt	SP	F	23229-04	5 mg
Cytidine-*5'*-monophospho-*N*-acetylneuraminic Acid Disodium Salt	SP	F	10432-24	10 mg
Uridine-*5'*-diphosphoglucose Disodium Salt	GR	R	36001-64	100 mg
			36001-51	1 g
Uridine-*5'*-diphosphoglucuronic Acid Trisodium Salt	GR	R	36002-54	100 mg
			36002-41	1 g

・Enzymes

Product Name	Grade	Storage	Product No.	PKG Size
N-Acetylneuraminic Acid Aldolase	SP	F	00628-84	10 units
Neuraminidase from *Arthrobacter ureafaciens*, highly purified	SP	R	24229-61	1 unit
			24229-74	5 units
3α-Hydroxysteroid Dehydrogenase from *Pseudomonas testosteroni*	GR	R	18949-34	10 units
			18949-76	50 units
NADH Oxidase from *Bacillus licheniformis*	GR	F	23626-94	5 units
			23626-52	25 units

Storage R : Refrigerator
F : Freezer

Biochemicals

Enzyme

Isomerase			
Phosphoglucose Isomerase from Bakers Yeast	BC	27656-84	1000UNITS
Oxidoreductase			
Catalase from Bovine Liver	BC	07444-74	100MG
Glucose Oxidase from Aspergillus niger	BC	16831-14	100MG
		16831-01	1G
3α-Hydroxysteroid Dehydrogenase from Pseudomonas testosteroni	GR	18949-34	10UNITS
		18949-76	50UNITS
β-Hydroxysteroid Dehydrogenase from Pseudomonas testosteroni	GR	18950-94	10UNITS
		18950-36	50UNITS
L-Lactic Dehydrogenase from Rabbit Muscle	BC	20057-44	5000UNITS
		20057-86	25000UNITS
Lipoxidase from Soybean	BC	20551-54	100MG
NADH Oxidase from Bacillus licheniformis	GR	23626-94	5UNITS
		23626-52	25UNITS
Superoxide Dismutase from Bovine Erythrocytes	BC	32641-46	3000UNITS
		32641-17	15000UNITS
		32641-88	30000UNITS
		32641-04	300KU
Xanthine Oxidase from Buttermilk	BC	36548-82	25UNITS
Transferase			
Creatine Phosphokinase from Rabbit Muscle	BC	09639-74	10MG
		09639-16	100MG
Hexokinase from Bakers Yeast	BC	18039-54	100MG
Hyaluronidase from Bovine Testes	BC	18240-36	100MG
Pyruvate Kinase from Rabbit Muscle	BC	29737-64	10MG
Hydrase			
Acid Phosphatase from Wheat Germ	BC	00742-45	500MG
α-Amylase	BC	02745-84	100MG
β-Amylase	BC	02747-64	10000UNITS
Apyrase from Potato	BC	03361-74	200UNITS
Bromelin [Bromelain]		05449-42	25G
Cellulase from Aspergillus niger	BC	07550-74	5000UNITS
α-Chymotrypsin from Bovine Pancreas	BC	09041-84	250MG
		09041-71	1G
Collagenase from Clostridium histolyticum		09353-04	100MG
Elastase from Porcine Pancreas	BC	14363-14	10MG
		14363-56	50MG
β-Glucuronidase from E. coli	BC	16944-02	25KU
Hyaluronidase from Bovine Testes	BC	18240-36	100MG
		18240-81	1G
		18240-94	5G
Lipase from Candida cylindracea	GR	20533-94	5000UNITS
Lipase from Porcine Pancreas	BC	20552-02	25G
Lipoxidase from Soybean	BC	20551-54	100MG
Lysozyme Chloride from Egg White	GR	20841-41	1G
		20841-54	5G
Neuraminidase from Arthrobacter ureafaciens, highly purified	SP	24229-61	1UNIT
		24229-74	5UNITS
Neuraminidase Isozyme S from Arthrobacter ureafaciens	SP	24238-41	1UNIT
		24238-54	5UNITS
Pancreatin	CP	25930-34	100G
Papain from Papaya Latex	BC	26036-92	25MG
		26036-34	100MG
	BC	26035-02	25MG
		26035-44	100MG
Pepsin(1:10,000)	GR	26414-32	25G
		26414-45	500G
Pepsin(1:50,000) from Porcine Stomach Mucosa	BC	26438-61	1G
		26438-74	5G
Pepsin from Porcine Stomach Mucosa	BC	26439-64	250MG
		26439-51	1G
Proteinase K from Tritirachium album	GR	29442-14	100MG
		29442-85	500MG
Thermolysin from Bacillus thermoproteolyticus	GR	33607-34	250MG
Lyase			
N-Acetylneuraminic Acid Aldolase	SP	00628-84	10UNITS
Coenzyme			
Malonyl Coenzyme A Lithium Salt	CP	21150-74	10MG

Substrates

Bis(2,4,6-trichlorophenyl) Oxalate [TCPO]	SP	05035-81	1G
D-Luciferin Potassium Salt	GR	20028-24	10MG
Lucigenin	GR	20745-11	1G
Luminol	SP	20751-21	1G
		20751-34	5G
4-Methylumbelliferyl-N-acetyl-α-D-neuraminic Acid(4-MU-NANA) Ammonium Salt	SP	23229-91	1MG
		23229-04	5MG
Uridine-5'-diphosphoglucose Disodium Salt	GR	36001-64	100MG
		36001-51	1G
Uridine-5'-diphosphoglucuronic Acid Trisodium Salt	GR	36002-54	100MG
		36002-41	1G

Glycolipids

Globotriaosylceramide (Gb3) from Porcine Erythrocyte	BC	02446-91	1MG
Glycopeptidolipid(GPL) from Mycobacterium avium serotype 4	BC	05493-81	1MG
Glycopeptidolipid Invariant Lipid Core from Mycobacterium avium serotype 4	BC	05492-91	1MG
Lipoarabinomannan(LAM) from Mycobacterium tuberculosis Aoyama-B	BC	02449-61	1ML
Lipopolysaccharide(LPS) from E.coli O157	BC	20389-04	10MG

Toxin

Scopolamine Hydrobromide	GR	30534-61	1G
Strychnine, free base		32316-74	5G
D-Tubocurarine Chloride	EP	35637-84	100MG

Eicosanoids

Prostaglandin D2	GR	25999-51	1MG
Prostaglandin E2	GR	29334-21	1MG
		29334-34	10MG
Prostaglandin J2	GR	26037-11	1MG

Organic Chemistry

Low Moisture Solvents

Acetonitrile (H2O<50ppm)	GR	04087-54	100ML
		04087-41	1L
Benzene (H2O<30ppm)	GR	04091-84	100ML
		04091-55	500ML
t-Butyl Methyl Ether (H2O<50ppm)	GR	04090-94	100ML
Cyclohexane (H2O<30ppm)	GR	04092-74	100ML
Dichloromethane (H2O<50ppm)	GR	22430-74	100ML
		22430-61	1L
Diethyl Ether (H2O<50ppm)	GR	04094-54	100ML
		04094-25	500ML
N,N-Dimethylformamide (H2O<50ppm)	GR	04096-34	100ML
		04096-21	1L
Heptane (H2O<30ppm)	GR	04098-14	100ML
Hexane (H2O<30ppm)	GR	04099-04	100ML
		04099-75	500ML
Methanol (H2O<50ppm)	GR	04100-54	100ML
		04100-25	500ML
2-Propanol (H2O<50ppm)	GR	04101-44	100ML
		04101-15	500ML
Tetrahydrofuran (H2O<50ppm)	GR	04113-94	100ML
		04113-81	1L
Toluene (H2O<30ppm)	GR	04109-64	100ML
		04109-35	500ML
Xylene (H2O<30ppm)	GR	04116-64	100ML

Peptide Synthesis

2-(1H-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium Hexafluorophosphate [HBTU]	SP	04227-72	25G
2-(1H-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium Tetrafluoroborate [TBTU]	SP	04228-62	25G
Benzyloxycarbonyl Chloride [Benzyl Chloroformate]	SP	07204-72	25G
		07204-14	100G
t-Butoxycarbonyl Hydrazide	SP	06033-42	25G
2-t-Butoxycarbonyloxyimino-2-phenylacetonitrile [BOC-ON]	SP	06430-32	25G
1,1'-Carbonyldiimidazole	SP	07234-24	10G
1,1'-Carbonyldiimidazole		07234-82	25G
Di-t-butyl Dicarbonate [Di-BOC; Di-t-butyl Pyrocarbonate]	SP	11431-04	100G
N,N'-Dicyclohexylcarbodiimide	SP	11914-42	25G
		11914-55	500G
Diphenylphosphoryl Azide [DPPA]	SP	13904-12	25G
		13904-54	100G
N,N'-Disuccinimidyl Carbonate	SP	14036-04	5G
EEDQ [N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline]	SP	14304-42	25G
		14304-26	100G

1-Ethyl-3-(3-dimethylaminopropyl)carbodiimide Hydrochloride [Water Soluble Carbodiimide]	SP	15022-86	5G
		15022-02	25G
		15022-44	100G
9-Fluorenylmethyloxycarbonyl Chloride	SP	16150-34	5G
		16150-92	25G
1-Hydroxybenzotriazole [HBT]	SP	18513-82	25G
		18513-24	100G
N-Hydroxyphthalimide	SP	18814-42	25G
N-Hydroxysuccinimide	SP	18914-32	25G
N-Methyl-2-pyrrolidone	SP	23033-41	1L
		23033-83	3L
p-Toluenesulfonyl Chloride	SP	34217-72	25G

Analytical Science

Chromatography

Chromatographic Carriers			
Alumina Activated 200	SP	01512-25	500G
Alumina Activated 300	SP	01513-15	500G
Standard Super-Cel®		08015-35	500G
Hyflo Super-Cel®		08016-25	500G
Celite®503RV		08017-15	500G
Celite®535RVS		08019-95	500G
Celite®545RVS		08034-85	500G
Hydroxylapatite	SP	18736-14	100G
	SP	18737-04	100G
		18737-75	500G
Silica Gel 60 Particle size: approx.230-400mesh	SP	30721-85	500G
		30721-01	1KG
		30721-14	5KG
		30721-72	25KG
Silica Gel 60 Particle size: approx.70-230mesh	SP	30724-55	500G
		30724-71	1KG
		30724-84	5KG
		30724-42	25KG
Silica Gel 60, spherical Particle size: approx.150-325mesh	SP	30733-51	1KG
		30733-22	25KG
Silica Gel 60, spherical Particle size: approx.70-230mesh	SP	30731-71	1KG
		30731-42	25KG
Silica Gel 60, spherical, neutrality Particle size: approx.42-105um	SP	30511-64	100G
		30511-35	500G
		30511-51	1KG
		30511-06	5KG
		30511-22	25KG
Silica Gel 60, spherical, neutrality Particle size: approx.105-210um	SP	30518-94	100G
		30518-65	500G
		30518-81	1KG
		30518-52	25KG
Silica Gel 120, spherical	SP	30734-41	1KG
Silica Gel 60 HF254	SP	30835-34	5KG
Silica Gel 60 PF254	SP	30836-24	5KG

Gas Chromatography

Acylating Agents			
Heptafluoro-n-butyric Anhydride	SP	26518-11	1ML
N-Methylbis(trifluoroacetamide)	SP	22129-31	1ML

Esterification Agents			
Boron Trifluoride Methanol Solution	SP	05319-71	5X1ML
N,N-Dimethylformamide Dimethyl Acetal	SP	13124-32	25ML
Hydrogen Chloride Methanol Solution	SP	18426-61	5X1ML
Silylating Agents			
N,O-Bis(trimethylsilyl)acetamide [BSA]	SP	05101-01	1ML
		05101-72	25ML
N,O-Bis(trimethylsilyl)trifluoroacetamide [BSTFA]	SP	05102-91	1ML
		05102-04	10ML
t-Butyldimethylchlorosilane	SP	06224-42	25G
		06224-26	100G
1,1,1,3,3,3-Hexamethyldisilazane	SP	17904-92	25G
		17904-34	100G
		17904-05	500G
N-Methyl-N-trimethylsilyltrifluoroacetamide	SP	23128-11	1ML
Silblender-HTP	SP	30639-14	10ML
Trimethylchlorosilane	SP	35102-32	25G
		35102-74	100G

Mass Spectrometry

Matrix			
α-Cyano-4-hydroxycinnamic Acid	SP	06700-21	1G
Sinapinic Acid	SP	30494-91	1G

Atomic Absorption Spectrometry

Extraction Reagents				
Butyl Acetate [n-Butyl Acetate]		SP	06008-95	500ML
4-Methyl-2-pentanone [Methyl Isobutyl Ketone]		SP	22202-35	500ML
Metal Standard Solutions				
Aluminium Standard Solution	1000ppm	SP	37506-34	100ML
Antimony Standard Solution	100ppm	SP	37526-74	100ML
Arsenic Standard Solution	1000ppm	SP	37519-74	100ML
	100ppm	SP	37537-34	100ML
Barium Standard Solution	1000ppm	SP	37528-54	100ML
Bismuth Standard Solution	1000ppm	SP	37533-74	100ML
Boron Standard Solution	1000ppm	SP	37503-64	100ML
Cadmium Standard Solution	1000ppm	SP	37524-94	100ML
	100ppm	SP	37539-14	100ML
Calcium Standard Solution	1000ppm	SP	37509-04	100ML
Chromium Standard Solution	1000ppm	SP	37512-44	100ML
	100ppm	SP	37540-74	100ML
Cobalt Standard Solution	1000ppm	SP	37515-14	100ML
	100ppm	SP	37541-64	100ML
Copper Standard Solution	1000ppm	SP	37517-94	100ML
	100ppm	SP	37548-94	100ML
Gold Standard Solution	1000ppm	SP	37530-04	100ML
Iron Standard Solution	1000ppm	SP	37514-24	100ML
	100ppm	SP	37549-84	100ML
Lead Standard Solution	1000ppm	SP	37532-84	100ML
	100ppm	SP	37550-44	100ML
Lithium Standard Solution	1000ppm	SP	37501-84	100ML
Magnesium Standard Solution	1000ppm	SP	37505-44	100ML
Manganese Standard Solution	1000ppm	SP	37513-34	100ML
	100ppm	SP	37545-24	100ML
Molybdenum Standard Solution	1000ppm	SP	37521-24	100ML
Nickel Standard Solution	1000ppm	SP	37516-04	100ML
	100ppm	SP	37546-14	100ML
Palladium Standard Solution	1000ppm	SP	37522-14	100ML
Platinum Standard Solution	1000ppm	SP	37529-44	100ML
Potassium Standard Solution	1000ppm	SP	37508-14	100ML
Selenium Standard Solution	1000ppm	SP	37534-64	100ML
Silicon Standard Solution	1000ppm	SP	37507-24	100ML
Silver Standard Solution	1000ppm	SP	37523-04	100ML
Sodium Standard Solution	1000ppm	SP	37504-54	100ML
Strontium Standard Solution	1000ppm	SP	37520-34	100ML
Strontium Chloride Hexahydrate	1000ppm	SP	32336-14	100G
Tellurium Standard Solution	1000ppm	SP	37527-64	100ML
Tin Standard Solution	1000ppm	SP	37525-84	100ML
Titanium Standard Solution	1000ppm	SP	37510-64	100ML
Tungsten Standard Solution	1000ppm	SP	37535-54	100ML
Vanadium Standard Solution	1000ppm	SP	37511-54	100ML
Zinc Standard Solution	1000ppm	SP	37518-84	100ML
	100ppm	SP	37547-04	100ML

Chelating Reagents			
Pyrrolidinecarbodithioic Acid Ammonium Salt	SP	29717-11	1G
		29717-24	5G
		29717-82	25G
Sodium N,N-Diethyldithiocarbamate Trihydrate	SP	12113-02	25G
Masking Reagent			
di-Ammonium Hydrogen Citrate	SP	02530-55	500G

pH Standard Solutions

Phosphate pH Standard Equimolal Solution	37275-64	250ML
Phthalate pH Standard Solution	37274-74	250ML
Tetraborate pH Standard Solution	37276-54	250ML

Standard Buffer Solution(pH 1.68)	37227-65	500ML
Standard Buffer Solution(pH 4.01)	37219-04	50ML
	37219-75	500ML
Standard Buffer Solution(pH 6.86)	37220-64	50ML
	37220-35	500ML
Standard Buffer Solution(pH 9.18)	37221-54	50ML
	37221-25	500ML
Standard Buffer Solution(pH 10.02)	37228-55	500ML

Volumetric Solutions

Acetic Acid		
1mol/l-Acetic Acid	37306-25	500ML
0.1mol/l-Acetic Acid	37307-15	500ML

Ammonia		
1mol/l-Ammonia Solution	37432-65	500ML

Ammonium Iron(II) Sulfate		
0.1mol/l-Ammonium Iron(II) Sulfate Solution	37312-35	500ML

Ammonium Thiocyanate		
0.1mol/l-Ammonium Thiocyanate Solution	37433-55	500ML

Hydrochloric Aci d		
6mol/l-Hydrochloric Acid	37313-25	500ML
5mol/l-Hydrochloric Acid	37345-15	500ML
2mol/l-Hydrochloric Acid	37338-15	500ML
1mol/l-Hydrochloric Acid	37314-15	500ML
0.5mol/l-Hydrochloric Acid	37315-05	500ML
0.2mol/l-Hydrochloric Acid	37344-25	500ML
0.1mol/l-Hydrochloric Acid	37316-95	500ML
0.05mol/l-Hydrochloric Acid	37343-35	500ML
0.02mol/l-Hydrochloric Acid	37317-85	500ML
0.01mol/l-Hydrochloric Acid	37318-75	500ML

Iodine		
0.5mol/l-Iodine Solution	37327-55	500ML
0.05mol/l-Iodine Solution	37328-45	500ML
0.01mol/l-Iodine Solution	37329-35	500ML
0.005mol/l-Iodine Solution	37330-95	500ML

Magnesium Chloride		
0.05mol/l-Magnesium Chloride Solution	95812-85	500ML

Nitric Acid		
1mol/l-Nitric Acid	37319-65	500ML
0.1mol/l-Nitric Acid	37320-25	500ML

Oxalic Acid		
0.5mol/l-Oxalic Acid Solution	37308-05	500ML
0.1mol/l-Oxalic Acid Solution	95868-75	500ML
0.05mol/l-Oxalic Acid Solution	37309-95	500ML

Perchloric Acid		
0.1mol/l-Perchloric Acid-Acetic Acid Solution	37340-65	500ML

Potassium Chloride		
3.3mol/l-Potassium Chloride Solution	37342-45	500ML

Potassium Hydroxide		
8mol/l-Potassium Hydroxide Solution	37406-15	500ML
1mol/l-Potassium Hydroxide Solution	37407-05	500ML
0.5mol/l-Potassium Hydroxide Solution	95411-35	500ML
0.1mol/l-Potassium Hydroxide Solution	37408-95	500ML
0.5mol/l-Potassium Hydroxide Solution(Ethanol Solution)	37443-25	500ML
0.1mol/l-Potassium Hydroxide Solution(Ethanol Solution)	37410-45	500ML

Potassium Iodate		
0.05mol/l-Potassium Iodate Solution	95432-65	500ML
1/60mol/l-Potassium Iodate Solution	37401-65	500ML
1/240mol/l-Potassium Iodate Solution	95426-55	500ML

Potassium Thiocyanate		
0.1mol/l-Potassium Thiocyanate Solution	37411-35	500ML

Silver Nitrate		
0.1mol/l-Silver Nitrate Solution	37301-75	500ML
0.02mol/l-Silver Nitrate Solution	37302-65	500ML
0.01mol/l-Silver Nitrate Solution	37334-55	500ML

Sodium Carbonate		
0.5mol/l-Sodium Carbonate Solution	37416-85	500ML
0.05mol/l-Sodium Carbonate Solution	37417-75	500ML

Sodium Chloride		
0.1mol/l-Sodium Chloride Solution	37413-15	500ML
0.02mol/l-Sodium Chloride Solution	95565-35	500ML
0.01mol/l-Sodium Chloride Solution	95564-45	500ML

Sodium Dihydrogen Ethylenediaminetetraacetate		
0.2mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	37336-35	500ML
0.1mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	37310-55	500ML
0.05mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	37341-55	500ML
0.025mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	96140-55	500ML
0.02mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	37337-25	500ML
0.01mol/l-di-Sodium Dihydrogen Ethylenediaminetetraacetate Solution	37311-45	500ML

Sodium Hydroxide		
10mol/l-Sodium Hydroxide Solution	94611-45	500ML
8mol/l-Sodium Hydroxide Solution	95542-25	500ML
6mol/l-Sodium Hydroxide Solution	95540-45	500ML
5mol/l-Sodium Hydroxide Solution	95539-85	500ML
4mol/l-Sodium Hydroxide Solution	37420-15	500ML
2mol/l-Sodium Hydroxide Solution	37441-45	500ML
1mol/l-Sodium Hydroxide Solution	37421-05	500ML
0.5mol/l-Sodium Hydroxide Solution	37422-95	500ML
0.2mol/l-Sodium Hydroxide Solution	37444-15	500ML
0.1mol/l-Sodium Hydroxide Solution	37424-75	500ML
0.05mol/l-Sodium Hydroxide Solution	37439-95	500ML
0.02mol/l-Sodium Hydroxide Solution	37425-65	500ML
0.01mol/l-Sodium Hydroxide Solution	37426-55	500ML

Sodium Oxalate		
0.05mol/l-Sodium Oxalate Solution	37414-05	500ML
0.0125mol/l-Sodium Oxalate Solution	37415-95	500ML
0.005mol/l-Sodium Oxalate Solution	37442-35	500ML

Sodium Thiosulfate		
1mol/l-Sodium Thiosulfate Solution	37427-45	500ML
0.5mol/l-Sodium Thiosulfate Solution	95559-25	500ML
0.2mol/l-Sodium Thiosulfate Solution	95556-55	500ML
0.1mol/l-Sodium Thiosulfate Solution	37428-35	500ML
0.05mol/l-Sodium Thiosulfate Solution	37438-05	500ML
0.025mol/l-Sodium Thiosulfate Solution	37429-25	500ML
0.02mol/l-Sodium Thiosulfate Solution	37430-85	500ML
0.01mol/l-Sodium Thiosulfate Solution	37431-75	500ML

Sulfuric Acid		
10.25mol/l-Sulfuric Acid	37321-15	500ML
2mol/l-Sulfuric Acid	95628-86	500ML
0.5mol/l-Sulfuric Acid	37322-05	500ML
0.25mol/l-Sulfuric Acid	37323-95	500ML
0.05mol/l-Sulfuric Acid	37324-85	500ML
0.025mol/l-Sulfuric Acid	37347-95	500ML
0.01mol/l-Sulfuric Acid	37325-75	500ML
0.005mol/l-Sulfuric Acid	37326-65	500ML

Zinc		
0.1mol/l-Zinc Solution	37434-45	500ML
0.05mol/l-Zinc Solution	95844-75	500ML
0.01mol/l-Zinc Solution	37435-35	500ML

Zinc Acetate		
0.1mol/l-Zinc Acetate Solution(N/5)	95840-15	500ML

Indicators

Bromocresol Green	GR	05610-31	1G
		05610-02	25G
Bromocresol Purple	GR	05612-11	1G
		05612-82	25G
Bromophenol Blue	GR	05808-61	1G
		05808-32	25G
0.04w/v%-Bromophenol Blue Solution for pH test		37143-84	100ML
		37143-55	500ML
Bromothymol Blue	GR	05902-11	1G
		05902-82	25G
0.04w/v%-Bromothymol Blue Solution for pH test		37144-45	500ML
o-Cresolphthalein	GR	09712-81	1G
		09712-52	25G
Cresol Red [CR]	GR	09714-61	1G
		09714-32	25G
Curcumin	GR	09822-41	1G
		09822-54	5G
Litmus	GR	20746-72	25G
Metacresol Purple	GR	21701-41	1G
Metanil Yellow	GR	21705-72	25G
Methylene Blue	GR	22409-32	25G
Methylene Blue Dihydrate	EP	22432-12	25G
Methyl Orange	GR	22901-62	25G
Methyl Red	GR	23010-31	1G
		23010-02	25G
Methyl Yellow	GR	12814-64	10G
Neutral Red	GR	24206-22	25G
Phenolphthalein	GR	26724-72	25G
		26724-85	500G
1w/v%-Phenolphthalein Solution for neutralization titration		37265-94	100ML
		37265-65	500ML
0.1w/v%-Phenolphthalein Solution for neutralization titration		37264-04	100ML
		37264-75	500ML
0.04w/v%-Phenolphthalein Solution for pH test		37266-84	100ML
		37266-55	500ML
Phenol Red	GR	26807-21	1G
		26807-92	25G

Tetrabromophenol Blue	GR	26722-34	5G
		26722-92	25G
Uranine	EP	35816-92	25G

Wettability Standard Solutions

Wettability Standard Solution No.31	36524-24	50ML
Wettability Standard Solution No.32	36525-14	50ML
Wettability Standard Solution No.33	36526-04	50ML
Wettability Standard Solution No.34	36527-94	50ML
Wettability Standard Solution No.35	36528-84	50ML
Wettability Standard Solution No.36	36529-74	50ML
Wettability Standard Solution No.37	36530-34	50ML
Wettability Standard Solution No.38	36531-24	50ML
Wettability Standard Solution No.39	36532-14	50ML
Wettability Standard Solution No.40	36533-04	50ML
Wettability Standard Solution No.41	36534-94	50ML
Wettability Standard Solution No.42	36535-84	50ML
Wettability Standard Solution No.43	36536-74	50ML
Wettability Standard Solution No.44	36537-64	50ML
Wettability Standard Solution No.45	36538-54	50ML
Wettability Standard Solution No.46	36539-44	50ML
Wettability Standard Solution No.48	36540-04	50ML
Wettability Standard Solution No.50	36541-94	50ML
Wettability Standard Solution No.52	36542-84	50ML
Wettability Standard Solution No.54	36543-74	50ML

Environmental Sciences

Reagents for Pesticide Analysis

Acetone	for Residual Pesticide and PCB Analysis	SP	04329-71	1L
Acetone	for Dioxins Analysis	SP	02098-61	1L
Acetonitrile	for Residual Pesticide and PCB Analysis	SP	04331-21	1L
Benzene	for Residual Pesticide and PCB Analysis	SP	04333-01	1L
Chloroform	for Residual Pesticide and PCB Analysis	SP	04334-91	1L
Dichloromethane	for Residual Pesticide and PCB Analysis	SP	04335-81	1L
Diethyl Ether	for Residual Pesticide and PCB Analysis	SP	04336-71	1L
1,5-Diphenylcarbonohydrazide	for Analysis of Poisonous Metal	SP	13732-62	25G
Ethyl Acetate	for Residual Pesticide and PCB Analysis	SP	04337-61	1L
Hexane	for Residual Pesticide and PCB Analysis	SP	04338-51	1L
Hexane	for Dioxins Analysis	SP	17483-41	1L
Hydrochloric Acid(35%)	for Analysis of Poisonous Metal	SP	18429-15	500ML
Hydroxyl Ammonium Chloride	for Analysis of Poisonous Metal	SP	18724-64	100G
Methanol	for Residual Pesticide and PCB Analysis	SP	04339-41	1L
Nitric Acid(S.G.=1.38, 60%)	for Analysis of Poisonous Metal	SP	24430-85	500ML
Perchloric Acid(60%)	for Analysis of Poisonous Metal	SP	26519-85	500G
Sodium Sulfate	for Residual Pesticide and PCB Analysis	SP	31935-65	500G
Sulfuric Acid	for Analysis of Poisonous Metal	SP	32536-65	500G
Tin(II) Chloride Dihydrate	for Analysis of Poisonous Metal	SP	34032-24	100G
Toluene	for Residual Pesticide and PCB Analysis	SP	04340-01	1L
Toluene	for Dioxins Analysis	SP	32774-61	1L
Zinc Powder	for Analysis of Poisonous Metal	SP	36936-34	250G

Reagents for Water Pollution Analysis

L(+)-Ascorbic Acid	SP	03428-72	25G
4,4'-Bis(1-phenyl-3-methyl-5-pyrazolone)	SP	05028-94	5G
Bromodichloromethane		05628-34	10G
Brucine Dihydrate	SP	05927-14	5G
Brucine Sulfate Heptahydrate	GR	05920-42	25G
Color Standard Solution		37145-64	100ML
		37145-35	500ML
Di-2-ethylhexyl Sodium Sulfosuccinate	SP	12213-34	100G
		12213-05	500G
Hexane	SP	17935-34	200ML
		17935-05	500ML
5,5',7-Indigotrisulfonic Acid Tripotassium Salt	SP	19138-11	1G
LAS-C8 [p-n-Octylbenzenesulfonic Acid Sodium Salt]	SP	20147-51	1G
LAS-C9 [p-n-Nonylbenzenesulfonic Acid Sodium Salt]	SP	20148-41	1G
LAS-C10 [p-n-Decylbenzenesulfonic Acid Sodium Salt]	SP	20149-31	1G
LAS-C12 [p-n-Dodecylbenzenesulfonic Acid Sodium Salt]	SP	20151-81	1G
LAS-C14 [p-n-Tetradecylbenzenesulfonic Acid Sodium Salt]	SP	20153-61	1G
3-Methyl-1-phenyl-5-pyrazolone	SP	27326-62	25G

N-1-Naphthylethylenediamine Dihydrochloride	SP	24030-41	1G
		24030-54	5G
o-Phenylenediamine	SP	27126-82	25G
Potassium Peroxodisulfate	SP	28734-24	100G
Sodium Hydroxide	SP	31533-54	100G
Sodium Lauryl Sulfate [Sodium Dodecyl Sulfate;SDS]	SP	31622-42	25G
Sulfanilic Acid	SP	32535-04	100G
o-Tolidine Solution		37210-65	500ML
Trichloroethylene Standard Solution	SP	34634-44	10ML

Reagents for Air Pollution Analysis

N,N-Diethyl-N'-1-naphthylethylenediamine Oxalate [Tsuda Reagent]	GR	35612-81	1G
		35612-94	5G
Potassium Dihydrogenphosphate	SP	28732-44	140G
Potassium Iodide	SP	28632-54	200G

Others

Decalin [Decahydronaphthalene]	SP	10629-51	1L
1-Octanol [n-Capryl Alcohol]	SP	25430-55	500ML
		25430-71	1L
Titanium(IV) Sulfate Solution	SP	34134-94	100ML





Desiccants

Aluminium Oxide		CP	01428-45	500G
Calcium Chloride, for Desiccator		CP	06733-85	500G
			06733-14	15KG
Calcium Chloride, for U-tube		EP	06836-45	500G
Calcium Chloride, for U-tube No.1		EP	06801-85	500G
Calcium Chloride, for U-tube No.2		EP	06802-75	500G
			06802-04	10KG
Calcium Chloride, for U-tube No.3		EP	06803-65	500G
Magnesium Perchlorate		SP	20928-34	50G
			20928-76	100G
			20928-05	500G
Magnesium Perchlorate		SP	20929-24	50G
			20929-66	100G
			20929-95	500G
Magnesium Sulfate, Anhydrous		EP	21032-95	500G
			21032-24	20KG
Magnesium Sulfate, Dehydrate		CP	21004-65	500G
			21004-94	4KG
Molecular Sieves 3A 1/8	Rod, Diameter: 3.2mm		04177-45	500G
Molecular Sieves 3A 1/16	Rod, Diameter: 1.6mm		04170-15	500G
Molecular Sieves 3A, with indicator	Beads, Particle size: approx. 2mm Moisture indicator modified		23355-44	250G
Molecular Sieves 3A, mixed indicator	Beads, Particle size: approx. 2mm Mixture of normal type and modified indicator type		23356-05	500G
Molecular Sieves 3A	Powder, Particle size: approx.10um or less		04176-55	500G
Molecular Sieves 4A 1/8	Rod, Diameter: 3.2mm		04171-05	500G
Molecular Sieves 4A 1/16	Rod, Diameter: 1.6mm		04172-95	500G
Molecular Sieves 4A	Beads, Size: approx.2mm		04167-75	500G
Molecular Sieves 4A, with indicator	Beads, Size: approx.2mm Moisture indicator modified		23357-24	250G
Molecular Sieves 4A, mixed indicator	Beads, Size: approx.2mm Mixture of normal type and modified indicator type		23358-85	500G
Molecular Sieves 4A	Powder, Particle size: approx.10um or less		04168-65	500G
Molecular Sieves 5A 1/8	Rod, Diameter: 3.2mm		04173-85	500G
Molecular Sieves 5A 1/16	Rod, Diameter: 1.6mm		04174-75	500G
Molecular Sieves 13X 1/8	Rod, Diameter: 3.2mm		04166-85	500G
Molecular Sieves 13X 1/16	Rod, Diameter: 1.6mm		04175-65	500G
Molecular Sieves 13X	Beads, Size: approx.2mm		04169-55	500G
Silica Gel	Irregular (white)(small)	CP	30615-85	500G
Silica Gel	Irregular (white)(medium)	CP	30617-65	500G
Silica Gel	Spherical (white)(large)	CP	30619-45	500G
Silica Gel	Spherical (mixed color)(large)	CP	30620-05	500G
Silica Gel	Spherical (blue)(medium)	CP	05263-75	500G
Silica Gel	Spherical (blue)(large)	CP	30623-75	500G


COSMOSIL

COSMOSIL Special Columns

Material Characteristics

	Cholester	πNAP	PYE	HILIC	Protein-R	Sugar-D
Silica Gel	High Purity Porous Spherical Silica					
Average Particle Size	5 µm					
Average Pore Size	approx. 120 Å				approx. 300 Å	---
Stationary Phase	 Cholesteryl Group	 Naphtylethyl Group	 Pyrenylethyl Group	 Triazole	 Octadecyl Group	Secondary/Tertiary Amine
Main Interaction	Hydrophobic Interaction Molecular Shape Selectivity	Hydrophobic Interaction π-π Interaction	Hydrophobic Interaction π-π Interaction Stereoselectivity Charge-tansfer Interaction	Hydrophilic Interaction	Hydrophobic Interaction	---
Carbon Content	approx. 20%	approx. 11%	approx. 18%	---	---	---
Features	- Specialty for structual isomers - Usable under the same condition as C_{18}	- Stronger π-π interaction than phenyl column	- The most powerful π-π interaction	- Suitable for highly polor compounds - Ion-pair reagent is not reqired	- High recovery rate - Acid-resistant	- High durability - Low absorption - Suitable for quantitative analysis

Selection Guide



NACALAI TESQUE, INC.

Nijo Karasuma, Nakagyo-ku, Kyoto 604-0855 JAPAN
TEL : +81 (0)75 251 1730
E-mail : info.intl@nacalai.com

www.nacalai.com

e Nacalai Online Catalog

e-Nacalai Global Search

